



Seventy-eighth

Annual Report of the Registrar-General for Scotland

1932

Crown Copyright Reserved

EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses
120 George Street, Edinburgh 2; Adastral House, Kingsway, London, W.C. 2
York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff
15 Donegall Square West, Belfast
or through any Bookseller

1933

Price 3s. 6d. Net

49-150-0-32

CONTENTS.

	PAGE
<i>REPORT.</i>	
Introductory Letter,	v
General Summary,	vii
Population Estimates,	ix
Births,	ix
Marriages,	xi
Deaths,	xii
Causes of Death,	xiv
<i>APPENDIX I.</i>	
Sixty-eighth Annual Report on Vaccination (1931),	xxii
<i>APPENDIX II.</i>	
Additional Marriage Statistics for Year 1931,	xxv
<i>APPENDIX III.</i>	
Weather Report for Year 1932,	xxxix
<i>APPENDIX IV.</i>	
Alteration of Boundaries of Burghs, Landward Areas, etc., which became effective during 1932,	xxxvi
<i>APPENDIX V.</i>	
Effect of Changes in Age Distribution on Rates of Mortality; Trend of Mortality at different Ages during past Seventy Years; Infantile Mortality; Exophthalmic Goitre,	xxxvii

APPENDED TABLES.

BIRTHS, DEATHS, AND MARRIAGES, 1932.

Table 1. Births, Deaths, and Marriages, 1855 to 1932,	xlix
„ 2. Birth, Death, and Marriage rates, 1855 to 1932,	l
„ 3. Quarterly Returns of Births, Deaths, and Marriages, 1922 to 1932,	li
„ 4. Birth, Death, and Marriage rates in Counties and Large Burghs,	lii
„ 5. Do. do. Small Burghs,	liv
„ 6. Do. do. Landward Areas,	lviii
„ 7. Birth-rate among Married and among Unmarried Women,	lix

MARRIAGES, 1931.

Table 8. Method of Celebration, etc., of Marriages, 1855-1931. Numbers and Percentages,	lxi
„ 9. Regular and Irregular Marriages, 1931,	lxii
„ 10. Church of Celebration of Regular Marriages, 1931,	lxiii
„ 11. Civil Condition and Method of Signature of Persons Marrying, 1931,	lxiv
„ 12. Ages of Men at Marriage, 1931,	lxvi
„ 13. Ages of Women at Marriage, 1931,	lxviii
„ 14. Ages in Combination of Men and Women at Marriage, 1931,	lxx

Contents.

iii

Table 15.	Ages in Combination of Bachelors and Spinsters at Marriage, 1931,	PAGE lxxi
„ 16.	Ages in Combination of Bachelors and Widows at Marriage, 1931,	lxxii
„ 17.	Ages in Combination of Widowers and Spinsters at Marriage, 1931,	lxxiii
„ 18.	Ages in Combination of Widowers and Widows at Marriage, 1931,	lxxiv

DEATHS, 1932.

Table 19.	Ages at Death and Death rates—Scotland, Large and Small Burghs, etc.—by Age Groups,	lxxv
„ 20.	Ages at Death, Single Years of Age, and Condition as to Marriage—Males and Females,	lxxvi
„ 21.	Deaths and Death-rates—Age-Groups and Selected Causes—Males and Females,	lxxviii
„ 22.	Deaths and Death-rates from Selected Causes—Scotland, Large Burghs, Small Burghs and Landward,	lxxxvi
„ 23.	Deaths from Selected Causes and in Age-Groups, 1922–1932,	lxxxvii
„ 24.	Death-rates from Selected Causes and in Age-Groups, 1922–1932,	lxxxviii
„ 25.	Deaths from Principal Epidemic and certain other Diseases, 1855–1932,	lxxxiv
„ 26.	Death-rates from Principal Epidemic and certain other Diseases, 1855–1932,	lxxxv
„ 27.	Deaths and Death-rates from Puerperal Conditions,	lxxxvi
„ 28.	Deaths from Malignant Disease,	lxxxviii
„ 29.	Deaths from Suicide,	xc
„ 30.	Deaths from Poison, Accidental and Suicidal, and from Secondary Anæsthetics,	xc
„ 31.	Deaths of Children of less than One Year from Selected Causes,	xcii
„ 32.	Deaths of Children of less than One Year from Selected Causes, showing the Month of Registration of Death,	xciii
„ 33.	Deaths of Children of less than One Year by Age-periods, with Infantile Mortality Rates—Counties and Large Burghs,	xciv

OTHER TABLES.

Table 34.	Meteorology of Scotland, and Births, Deaths, Deaths under One Year, and Marriages by Month in 1932,	xcvi
„ 35.	Weather, and Weekly Death-rates,	xcvi
„ 36.	Vaccinations in Scotland, 1921–1931, with Percentage of Total Births, and Percentage of Survivors,	xcvii
„ 37.	Deaths from Small-pox in Scotland, 1855–1931, with Vaccination Particulars, 1864–1931,	xcviii

ABSTRACTS.

General Registration Summary—Births, Deaths, and Marriages in the Counties and Large Burghs in 1932, with Vaccination particulars for 1931,	2–3
--	-----

CAUSES OF DEATH—FULL LIST.

Scotland—Males and Females,	4
Public Health Districts of Scotland—Large Burghs, &c.	24
Scotland, by Month of Registration—Both Sexes,	42
Large Burghs, &c., individually by Short List (Males and Females)	48

	PAGE
STATISTICS OF PUBLIC HEALTH DISTRICTS.	
In County of Aberdeen,	106
Do. Angus,	107
Do. Argyll,	108
Do. Ayr,	109
Do. Banff,	111
Do. Berwick,	112
Do. Bute,	113
Do. Caithness,	113
Do. Clackmannan,	113
Do. Dumbarton,	114
Do. Dumfries,	115
Do. East Lothian,	116
Do. Fife,	117
Do. Inverness,	119
Do. Kincardine,	120
Do. Kinross,	121
Do. Kirkcudbright,	121
Do. Lanark,	121
Do. Midlothian,	123
Do. Moray,	123
Do. Nairn,	124
Do. Orkney,	125
Do. Peebles,	125
Do. Perth,	125
Do. Renfrew,	127
Do. Ross and Cromarty,	127
Do. Roxburgh,	128
Do. Selkirk,	129
Do. Stirling,	129
Do. Sutherland,	130
Do. West Lothian,	130
Do. Wigtown,	131
Do. Zetland,	131
METEOROLOGICAL ABSTRACTS,	132

REPORT

ON THE

VITAL STATISTICS of SCOTLAND for the YEAR 1932.

GENERAL REGISTRY OFFICE OF BIRTHS, &C.,
NEW REGISTER HOUSE,
EDINBURGH, 17th October, 1933.

SIR,

In compliance with the requirements of the 7th Section of the Registration of Births, Deaths and Marriages (Scotland) Act, 1854, 17 & 18 Vict., c. 80, I beg to transmit with a view to its being laid before Parliament a Report on the Vital Statistics of Scotland for the year 1932.

Along with the Report are submitted the usual four Appendices, the first being the 68th Report on the Vaccination of Children in Scotland, as required by the 19th Section of the Vaccination (Scotland) Act, 1863, the second dealing with the detailed Marriage Statistics of the year 1931, the third with the Meteorological Observations of the year 1932 with which the principal vital statistics are concerned, and the fourth with Alterations of Boundaries of local areas which became effective during the year 1932.

The main Report and Appendices, with the exception of Appendix III, which has been supplied by the Meteorological Office, Edinburgh, have been compiled by Dr. P. L. McKinlay, Superintendent of Statistics in this Department, who has also prepared and added to the Report a special Appendix dealing with the effect of Changes in the Age Distribution of Population on the Rates of Mortality, with the Trend of Mortality at different Periods of Life during the last Seventy Years, with Infantile Mortality during the past Twenty Years, and with Exophthalmic Goitre.

I am, Sir,

Your obedient servant,

A. FROUDE,
Registrar-General.

THE SECRETARY,
DEPARTMENT OF HEALTH FOR SCOTLAND.

REPORT TO THE REGISTRAR-GENERAL

By PETER L. MCKINLAY, M.D.,

Superintendent of Statistics.

THE outstanding facts revealed by the statistics of the year under review are a further decline in the birth-rate, a slight increase in the general death-rate compared with the previous year, and an increased rate of infant mortality. The number of births and the birth-rate per thousand population are the lowest recorded in any year since the beginning of national registration. The number of deaths and the death-rate are greater than the corresponding figures for 1931, but are below the average for the preceding quinquennium. The death-rate of infants under one year of age for the present year is greater than in 1931, and slightly in excess of the average for the preceding five years. The mortality ascribed to the principal epidemic diseases does not differ widely from the experience of recent years, being slightly above the figure for 1931, but below the average for the five years 1927-31. Mortality attributed to measles and scarlet fever is above the average, and that to whooping-cough below it, while the mortality from diphtheria is substantially equal to the average experience of the past five years. The relatively unfavourable death-rate from measles was entirely confined to the first six months and particularly to the first quarter of the year, the rates from this cause in the latter half of the year being comparatively low. Scarlet fever, on the other hand, has been above the preceding quinquennial average in each quarter of the year 1932. Mortality from whooping-cough was under average in the first three quarters, but over average in the final quarter compared with the average of the previous five years. Influenza mortality has varied irregularly in the individual quarters, being under average in the first and third and over average in the second and fourth quarters. The death-rate from the principal respiratory diseases, bronchitis and pneumonia, is lower than the preceding quinquennial average, but is slightly in excess of the figure recorded in 1931. Deaths from violence are somewhat greater than last year, but slightly below the quinquennial average. Deaths from accidents in connection with motor vehicles are, however, greater in number than in 1931 and the average for the last five years. Other outstanding features of the year under review are a further decline in the death-rate from both pulmonary and other forms of tuberculosis, an increase in that from malignant disease and, as yet, no appreciable improvement in the maternal death-rate compared with the experience of recent years.

The total births registered during the year numbered 91,000,

which is 1,220 fewer than in the previous year. It is equivalent to a rate of 18·64 per thousand population, and is the lowest birth-rate recorded for this country since the beginning of registration in 1855. Compared with the maximum Scottish birth-rate of 35·62 per thousand which was registered in 1876, the rate for the present year is approximately only half of that value. Illegitimate children whose births were registered during the year numbered 6,456, which is 205 fewer than the number recorded in 1931. Though this is the lowest number hitherto registered in any year the rate (7·1) differs little from the average.

Marriages registered during the year numbered 33,178, and are 526 more than in the previous year. The rate, 6·79 per thousand population, is slightly above that for 1931. Marriages terminated during the year by decrees of divorce or of nullity numbered 488, and are 81 fewer than the corresponding number for 1931.

The total deaths registered numbered 66,045, and are 1,816 more than in 1931. The rate, 13·53 per thousand, is 0·26 above that for the previous year, but is 0·13 below the average for the past five years.

Deaths of infants under one year numbered 7,840, and are equivalent to an infantile mortality rate of 86·2 per thousand registered live births. This rate is 4·4 above that for the previous year, and 1·0 above the mean of the rates for the five preceding years.

The annual death-rate from all forms of tuberculosis was 84 per 100,000 population, that from respiratory forms amounting to 61. Both of these rates are the lowest recorded, and are a continuation of the improvement which began in the decennium 1861-70, when the annual death-rates averaged 379 and 268 per 100,000 population for all forms of tuberculosis and respiratory forms respectively.

Deaths from malignant disease numbered 7,458, and are 300 more than were registered in 1931. The equivalent death-rate per 100,000 is 153, which is 5 above that for the previous year, and represents the highest rate for this disease hitherto recorded. Malignant disease accounted for 11 per cent. of the total deaths registered in Scotland in 1932. Recent enquiries suggest that the change in the age constitution of the population may account for an appreciable proportion of the increase shown by the crude rates of mortality.

Deaths of women from diseases and accidents peculiar to pregnancy and parturition numbered 576, and are equivalent to a rate of 6·3 per thousand registered live births. This number is 31 more than in the previous year, and the rate is 0·4 above that for 1931 although 0·3 below the average for the previous five years. Mortality from this group of causes has shown no favourable change over a long series of years.

Deaths from violence numbered 2,811 and are 81 more than in the previous year. Of these violent deaths the number attributed

to accidents in connection with motor vehicles takes a prominent place. These amounted to 648 in 1932, and are 21 more than in the previous year.

The main causes of death in order of frequency, together with the percentage of the total deaths represented by each, are as follows:—heart disease 14·6 per cent., malignant tumours 11·3, cerebral hæmorrhage and apoplexy 10·9, pneumonia 8·2, tuberculosis 6·2, diseases of early infancy 5·2, and bronchitis 5·2.

POPULATION.

The estimated population of Scotland as at the middle of 1932 amounted to 4,883,000, males numbering 2,348,000 and females 2,535,000. This represents an increase over the total population enumerated at the Census of 1931 of approximately 40,000, due partly to natural increase (excess of births over deaths), and partly to an inward balance of migration, the number of immigrants into Scotland from countries out of Europe having exceeded those leaving it for those countries.

BIRTHS.

The number of living children whose births were registered in Scotland during the year 1932 was 91,000, of whom 46,579 were males and 44,421 were females, the sex ratio being 104·9 males to every 100 females. (*Table B.*) Since the year 1876, when the birth-rate reached the highest point ever recorded, viz. 35·62 per thousand total population, the general trend has, apart from minor annual fluctuations, been steadily downwards, the rates in the last few years being only just over half of the values registered when the birth-rate was at its maximum. The only major interruptions of this general decline, the reasons for which are obvious, were a sudden fall from a rate of 26·11 per thousand population in the year of the outbreak of war to 20·26 in 1917, and the equally striking and explicable rebound in the years immediately succeeding the war to a climax in 1920, when the rate reached the value of 28·07 per thousand, which was somewhat in excess of its pre-war level. From that point there has been an uninterrupted fall in the

TABLE A.—Population of Scotland and its Groups of Public Health Districts in 1932.

GROUPS OF DISTRICTS.	Census 1931 (Resident).			Census 1921 (Enumerated).			Estimated to 30th June 1932.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
Large Burghs	2,647,043	1,256,298	1,390,745	2,565,421	1,230,432	1,334,989	2,669,000	1,269,000	1,400,000
Small Burghs	725,044	336,739	388,305	769,394	353,733	415,661	732,000	340,000	392,000
Landward	1,470,893	732,486	738,407	1,547,682	763,477	784,205	1,482,000	739,000	743,000
SCOTLAND	4,842,980	2,325,523	2,517,457	4,882,497	2,347,642	2,534,855	4,883,000	2,348,000	2,535,000

birth-rate to 19·58 in 1930, 19·04 in 1931, and 18·64 in 1932, which is the lowest on record. (*Table 2.*)

Of the total births registered during the year 56·3 per cent. occurred in the Large Burghs, 13·7 per cent. in the Small Burghs, and 30·0 per cent. in Landward districts. These proportions differ little from those of previous years. The birth-rate per thousand population is also highest in the Large Burghs and lowest in the Small Burghs, that for the Landward area being intermediate in value.

The geographical variations of the birth-rate will be seen in Tables 4 to 6. In counties, including burghs, the highest rates were in Lanark, West Lothian and Wigtown with rates of 20·7, 20·5 and 20·3 respectively, and the lowest in Zetland, Berwick and Peebles, where the rates were 12·7, 12·8 and 13·0 respectively. In the large burghs the variations were from 25·8 in Port-Glasgow, 24·0 in Coatbridge, and 23·0 in Hamilton, to 15·1 in Perth, 15·2 in Rutherglen, 15·4 in Arbroath, and 15·4 in Dunfermline. In small burghs with populations of 5,000 and over the highest rates were found in Peterhead, Kilwinning and Wick with rates of 25·3, 24·1 and 23·4 respectively, and the lowest in St. Andrews, Dunoon and Troon, where the rates were 10·9, 11·1 and 11·1 respectively. In landward or extra-burghal districts the birth-rate ranged from 21·1 in Lanark, 21·1 in Wigtown, and 21·0 in West Lothian, to 11·5 in Bute, 12·4 in Renfrew, and 13·0 in Zetland.

The birth-rate per thousand women aged 15-44 years (estimated to number 1,165,200) in contrast with the crude rate, is highest in landward areas and lowest in the small burghs, with the rate in the large burghs intermediate in value. (*Table C and Table 7.*)

The proportion of the total births which are illegitimate was 7·09 per cent. This is lower than the rate recorded for the previous year, and lower also than the average for the previous five years, but it is slightly higher than that for the previous ten years. The frequency of illegitimate births compared with total births is, as is usually the case, highest in the landward districts and lowest in the large burghs. (*Table B and Table 2.*)

The total number of women who gave birth to living children

TABLE B.—Birth-rate in Scotland and its Groups of Public Health Districts in 1932.

GROUPS OF DISTRICTS.	Births.					Birth-rate per 1000 of Estimated Population.			Illegitimate Births per 100 Total Births.
	Total.	Legitimate.		Illegitimate.		Total.	Legitimate	Illegitimate.	
		Males.	Females.	Males.	Females.				
Large Burghs .	51,234	24,534	23,531	1,667	1,502	19·20	18·01	1·19	6·19
Small Burghs .	12,477	6,003	5,582	452	440	17·04	15·82	1·22	7·15
Landward .	27,289	12,707	12,187	1,216	1,179	18·41	16·79	1·62	8·78
SCOTLAND .	91,000	43,244	41,300	3,335	3,121	18·64	17·31	1·32	7·09

during the year was 89,860. Of them 88,737 or 98·75 per cent. gave birth to single children, 1,106 or 1·23 per cent. to twins, and 17 or 0·02 per cent. to triplets. (*Table 1.*)

MARRIAGES.

Marriages registered in Scotland during the year 1932 numbered 33,178, which is 526 more than in the previous year. The marriage-rate is 6·79 per thousand population compared with 6·74 for 1931. Apart from the fluctuations associated with war and post-war conditions, there is no definite evidence of a tendency towards either increase or decrease in the marriage-rate over the whole period of registration. (*Table 2.*)

The marriage-rate was highest in the aggregate of large burghs, where it was 7·93 per thousand population, and lowest in landward districts, where it was 4·91—the rate for the small burghs, viz. 6·46, being intermediate in value. (*Table D.*) The relative position of these three aggregates is in conformity with the experience of previous years. The variations in individual geographical areas are shown in Tables 4 to 6.

By decrees pronounced in Scotland during the year 484 marriages were terminated by divorce, and 4 were declared null.

TABLE C.—Birth-rate per 1000 Women aged 15-44, 1932.

GROUPS OF DISTRICTS.	Estimated Number of Women aged 15-44.	Births.	Birth-rate per 1000 of Population.		Birth-rate per 1000 Women aged 15-44.	
		Number.	Rate.	Relative Quantity, Scotland being=100.	Rate.	Relative Quantity, Scotland being=100.
Large Burghs . . .	667,600	51,234	19·20	103·0	76·7	98·2
Small Burghs . . .	175,000	12,477	17·04	91·4	71·3	91·3
Landward . . .	322,600	27,289	18·41	98·8	84·6	108·3
SCOTLAND . . .	1,165,200	91,000	18·64	100·0	78·1	100·0

TABLE D.—Marriages in Scotland and its Groups of Public Health Districts in 1932.

GROUPS OF DISTRICTS.	Marriages.	Marriage-rate per 1000 of Population.	
	Number.	Rate.	Relative Quantity, Scotland being=100.
Large Burghs	21,168	7·93	116·8
Small Burghs	4,731	6·46	95·1
Landward	7,279	4·91	72·3
SCOTLAND	33,178	6·79	100·0

Of these, 425 affected marriages registered in Scotland, and 63 marriages registered elsewhere. The trend of these figures over the whole period of registration has been upwards, though the number in 1932 was slightly below the average for the past five years. (*Table E.*)

DEATHS.

Deaths registered during the year numbered 66,045, the annual death-rate per thousand population being 13·53. This rate is 0·27 above that for the previous year, but is 0·13 below the mean of those of the five preceding years. Apart from slight annual variations the general trend of this rate since the institution of registration has been steadily downwards, death-rates almost twice as high as those now prevailing having been recorded just over half a century ago.

Comparison of the mortality rates in the three large aggregates of districts shows a direct relationship with urbanisation. When the crude death-rate, i.e. the rate shown as “corrected for transfers,” is taken as the standard for comparison this association is not quite so marked, but when these rates are adjusted for differences of age and sex constitution of the population the increase in mortality in the urban areas as compared with the rural areas becomes more marked. In landward districts the adjusted rate was 12·01 per thousand, in the small burghs 12·46, and in the large burghs 14·82. (*Table F.*)

TABLE E.—Number of Divorces in Scotland, 1855-1932, including Decrees of Nullity of Marriage.

<i>Years.</i>		<i>Annual Average.</i>		<i>Year.</i>		<i>Annual Numbers.</i>
1855-64	=	17		1925	=	451
1865-74	=	14		1926	=	425
1875-84	=	60		1927	=	474
1885-94	=	100		1928	=	504
1895-1904	=	159		1929	=	519
1905-14	=	222		1930	=	469
1915-24	=	458		1931	=	569
				1932	=	488

TABLE F.—Deaths in Scotland and its Groups of Public Health Districts in 1932.

GROUPS OF DISTRICTS.	Deaths.		Death-rate per 1000 of Population.	
	Registered Number.	Corrected for Transfers.	Corrected for Transfers.	Corrected for Transfers and Adjusted for Age and Sex Distribution.
Large Burghs	39,629	37,080	13·89	14·82
Small Burghs	8,846	9,987	13·64	12·46
Landward	17,570	18,978	12·80	12·01
SCOTLAND	66,045	66,045	13·53	13·53

In counties, inclusive of burghs, the highest death-rates (adjusted for age and sex) are found in Lanark (15·8), in Renfrew (14·4), and in Stirling (13·5), and the lowest in Orkney (9·6), in Ross and Cromarty (10·4), and in Berwick (10·6). In the large burghs taken individually these rates ranged from 16·3 in Glasgow, 16·1 in Coatbridge and 15·9 in Port-Glasgow, to 11·2 in Dunfermline, 12·7 in Arbroath and 12·8 in Dumfries. In small burghs with populations over 5,000 the rates ranged from 17·7 in Johnstone, 16·9 in Denny and Dunipace and 16·2 in Lanark, to 10·3 in Girvan, 10·5 in Selkirk and 10·7 in Helensburgh. In landward districts they varied from 14·1 in Lanark, 13·5 in Midlothian and 13·5 in Stirling, to 9·1 in Selkirk, 9·5 in Angus, 9·6 in Moray and 9·6 in Orkney. (*Tables 4 to 6.*)

The death-rates in separate age and sex groups show generally the differences usually found, namely, higher male than female mortality at each age period, and the characteristic trend of the mortality rates with age. From Table G, in which comparison is made of the death-rates at ages in each sex since 1911, will be seen the amount of improvement which has taken place since that date. Apart from the final age-group, for which comparative rates are not complete, mortality throughout this period of years has fallen at all separate age-groups. The variations shown in the rates for the present year compared with the corresponding age periods of the previous year are doubtless due in part to the population figures for those age periods in 1932 being based on recent census totals.

Centenarians.—The deaths of 17 reputed centenarians were registered during the year, 3 of them being males and 14 females. The age as registered was verified in 11 cases and disproved in 4, while in 2 instances no recorded evidence of age was available. Of those verified 3 were aged 100, 2 aged 101, 1 aged 102, 2 aged 103, 1 aged 104, 1 aged 105, and 1 aged 106. All the cases verified were females. The centenarian recorded as 106 years of age was within a few weeks of reaching 107, and is the oldest whose age has been established. Since 1910, when for the purpose of this Report the practice of endeavouring to verify the ages of reputed

TABLE G.—Age-group Death-rates per 1000 of Population from 1911-1932.

YEARS.	MALES.												FEMALES.											
	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
1911-15	140·0	18·5	3·7	2·4	4·1	5·6	8·8	16·2	33·5	67·4	162·7	..	111·2	17·5	3·7	2·6	3·8	5·5	8·3	12·9	26·4	54·3	147·0	..
1916-20	110·8	15·5	3·6	2·4	4·5	6·2	8·5	16·2	34·3	69·1	170·2	..	85·4	14·7	3·6	2·7	4·3	6·0	7·8	12·6	25·9	49·8	149·5	..
1921-25	104·6	16·0	2·6	1·8	3·2	4·4	6·7	12·6	28·8	66·6	150·1	297·6	78·3	14·5	2·5	1·8	3·2	4·5	6·2	10·5	22·8	51·5	123·8	266·7
1926-30	96·3	12·1	2·6	1·9	3·0	4·0	6·8	12·0	26·4	66·2	152·0	320·2	73·3	10·5	2·4	1·6	2·9	4·0	5·8	10·1	20·8	51·7	126·7	289·9
1931	99·2	10·4	2·6	1·7	3·1	3·6	6·3	11·7	23·9	61·9	151·3	320·3	73·4	9·7	2·3	1·4	2·9	3·6	5·2	9·1	18·9	49·6	129·1	293·0
1932	100·1	10·5	2·7	1·6	3·0	3·8	6·6	11·6	24·1	60·2	142·3	278·3	79·9	9·7	2·3	1·7	2·9	4·0	5·5	9·4	19·8	47·8	119·9	271·8

centenarians was commenced, 318 such deaths have been registered, 51 being those of males and 267 those of females. Of the 318 cases the age has been verified in 166 instances and disproved in 51, while in 101 cases no evidence of age could be traced.

Certified Deaths.—Of the 66,045 deaths registered in 1932, 65,742 or 99·5 per cent. were certified as to cause of death by a registered medical practitioner or by Procurator-Fiscal's report, and 303 or 0·5 per cent. were uncertified. The latter is the lowest number on record, and is in marked contrast to the figure prevailing fifty years ago, when the annual average number of uncertified deaths was over 6,000. (*Table H.*)

CAUSES OF DEATH.

The cause of death was specified in 64,950 cases, or 98·3 per cent. of the total deaths, while in 1,095 or 1·7 per cent. it was either ill-defined or unspecified. Of the latter 1,047 were attributed to sudden death, syncope, heart failure and other ill-defined causes.

Principal Epidemic Diseases.—The diseases responsible for the greatest number of deaths in this group were influenza with 1,724, measles 892, whooping-cough 459, diphtheria 368, scarlet fever 250, and cerebro-spinal fever 229. Other diseases included in the group and the number of deaths ascribed to each are erysipelas (168), lethargic encephalitis (79), typhoid fever, including paratyphoid (32), acute poliomyelitis (18), and dysentery (16). Taken as a whole mortality in this group has been less favourable than in the previous year, due largely to an increased number of deaths from influenza, measles and scarlet fever. Deaths from whooping-cough, on the other hand, show an appreciable reduction from 957 to 459, while those from cerebro-spinal fever also fell somewhat, being 229 for the present year compared with 290 in 1931. Deaths from diphtheria show a slight increase over the previous year, but those from erysipelas and from lethargic encephalitis are lower. Other infectious diseases referred to on page 7 are noted in Table J.

Tuberculosis.—Deaths from all forms of this disease, exclusive of those associated with influenza, numbered 4,123, which constitutes the lowest number recorded since the beginning of registra-

TABLE H.—Deaths from Uncertified Causes, 1881-1932.

Year.	Uncertified Causes.	Percentage of Uncertified to Total.	Year.	Uncertified Causes.	Percentage of Uncertified to Total.
1881-1890 . .	6061	8·2	1926 . .	418	0·7
1891-1900 . .	3239	4·1	1927 . .	481	0·7
1901-1910 . .	1839	2·4	1928 . .	356	0·5
1911-1920 . .	1239	1·7	1929 . .	326	0·5
1921 . .	716	1·1	1930 . .	340	0·5
1922 . .	675	0·9	1921-1930 . .	499	0·8
1923 . .	573	0·9	1931 . .	333	0·5
1924 . .	608	0·9	1932 . .	303	0·5
1925 . .	498	0·8			

tion. The death-rate of 84 per 100,000 is less than one quarter of the mean annual rate of 382 which prevailed in the period 1866-70. Mortality from this cause is highest in the aggregate of large burghs, while the rates in the small burghs and landward areas are not greatly different from each other. In the large burghs individually the rates varied from 130 in Dumfries, 127 in Port-Glasgow and 115 in Glasgow, to 45 in Arbroath, 47 in Kilmarnock, 48 in Dunfermline and 48 in Kirkcaldy. (*Table 4.*)

Mortality from tuberculosis has for many years past been steadily declining. Deaths among males from pulmonary and non-pulmonary forms of the disease accounted thirty years ago for approximately 8 and 4 per cent. respectively of the total deaths, whereas now the corresponding proportions are 5 and 2 per cent. Among females a similar trend is manifest. Formerly about 9 per cent. died from pulmonary forms of tubercle and 4 per cent. from non-pulmonary forms, proportions which have now fallen to 4 and 2 per cent. respectively.

Diabetes.—Deaths from this cause numbered 666, an increase of 6 compared with 1931. Male deaths numbered 225 and female deaths 441. The former were 20 more than the average recorded for the past five years and the latter 61 more. The death-rate, 14 per 100,000, is the same as that for last year. A more detailed examination of the mortality from this cause was given in an appendix to this Report for last year.

Malignant Disease.—Deaths from this group of causes numbered 7,458, equal a death-rate of 153 per 100,000 population, and account for 11·29 per cent. of the total deaths. Compared with the previous year there is an increase of 300 in the number of deaths and of 5 in the rate per 100,000. This increase is in line with the general upward trend characteristic of this disease since the commencement

TABLE J.—The Causes of Death shown in the International Headings, Nos. 44 and 69, on pages 7 and 9, consisted of the following :—

No. 44.	M.	F.	Total.
Mumps	3	2	5
German measles	2	—	2
Spirochætosis ictero-hæmorrhagica	2	—	2
Undulant fever	1	1	2
Black water fever	1	—	1
Pink disease	1	—	1
	10	3	13
No. 69.			
Toxæmia	3	1	4
Acholuric jaundice	—	2	2
Acidosis	1	1	2
Cyclical vomiting	1	1	2
Diabetes insipidus	1	1	2
Pellagra	—	2	2
Fatty liver	1	—	1
Hæmolytic jaundice	1	—	1
Osteomalacia	—	1	1
	8	9	17

of registration. The most frequent sites among males were the digestive system (stomach, liver, peritoneum, intestine, and rectum), genito-urinary system, and buccal cavity (mouth, tongue, &c.). Among females the sites affected, in order of numerical importance, were the digestive system, breast, and genitalia. (Table 28.)

Other General Diseases.—In addition to the foregoing diseases there were 223 deaths from rheumatic fever, 137 from chronic rheumatism, osteo-arthritis and gout, and 387 from anæmia, of which 317 were attributed to pernicious anæmia. The latter disease was more fully dealt with in an appendix to this Report last year. Other general diseases referred to on page 9 are shown in Table J.

Diseases of the Nervous System.—Deaths from this group of diseases numbered 9,023, and are 276 more than were recorded in the previous year. They include 105 from cerebral abscess and other inflammation of the brain, 289 from meningitis other than tuberculous or cerebro-spinal, 6,640 from cerebral hæmorrhage, apoplexy, embolism, thrombosis and softening, 570 from hemiplegia and other or unspecified forms of paralysis, 150 from general paralysis of the insane, and 54 from locomotor ataxy. (Page 11.)

Diseases of the Circulatory System.—Deaths from this group of diseases numbered 11,106, and are 340 more than in the previous year. Of them 9,622 were attributed to heart disease, 879 to arterio sclerosis, 271 to gangrene, 133 to aneurysm, and 75 to diseases of the veins. (Page 13.)

Diseases of the Respiratory System.—Deaths from these causes, excluding 1,050 associated with influenza and those associated with tuberculosis, numbered 9,816, and are 312 more than in the previous year. Of them 24 were attributed to diseases of the nose, 42 to diseases of the larynx, 8,849 to bronchitis and pneumonia, 199 to pleurisy, and 702 to other respiratory conditions. Compared with the number for the previous year diseases of the larynx show a decrease of 23, but those from diseases of the nose an increase of 6, from bronchitis and pneumonia an increase of 218, from pleurisy an increase of 13, and from other respiratory diseases an increase of 98. (Page 14.)

Diseases of the Digestive System.—The total number of deaths ascribed to diseases of this system, apart from malignant disease and tuberculosis, was 3,819. This is an increase of 283 over the corresponding figure for 1931. Of these deaths 608 were attributed to gastric and duodenal ulcer, an increase of 29 compared with 1931, 850 to diarrhœa and enteritis among children under two years of age, an increase of 184, 263 to diarrhœa and enteritis among persons over two years of age, an increase of 59, 55 to ulcer of intestine, an increase of 6, 509 to appendicitis, an increase of 27, 542 to diseases of the liver, an increase of 13, and 992 to other digestive diseases. (Page 16.)

Diseases of the Genito-urinary System.—These collectively numbered 2,686, an increase of 16 compared with the previous year. Of them 1,981 were due to diseases of the kidney, an increase of 24, 245 to urinary calculus and conditions affecting the bladder and urethra, a decrease of 1, 393 to affections of the male reproductive organs, an increase of 18, and 67 to diseases of the female reproductive organs, a decrease of 25. (Page 18.)

Diseases of Pregnancy and Childbirth.—These collectively numbered 576 and are 31 more than in the previous year. The principal causes of death in this group are puerperal sepsis, which accounted for 243 deaths, puerperal hæmorrhage, which accounted for 84, eclampsia and albuminuria for 69, other accidents of childbirth for 38, and phlegmasia alba dolens or embolism for 37. Deaths from other conditions of the puerperal state numbered 105. Compared with the previous year deaths from puerperal sepsis are 35 more, from puerperal hæmorrhage 13 more, from phlegmasia alba dolens or embolism 8 more, and from other conditions 15 more, but those from convulsions are 23 fewer and from other accidents of childbirth 17 fewer. A more detailed examination of the mortality from childbirth appeared in the Report for 1931. (Page 19.)

In addition to the deaths assigned to puerperal conditions there were 131 deaths associated with pregnancy or parturition, but which were not classified as such. These are shown in Table K.

TABLE K.—Deaths associated with Pregnancy and Parturition but not classified as Puerperal, 1932.

Short List No.	CAUSE OF DEATH.	All Ages.	Ages.						
			15-	20-	25-	30-	35-	40-	45 and over.
1	Typhoid fever (including paratyphoid)	1	-	-	1	-	-	-	-
5	Scarlet fever	7	-	1	4	2	-	-	-
8	Influenza	14	2	2	3	1	5	1	-
14 (1)	Cerebro-spinal fever	1	-	-	-	1	-	-	-
14 (2)	Other epidemic diseases	1	-	-	1	-	-	-	-
10	Tuberculosis of respiratory system	15	-	2	6	6	1	-	-
15	Cancer, malignant disease	1	-	-	-	-	1	-	-
18	Diabetes mellitus	1	-	-	1	-	-	-	-
20	Other general dis., chronic poisonings	7	-	-	1	3	1	2	-
22	Cerebral hæmorrhage, &c.	3	-	-	1	-	1	1	-
24	Heart disease	19	1	3	1	5	6	3	-
25	Other circulatory diseases	1	-	-	-	1	-	-	-
26	Bronchitis	1	-	-	-	-	1	-	-
27	Pneumonia (all forms)	28	-	2	9	6	6	5	-
32 (1)	Gastric and duodenal ulcer	1	-	-	-	-	1	-	-
30	Appendicitis	4	-	-	1	2	1	-	-
31 (1)	Cirrhosis of liver	1	-	-	-	1	-	-	-
31 (2)	Other diseases of liver, etc.	3	-	1	1	-	1	-	-
32 (2)	Other digestive diseases	1	-	-	-	1	-	-	-
33	Nephritis	14	-	1	2	4	6	1	-
34	Other dis. of genito-urinary system	2	-	-	1	-	1	-	-
37	Diseases of skin and locomotor system	1	-	-	1	-	-	-	-
40	Suicide	1	-	-	-	-	-	1	-
42	Other violence	3	-	-	2	-	1	-	-
	All causes	131	3	12	36	33	33	14	-

Diseases of the Skin and Cellular Tissue.—The total deaths in this group numbered 279, of which 35 were ascribed to carbuncle or boils, 168 to cellulitis, and 76 to other diseases of the skin. The total is 19 fewer than in the previous year. (Page 20.)

Diseases of the Organs of Locomotion. These account for 134 deaths and are 33 fewer than in the previous year. Of them 82 were attributed to acute infective osteomyelitis, 13 to other diseases of the bones, and 39 to diseases of the joints. (Page 20.)

Malformations.—The total deaths assigned to this group, 583, are 30 more than the corresponding figure for the previous year. Male deaths accounted for 345 and females for 238. Of the total 77 were attributed to congenital hydrocephalus, 159 to spina bifida or meningocele, 178 to congenital heart disease, and 169 to other congenital defects. The majority of these deaths occur in the first year of life, 529 being among infants of less than one year old. (Table L.)

Diseases of Early Infancy.—Deaths from these causes collectively numbered 2,877, and are 79 fewer than in the previous year. Of them 813 were ascribed to congenital debility, 1,593 to premature birth, 199 to injury at birth, and 272 to other diseases peculiar to early infancy. (Page 21.)

Senility.—Deaths assigned to senility or senile dementia numbered 2,934, and are 10 more than the corresponding figure for the previous year. (Page 21.)

Violence.—Deaths attributed to violence numbered 2,811, an increase of 81 compared with the previous year. Male deaths numbered 1,890, and female deaths 921. Of the total 500 were attributed to suicide, an increase of 7, 25 to homicide, which corresponds with the number for the previous year, 5 to war injuries, a decrease of 5, and 2,281 to accidental causes, an increase of 79. (Page 21.)

TABLE L.—Deaths from Congenital Malformations in 1932.

	Both Sexes.	Males.	Females.	Under 1 day.	1-6 days.	1 week.	2 weeks.	3 and 4 weeks.	1-2 months.	3-5 months.	6-8 months.	9-11 months.	1-4 years.	5-9 years.	10-14 years.	15-24 years.	25-34 years.
Congenital Hydrocephalus . . .	77	43	34	11	9	3	2	4	9	8	9	5	14	..	1	2	..
Spina Bifida, Meningocele . .	159	79	80	19	26	20	16	11	36	14	9	2	2	1	..	3	..
Congenital Heart Disease . .	178	113	65	33	49	13	8	8	20	18	10	5	2	3	3	4	2
Other Congenital Defects . .	169	110	59	25	37	14	9	6	42	15	4	..	12	1	1	3	..
TOTAL .	583	345	238	88	121	50	35	29	107	55	32	12	30	5	5	12	2

Of the accidental deaths 281 were attributed to burns, 4 to conflagration, 329 to drowning, 2 to food poisoning, 31 to gaseous poisoning, 7 to other acute accidental poisoning, 65 to accidental suffocation, and 9 to injury by firearms. (*Page 21.*)

Deaths due to accidents in coal or other mines and quarries numbered 133, which is the same as in the previous year, to machinery 11, an increase of 3, to railway accidents 65, a decrease of 15, to tramway accidents 30, an increase of 1, to accidents in connection with motors and other mechanical transport 648, an increase of 21, with horse-drawn vehicles 18, an increase of 3, and with aircraft 8, an increase of 5. (*Table M.*)

The accompanying Table N has been prepared to show the increase in the number of deaths attributed to motor and horse-

TABLE M.—Supplementary Tabulation of Accidental Deaths, 1932.

ACCIDENTS ASSOCIATED WITH	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
Mines and Quarries . . { M.	133	1	17	29	31	36	15	4
{ F.
Machinery { M.	10	4	2	1	1	2
{ F.	1	1
Railways { M.	58	2	2	4	12	9	9	12	6	2	..
{ F.	7	..	1	..	1	1	1	2	..	1
Tramways { M.	21	..	1	1	1	1	3	5	5	3	1
{ F.	9	1	1	..	1	1	2	3	..
Motors and other { M.	476	..	26	75	29	107	60	37	38	46	39	17	2
mechanical transport . { F.	172	..	31	34	15	14	8	4	15	19	24	7	1
Horse-drawn vehicles . { M.	15	..	2	2	4	3	1	2	1
{ F.	3	..	2	1
Other or unspecified { M.	34	1	1	11	2	2	3	8	5	1	..
vehicles { F.	8	2	..	1	3	1	..	1	..
Water transport (ships, &c.) { M.	19	3	5	3	5	2	1
{ F.
Aerial transport . . { M.	8	2	4	2
{ F.
Other specified means of { M.	724	29	97	44	32	74	67	62	75	105	80	51	8
violence { F.	541	46	50	20	19	31	17	20	27	48	81	129	53
Other unspecified means { M.	1	1
of violence { F.	1	1
TOTAL { M.	1499	29	126	125	70	222	181	151	171	197	142	74	11
{ F.	742	46	84	56	35	48	27	28	46	70	108	140	54

TABLE N.—Accidents with Motor and Horse-drawn Vehicles, 1911-1932.

	Motors.	Horse-drawn Vehicles.		Motors.	Horse-drawn Vehicles.
1911	38	81	1922	213	19
1912	51	54	1923	199	19
1913	32	40	1924	239	15
1914	48	34	1925	319	22
1915	113	49	1926	416	11
1916	118	45	1927	448	18
1917	107	51	1928	507	18
1918	79	47	1929	679	13
1919	141	57	1930	747	20
1920	161	36	1931	627	15
1921	220	30	1932	648	18

drawn vehicles within the last two decennial periods. It will be observed that during the four years 1921-4 deaths from accidents with motor vehicles averaged 218 annually, and with horse-drawn vehicles 21. In 1925 the former rose, and increased steadily to 747 in 1930, but during 1931 and 1932 they have amounted to 627 and 648 respectively. Deaths from accidents with horse-drawn vehicles, on the other hand, have tended downwards, the annual average during the first half of the period being 49 compared with only 19 during the second half.

Relative Frequency of Causes of Death.—Table O shows, in order of frequency, the causes of death which were the ascribed cause of at least one per cent. of all deaths during 1932, together with corresponding figures for the previous year. The list includes 49,787 deaths, or 75·38 per cent. of the total registered in 1932. As in the previous year the four most frequent causes of death were heart disease, malignant tumours, cerebral hæmorrhage and allied conditions, and pneumonia. The principal changes in the list for 1932 compared with the previous year are increases in the proportion of deaths attributed to influenza, pneumonia, measles, diarrhœa, cerebral hæmorrhage, and malignant tumours.

Infant Deaths.—The most important causes of death under one year of age are congenital causes, all forms of pneumonia, diarrhœa, bronchitis, measles, whooping-cough, and convulsions.

Table P shows the deaths from certain causes in children under 5 years of age. The total deaths in this age period amounted to 11,226, an increase of 376 compared with the previous year. The diseases to which the greatest number were attributed were con-

TABLE O.—Relative Frequency of Causes of Death.

<i>Causes of Death.</i>	1932.		1931.	
	<i>Number.</i>	<i>Per cent. of Total.</i>	<i>Number.</i>	<i>Per cent. of Total.</i>
Heart disease	9,622	14·57	9,535	14·85
Malignant tumours	7,458	11·29	7,158	11·14
Cerebral hæmorrhage, &c.	7,210	10·92	6,804	10·59
Pneumonia	5,430	8·22	4,958	7·72
Tuberculosis (all forms)	4,123	6·24	4,205	6·55
Diseases of early infancy and mal- formations	3,460	5·24	3,509	5·46
Bronchitis	3,419	5·18	3,673	5·72
Violence	2,811	4·26	2,730	4·25
All nephritis	1,804	2·73	1,797	2·80
Influenza	1,724	2·61	1,270	1·98
Diarrhœa, &c. (all ages)	1,168	1·77	919	1·43
Measles	892	1·35	641	1·00
Diabetes	666	1·01	660	1·03
	49,787	75·38	47,859	74·51

genital causes, respiratory conditions, digestive diseases, measles, and whooping-cough.

TABLE P.—Number of Deaths from Selected Causes among Children aged under Five Years in 1932.

Deaths from	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total aged under 5 years.
Measles	261	370	107	56	24	818
Scarlet fever	17	27	20	32	23	119
Whooping-cough	212	152	45	22	16	447
Diphtheria	28	40	41	39	40	188
Erysipelas	26	5	31
Tuberculous meningitis	85	89	47	33	17	271
Abdominal tuberculosis	14	28	14	5	7	68
Other tuberculous diseases	38	39	29	14	20	140
Meningitis, not tuberculous	97	40	13	5	11	166
Convulsions	200	45	12	2	1	260
Pneumonia, all forms	1,599	617	182	76	34	2,508
Bronchitis	349	50	13	7	5	424
Digestive diseases	868	132	40	33	25	1,098
Congenital causes	3,406	19	4	3	4	3,436
Other causes	640	244	136	114	118	1,252
TOTALS	7,840	1,897	703	441	345	11,226

APPENDIX I.

SIXTY-EIGHTH ANNUAL REPORT ON THE VACCINATION OF CHILDREN IN SCOTLAND (1931).

This Report deals with the vaccination of children born in Scotland in the year 1931 who in the ordinary course should have been vaccinated during that year or during the first half of the year 1932.

Children whose births were shown in the Vaccination Returns of the year 1931 numbered 92,188, of whom 5,860 died before reaching the age of statutory vaccination (six months), while 86,328 survived at that date, and it is the latter number which more especially falls to be accounted for here. (*Table 36.*)

Of the 86,328 children surviving at the time of statutory vaccination, 44,587 or 51·66 per cent. were either certified to have been successfully vaccinated or reported to be insusceptible to vaccination by reason of previous uncertified vaccination, 1,677 or 1·94 per cent. were certified as insusceptible to vaccination for reasons other than previous vaccination, and 40,064 or 46·40 per cent. were not reported as having been vaccinated, the majority of these, 35,415 or 41·02 per cent. of the total, being unvaccinated by reason of Declaration of Conscientious Objection on the part of the parents. (*Table 36.*)

The vaccinated children of the year numbered 44,587, for whom the statutory certificates of vaccination were submitted in respect of 44,333 and certificates of previous vaccination in respect of 254. These 44,587 children constituted 51·66 per cent. of those surviving at the time of statutory vaccination, which percentage is 2·45 less than in the previous year. Previous to the passing of the Vaccination (Scotland) Act, 1907, by which conscientious objection on the part of the parents became a valid reason for avoiding statutory vaccination, more than 91 per cent. of the children born in Scotland and surviving at the time of statutory vaccination were successfully vaccinated. In the year in which the Act passed this percentage fell to less than 90 and thereafter continued to fall, reaching 54 in the year 1918. In 1920, a year in which there was an epidemic of small-pox in Glasgow, this percentage rose to 71, but since then has tended downwards, falling in 1928 to 58 per cent., in 1929 to 55, in 1930 to 54, and now (1931) to 52 per cent., being the lowest so far reached. In the counties, burghs included, the percentage of children surviving at the time of statutory vaccination who were successfully vaccinated varied from 83·4 in Kirkcudbright, 82·9 in Nairn, 82·2 in Kincardine, 79·6 in Moray,

and 79·2 in Aberdeen, to 3·7 in Zetland, 22·2 in Orkney, 30·4 in Dumbarton, and 32·4 in Caithness. In sixteen counties less than half of the children surviving at the time of statutory vaccination were reported to be successfully vaccinated. In Zetland the registered births for the year numbered 253, and children surviving at the time of compulsory vaccination numbered 245, of whom only 9 were reported to be vaccinated.

In the large burghs this percentage varied from 85·6 in Aberdeen, 66·3 in Perth, 64·3 in Edinburgh, and 60·7 in Stirling, to 24·6 in Dumbarton, 26·2 in Hamilton, 27·1 in Greenock, and 28·4 in Falkirk.

Children born during the year 1931 who survived at the date of statutory vaccination but at the end of the year 1932 had not been reported as vaccinated or were reported as constitutionally insusceptible, numbered 41,741 and constituted 48·34 per cent. of the total. In the previous year this number was 40,533 and constituted 45·89 per cent. of the total survivors. Of the 41,741 unvaccinated children, 1,677 were certified as insusceptible to vaccination, 35,415 were unvaccinated by reason of Statutory Declaration of Conscientious Objection, 1,746 were unvaccinated by reason of postponement of vaccination with medical certificates, and 2,903 were unvaccinated or presumed to be so through being lost sight of by removal from the district of registration or otherwise. (*Table 36.*)

Certificates of Constitutional Insusceptibility in all numbered 1,677, which number is 352 more than that for the previous year, and 300 more than the mean of those of the preceding five years. With the exception of the year 1929 it is the largest number within recent years. In the counties certificates of insusceptibility were relatively frequent in Kinross (7·3 per cent.), in Lanark (2·6), in Bute (2·5), and in Perth (2·5), but were less than 1 per cent. in eight counties. In the large burghs this percentage varied from 4·6 in Rutherglen, 3·2 in Glasgow, 2·9 in Perth, and 2·6 in Edinburgh, to less than 1 in eight towns.

Children exempted from vaccination by reason of parental conscientious objection numbered 35,415 and constituted 41·02 per cent. of the children alive at the time of statutory vaccination. This number is 1,336 more than that of the previous year, and 4,353 more than the mean of those of the preceding five years, while the percentage is 2·44 more than that of the previous year, and 6·50 more than the mean of those of the preceding five years. It is the highest percentage of children unvaccinated for this reason hitherto recorded. In 1920, the year of the Glasgow small-pox epidemic above referred to, the percentage, which was 36 in 1919, fell to 22, but in the following year it increased to 30, and in recent years has gradually risen until now it amounts to over 40 per cent. In the counties, burghs included, the percentage of surviving children unvaccinated by reason of conscientious objection of their parents varied from 93·5 per cent. in Zetland, 75·2

in Orkney, 63·5 in Dumbarton, 58·8 in Caithness, and 56·3 in Angus, to 10·9 in Nairn, 12·8 in Kincardine, 13·7 in Kirkcudbright, 14·8 in Peebles, and 16·0 in Moray. In the large burghs this percentage varied from 71·6 in Dumbarton, 70·7 in Greenock, and 69·3 in Falkirk, to 10·3 in Aberdeen, 26·5 in Perth, and 28·4 in Edinburgh.

Children whose births were registered during the year 1931 and who at the end of the year 1932 were still unvaccinated by reason of postponement on medical grounds numbered 1,746 and constituted 2·02 per cent. of those surviving at the time of statutory vaccination. In the previous year this number was 1,918 and the percentage 2·17. (*Table 36.*)

Children whose vaccinations were unaccounted for through removal from the district of registration or otherwise numbered 2,903 or 3·36 per cent. of those surviving at the time of statutory vaccination. In the previous year the corresponding number was 3,211 and the percentage 3·64. (*Table 36.*)

APPENDIX II.

ADDITIONAL STATISTICS REGARDING MARRIAGES
REGISTERED IN SCOTLAND DURING THE YEAR 1931.

A preliminary statement regarding the marriages registered in Scotland during the year 1931 was incorporated in the Seventy-seventh Annual Report of the Registrar-General dealing with the detailed statistics of the registered births and deaths of that year, but as full details of the registered marriages were not available at the time when the report was prepared, the statement was necessarily restricted and dealt only with the number of marriages registered in 1931 and the marriage-rates. It is now supplemented by this detailed report on these marriages, including a statistical account of the method of proclamation, the church of celebration, the ages and conjugal conditions of those marrying, and the method of signing the marriage schedules, by mark or by writing.

In the Seventy-seventh Annual Report it was stated that the marriages registered in Scotland during the year 1931 numbered 32,669, but by complete examination of the register books this number was found to be 32,652, the provisional being in excess of the actual by 17. The marriage-rate for the year 1931, 6·74, differs but little from the provisional rate which was stated as 6·75. The corrected number of marriages, 32,652, is 47 more than the mean of the numbers registered annually during the five preceding years, while the marriage-rate is 0·01 more. (*Table 8.*)

Regular and Irregular Marriages.—Of the 32,652 marriages registered during the year 1931, 28,555 or 87·5 per cent. were regular, i.e. solemnized by a minister of religion after proclamation of banns or after publication of notice at a Registrar's Office, while 4,097 or 12·5 per cent. were irregular, i.e. contracted without proclamation of banns or publication of notice and not solemnized by a minister of religion. In the previous year regular marriages formed 87·8 per cent. of the total registered marriages. In the early period of registration irregular marriages constituted only a very small fraction of the total. Prior to 1870 the annual average was less than 50, but during the succeeding decennial periods the annual average amounted to 263, 650, 1,428, and 2,034 respectively, reaching a maximum during the period 1911-1920 of 5,312. The average during the period 1921-1930 amounted to 4,287, and compared with that average the total for the year under review is 190 fewer. The proportion which irregular bear to total marriages has likewise greatly increased, forming in the early period less than 1 in 1,000 marriages. In the decennium 1891 to 1900 the proportion had increased to 47 per 1,000 marriages, and during the subsequent

decennial period amounted to 64. It reached a maximum of 149 during the period 1911 to 1920, but fell to 127 per 1,000 during the period 1921 to 1930. The highest figures for individual years were registered during the war period, the proportions then varying from 164 in 1917 to 205 per 1,000 in 1915. The majority of these irregular marriages are registered in the aggregate of large burghs. Of the total marriages registered in the large burghs during 1931, 18·6 per cent. were irregular, while the corresponding proportion for the rest of Scotland was only 1·7 per cent. In the large burghs taken individually this proportion varied from 31·0 per cent. in Dunfermline, 27·2 in Edinburgh, and 21·8 in Glasgow, to 0 in Rutherglen and in Port-Glasgow, 0·4 in Clydebank and in Coatbridge and 0·6 in Airdrie. In counties, burghs included, the percentage varied from 24·0 in Midlothian and 16·9 in Lanark to 0 in six counties. (*Tables 9 and 10.*)

Method of Publication.—Of the 28,555 regular marriages registered during the year, 19,623 or 68·7 per cent. of such marriages were solemnized after proclamation of banns in respect of both parties, 8,295 or 29·0 per cent. after publication of notice by both parties, and 637 or 2·2 per cent. after proclamation of banns by one and publication of notice by the other party. (*Table Q.*)

Of the regular marriages in large burghs, 9,788 or 57·5 per cent. of such marriages were celebrated after banns, 6,898 or 40·5 per cent. after publication of notice, and 349 or 2·0 per cent. after banns in respect of one and publication of notice in respect of the other party. In the other districts of Scotland 9,835 or 85·4 per cent. were after banns, 1,397 or 12·1 per cent. after publication of notice, and 288 or 2·5 per cent. after banns and publication of notice. (*Table 9.*)

Table Q has been constructed to show the frequency and

TABLE Q.—Regular Marriages in Scotland in 1931, following Proclamation of Banns or Publication of Notice at Registrar's Office.

Church of Celebration.	Number.				Percentage of Total for each Church, &c.			Percentage of Total Regular Marriages.
	Total.	Banns.	Publication of Notice	Banns and Publication.	Banns.	Publication of Notice.	Banns and Publication.	
Church of Scotland . . .	20,765	16,771	3,574	420	80·8	17·2	2·0	72·7
United Free Church (Continuing)	236	185	45	6	78·4	19·1	2·5	0·8
Free	368	194	155	19	52·7	42·1	5·2	1·3
Roman Catholic	4,115	686	3,301	128	16·7	80·2	3·1	14·4
Scottish Episcopal . . .	870	523	328	19	60·1	37·7	2·2	3·1
Congregational	991	556	421	14	56·1	42·5	1·4	3·5
Baptist	411	279	119	13	67·9	29·0	3·2	1·4
Wesleyan Methodist Church	225	145	76	4	64·4	33·8	1·8	0·8
Jewish Church	61	7	53	1	11·5	86·9	1·6	0·2
All other Regular Marriages	513	277	223	13	54·0	43·5	2·5	1·8
All Regular Marriages	28,555	19,623	8,295	637	68·7	29·0	2·2	100·0

denomination of those married after proclamation of banns, and after publication of notice. Marriage after banns was relatively most frequent in the Church of Scotland (80·8 per cent.), in the United Free Church (Continuing) (78·4 per cent.), and in the Baptist Church (67·9 per cent.), while marriage after publication of notice was relatively most frequent among Jews (86·9 per cent.) and in the Roman Catholic Church (80·2).

Church of Celebration.—Of the 28,555 regular marriages, 20,765 or 72·7 per cent were celebrated according to the forms of the Church of Scotland, 4,115 or 14·4 per cent. according to those of the Roman Catholic Church, and the remainder, 3,675 or 12·9 per cent., according to those of churches of other denominations. (*Table Q.*)

The relative frequency of marriage according to the principal denominations in the aggregate of large burghs and other districts is shown in Table R, and in individual burghs and counties in Table 10. A complete list of the religious denominations or communities named in the Marriage Registers for 1931 is given in Table S, from which it will be seen that these numbered 41. In 1930 the corresponding number was 44.

Conjugal Condition of those Marrying.—Of the 32,652 marriages recorded during the year, the bridegroom was a bachelor in 30,334 instances and a widower in 2,318 instances, representing percentages of 92·9 and 7·1 respectively of the total. The corresponding percentages for 1930 were the same. Spinsters marrying during the year numbered 31,481 or 96·4 per cent., and widows 1,171 or 3·6 per cent. The relative frequencies for the previous year were practically identical. (*Table 11.*)

Of the 30,334 bachelors who married, 29,775 or 98·2 per cent. married spinsters, and 559 or 1·8 per cent. married widows. Of the 2,318 widowers who married, 1,706 or 73·6 per cent. married spinsters and 612 or 26·4 per cent married widows. Of the 31,481 spinsters 29,775 or 94·6 per cent. married bachelors, and 1,706 or

TABLE R.—Regular and Irregular Marriages in 1931.

	Number.			Percentage of Total Marriages.		
	SCOTLAND.	Large Burghs.	Other Districts.	SCOTLAND.	Large Burghs.	Other Districts.
Regular Marriages { Church of Scotland . . .	20,765	11,325	9,440	63·6	54·1	80·5
United Free Church . . .	236	110	126	0·7	0·5	1·1
(Continuing) . . .	368	236	132	1·1	1·1	1·1
Free Church . . .	4,115	3,075	1,040	12·6	14·7	8·9
Roman Catholic Ch. . .	870	661	209	2·7	3·2	1·8
Scottish Episcopal Ch. . .	2,201	1,628	573	6·7	7·8	4·9
Other Denominations . . .						
Irregular Marriages	4,097	3,896	201	12·6	18·6	1·7
Total Marriages	32,652	20,931	11,721	100·0	100·0	100·0

5·4 per cent. married widowers. Of the 1,171 widows who married during the year 559 or 47·7 per cent. married bachelors and 612 or 52·3 per cent. married widowers. (*Table 11.*)

Method of Signature.—Of the 65,304 persons who were married during 1931, 125 signed the marriage schedule by mark and the remainder in writing. This number, 125, is the lowest hitherto recorded, the previous lowest being 126 in 1929. The great decrease in this number since the early days of registration is noteworthy. In the decade 1861-1870 an annual average number of 7,123 persons signed by mark, but by 1891-1900 this average had fallen to less than 2,000, and by 1911-1920 to nearly 500 per annum. During recent years the annual average has been below 200. The change in the sex proportions is likewise striking. Whereas prior to 1870 females signing by mark outnumbered males by 2 to 1, towards the end of the century this ratio was 1·5 to 1. In recent years the numbers of males and females assigned to this group have been almost equal, while on two occasions males have exceeded females. (*Table 8.*)

The age distribution of persons signing by mark is shown in Table T and the Church of Celebration in Table U. In the former Table it will be observed that, compared with the total marriages registered among persons of a given age, those signing by mark are relatively most frequent at the older ages, 50 years and over. This is more particularly evident in women. Of the 125 persons who

TABLE S.—Marriages in Scotland in 1931 by Denominations, &c. in Order of Frequency.

1. Church of Scotland .	20,765	27. City Mission Church .	4
2. Roman Catholic Church	4,115	28. Mission „	4
3. Congregational „	991	29. Foursquare Gospel Church	4
4. Scottish Episcopal „	870	30. Seventh Day Adventist Church	3
5. Baptist „	411	31. Presbyterian Church of England	3
6. Free „	368	32. Presbyterian Church of Ireland	3
7. United Free (Cont.) „	236	33. Christadelphian Church .	2
8. Wesleyan Methodist „	225	34. Christian Church .	2
9. Christian Brethren . .	120	35. Church of Baptised Believers	1
10. Salvation Army . .	88	36. Society of Friends . .	1
11. Jewish Church	61	37. Hope Hall Mission Church	1
12. Primitive Methodist „	46	38. Christian Volunteers .	1
13. Free Presbyterian „	46	39. Glasgow Seamen's Friend Society	1
14. Original Secession „	45	40. Scottish Protestant . .	1
15. Pentecostal „	22	41. Presbyterian Church of Canada	1
16. Reformed Presbyterian Church	18	All Religious Forms .	28,555
17. Unitarian Church . .	16	Irregular Marriages . .	4,097
18. Church of Christ . .	15	All Marriages	32,652
19. Evangelical Union . .	15		
20. Church of God	9		
21. Free Church of England .	9		
22. Catholic Apostolic Church	8		
23. Gospel Mission Church .	8		
24. Church of England . .	6		
25. Apostolic Faith . . .	6		
26. New Jerusalem Church .	4		

signed by mark 25 were married irregularly, 47 were married according to the forms of the Church of Scotland, 38 to those of the Roman Catholic Church, and 15 to those of churches of other denominations.

Ages of those Marrying.—The average age of all men marrying during the year was 29·3 and of all women 26·3 years. These are identical with the averages for the previous year. In the aggregate of large burghs the average age at marriage was 29·5 for men and 26·5 for women. In the other districts of Scotland these averages were 28·9 for men and 25·9 for women. The average ages of both men and women at marriage are therefore higher in the large burghs than in the rest of Scotland. (*Tables 12 and 13.*)

The average age of all bachelors marrying during the year was 27·9 years, of those marrying spinsters 27·7 years, and of those marrying widows 38·6 years. Compared with the figures for the previous year the average age of all bachelors is the same, of those

TABLE T.—Ages of Persons Marrying who Signed by Mark in 1931.

Age Group.	Numbers.			Percentage who signed by Mark at each Age Group.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
Under 20	5	3	2	0·10	0·35	0·05
20-29	29	17	12	0·07	0·08	0·06
30-39	23	15	8	0·19	0·21	0·16
40-49	18	11	7	0·60	0·60	0·59
50-59	22	10	12	1·81	1·21	3·07
60 and over	28	14	14	4·69	3·06	10·07
All Ages	125	70	55	0·19	0·21	0·17

TABLE U.—Church, &c., of Celebration of Persons Marrying who Signed by Mark in 1931.

Church, &c.	Entries in which Mark was Used by			Persons Using Mark.		
	Man only.	Woman only.	Both.	Men.	Women.	Total.
Church of Scotland . .	19	16	6	25	22	47
Roman Catholic . . .	17	11	5	22	16	38
Episcopal	3	2	...	3	2	5
Free	2	2	...	2
Congregational . . .	4	2	...	4	2	6
Christian Brethren . .	1	1	...	1
City Mission	1	1	...	1
Irregular Marriages . .	11	12	1	12	13	25
TOTAL	58	43	12	70	55	125

marrying spinsters 0·1 less, and of those marrying widows 1·7 more. The average age of all widowers was 47·0 years, of those marrying spinsters 45·2 years, and of those marrying widows 52·1 years. Compared with the previous year the average age of all widowers is 0·1 more, of those marrying spinsters 0·3 more, and of those marrying widows 0·4 less. The average age of all spinsters marrying was 25·7 years, of those marrying bachelors 25·1, and of those marrying widowers 35·4. Each of these shows little difference from the corresponding figure for the previous year. The average age of all widows who married during the year was 42·8, of those marrying bachelors 38·4, and of those marrying widowers 46·8 years. Compared with the previous year these averages are more by 0·6, 0·9, and 0·1 respectively.

The difference between the average ages of bridegrooms and brides is 3·0 years. Bachelors marrying spinsters showed an excess of 2·6 years, widowers marrying spinsters an excess of 9·8 years, bachelors marrying widows an excess of 0·2 years, and widowers marrying widows an excess of 5·3 years. (*Tables 14–18.*)

The average age of men at marriage varies in the counties, inclusive of burghs, from 34·3 in Ross and Cromarty, 32·4 in Zetland, and 32·1 in Sutherland, to 27·8 in West Lothian, 28·0 in Clackmannan, 28·1 in Fife, and 28·3 in Ayr, in East Lothian, and in Stirling. Of women marrying during the year the average age varies from 29·6 in Ross and Cromarty, 28·3 in Zetland, and 27·9 in Argyll, to 25·0 in West Lothian, 25·2 in Fife, and 25·3 in Wigtown. (*Tables 12 and 13.*)

The youngest bridegrooms of the year were 3 aged 16 years, two of whom married spinsters aged 17, and one a spinster aged 20. The youngest brides were 174 spinsters aged 16 who married, with one exception, bachelors varying in age from 17 to 39. (*Tables 14–18.*)

The oldest men marrying were 4 widowers aged between 80 and 85, one of whom married a spinster and three who married widows. The oldest women were 2 widows aged 80 and 81, the former of whom married a bachelor aged 75 and the latter a widower aged 81.

APPENDIX III.

REPORT OF THE WEATHER OF SCOTLAND FOR THE YEAR ENDING 31st DECEMBER 1932.

Supplied by the Meteorological Office, Edinburgh.

Under the heading of "Meteorological Notes" a descriptive account of the weather is given in the "Monthly Returns" published by Authority of the Registrar-General, and the notes are accompanied by statistics for some of the Principal Towns. The present report, for the whole year, is of a general character as to the text, and to it are appended tables summarizing the statistics of the various stations.

General.—The outstanding features of the year are indicated in the course of the report. The most notable were, perhaps :—

(1) The extreme mildness of the first three weeks of January and the last two weeks of December.

(2) The dryness of February, June and August.

(3) The frequent and excessive rains during October.

(4) The contrast in rainfall between northern and southern districts in December, the north being relatively dry in comparison with the south.

(5) The frequency and extent of flooding in January and December.

(6) The lack of sunshine during the year generally and particularly in the months of May and July, and, in contrast with this, the amount of sunshine enjoyed in the southern Hebrides notably in May.

Pressure and Winds.—The mean annual barometric pressure was above normal generally. In individual months there were considerable deviations from the normal, pressure being decidedly above normal in February, August and November and markedly below in April, July, September and October.

Throughout January deep low pressure systems moved north-eastwards off north-western Scotland and during the first three weeks gave rise to very disturbed weather, gales and heavy rains being frequent. Towards the end of January pressure rose considerably and, apart from minor interruptions, remained above normal during February and March. In the Edinburgh area the mean barometric pressure for February as a whole was the highest for any month since at least 1769, and for Scotland probably the highest since at least 1856. Winds in January were mostly south-westerly, in February northerly, and in March south-easterly to south-westerly. About the end of March pressure became sub-

normal and remained so throughout April and May, the weather being of an unsettled type with a prevalence of northerly to north-easterly winds. In June pressure again rose, the mean being above normal, and winds were mostly light and mainly from an easterly point.

In July winds were mainly south-westerly and pressure below normal, while in August pressure exceeded the normal and winds were more variable. In September pressure changed once more and became subnormal, the winds remaining chiefly south-westerly; similar conditions prevailed during October, while in both November and December, although the winds continued mostly south-westerly, pressure was generally above the average.

Noteworthy Gales.—Gales were reported each month with the exception of February and June, and they were at times rather widespread; they were most frequent during January, April, October, November and December. On the whole, however, the year was, perhaps, less windy than usual. There were, however, some gales worthy of mention, particularly during the first half of January and the latter part of December. Of the January gales those of 13th to 14th and 19th were the most notable; gusts of 95 m.p.h., 89 m.p.h. and 86 m.p.h. were registered at Bell Rock, Lerwick and Butt of Lewis respectively on the 13th, and 75 m.p.h. at Tiree on the 14th. During a windy period in the latter part of November gusts of 80 m.p.h. and 75 m.p.h. were registered at Kirkwall and Lerwick respectively on the 27th and 78 m.p.h. at Bell Rock on 26th. In December gusts of 94 m.p.h., 87 m.p.h. and 79 m.p.h. were registered at Lerwick, Butt of Lewis and Edinburgh respectively on the 17th, and at Lerwick a gust of 83 m.p.h. was recorded on the 18th and another of 82 m.p.h. on 24th.

Temperature.—During January, February and March mean temperatures were above the normal, the excess in January being very pronounced. Around the 18th of January there occurred, particularly in northern districts, an exceptionally mild spell, when in places the highest maxima on record for January were recorded, temperatures on the 18th exceeding 60°F. locally. Ground frosts were more prevalent during February than in either January or March; the lowest temperatures recorded on the grass, however, were those of 4°F. and 3°F. at Dalwhinnie on the 3rd and 12th March respectively.

April was the coldest month of that name since 1922, this being largely due to cool days rather than cold nights. In May the mean temperature differed little from the average; day temperatures were on the whole rather low and the nights relatively mild, the approximation to the mean being due to the smallness of the mean daily range of temperature. In June the mean temperature, on account of warm days at the beginning, around the middle and towards the end of the month, slightly exceeded the normal.

Both in July and August the nights were relatively mild and resulted in the mean temperature being above the average. In these two months there were short warm spells when the readings reached or exceeded 80°F. locally, particularly in eastern districts. During September, apart from a warm spell about the 15th, the days were cool for the time of year and, although the nights were relatively mild, the mean temperature was below the average. October was decidedly cold, having both the mean maximum and minimum temperatures below normal. The absence in November of any very mild or cold spells resulted in the mean temperature for that month differing little from the average; in December, on the other hand, the last fortnight was exceptionally mild and resulted in the mean temperature being markedly above normal. A cold snap occurred between the 6th and 12th December, maximum temperatures during this period being rather low; at Renfrew the maximum on the 6th was only 25°F.

Rainfall.—The general rainfall of the year represented 106 per cent. of the normal. Less than 90 per cent. of the normal rainfall was recorded in the extreme south-east and the northern Hebrides, while more than 120 per cent. was recorded at a few places in the west and south-west.

In January, except in eastern coastal districts from the Moray Firth to the Borders, rainfall was above the normal, some heavy falls being recorded during the first fortnight. February was abnormally dry, several places having no measurable rainfall, and in many it was the driest month since records commenced. March was also a relatively dry month, but in northern and eastern districts, in Orkneys and Shetlands and locally elsewhere, particularly in Argyll, rainfall totals were above the average.

In April, apart from a small area in East Lothian, rainfall totals were above the average. There was, in May, a marked deficiency of rainfall in the north and in the Clyde area but on the whole rainfall totals exceeded the normal. June was very dry, most of the recorded rain falling on the last two or three days of the month; a drought of 28 days occurred at Dunbar, where no rain fell between the 29th May and 25th June.

In July over south-eastern counties, particularly in coastal districts, locally in the Tay and Clyde estuaries, in the littoral of the Moray Firth and in the Hebrides, rainfall totals were below the average; elsewhere the totals were above normal and varied irregularly, this being due to the prevalence of rain of a thundery type. In August only in the Hebrides, the Orkneys and Shetlands did rainfall totals exceed the normal; southwards and south-eastwards from these areas the rainfall deficiency increased until locally there was less than 10 per cent. of the normal. In the Edinburgh area it was probably the driest August since at least 1785. The rainfall aggregates for September were, with the exception of a small area chiefly confined to central Perthshire, well

above the normal, the difference from normal increasing both to the northwards and southwards of this area until in the northern counties and in the border districts the rainfall reached twice the average.

Frequent and excessive rains were common during October, the month being very wet, large areas having more than twice their average; in many districts there was not a single dry day, while locally the total for the month was the highest for October on record and at some places the highest for any month. During November, particularly in western and some northern districts, there were occasional heavy rains, but over Scotland as a whole rainfall averaged less than the normal; the dry areas lay chiefly south and east of a line joining Glasgow and Banff; there was also a deficiency in parts of Caithness, Sutherland, the Hebrides and the Shetlands. In December, to the north of latitude 57° and very locally elsewhere, rainfall was less than normal, the deficiency being greater than 50 per cent. locally, while south of latitude 57° the totals were generally well in excess of the average, being in parts of the Lothians and Dumfriesshire as much as twice the normal.

Snow.—No outstanding falls of snow were experienced throughout the year. In February snow was widely reported on several days, but amounts were generally slight. Around 6th to 7th March there was moderate snow locally, 5 inches being reported at Strathpeffer on the 6th and also at Pearsie on the 7th. In April and May there was slight snow in places, 3 inches being reported at Bangour on 2nd April and 2 inches at Braemar on 6th and 7th May. Towards the end of September fresh snow was observed on the Cairngorms and on the hill tops at Glencoe and Achnashellach. During the last few days of October small amounts of snow fell locally and these tended to lie on the high ground. During November snow fell chiefly between the 23rd and 25th; no heavy falls, however, were reported, the greatest being those of 6 inches at Braemar on 24th and 7 to 8 inches at Dalnaspidal on 25th. In December there were only very slight snow showers locally.

Thunder.—Thunder occurred in each month, excepting February, being most frequently reported in April, June and July. In July there were thunderstorms on 19 days, the most widespread being those of 3rd, 26th and 31st; the thunderstorms were frequently accompanied by heavy rain or hail.

Flooding.—The heavy and excessive rains experienced during the first fortnight of January gave rise to widespread and destructive flooding, much damage being done to structural work and property, and in not a few instances was the flooding associated with loss of life. Local floods occurred throughout the year, being mostly associated with heavy rains of a thundery type; amongst such floods may be mentioned those of May in the neighbourhood of Golspie and those of August in many areas, but particularly in

Aberdeenshire and Banffshire. In December there was similar flooding to that experienced during the first fortnight of the year, many areas being affected.

Sunshine.—In January in the east and extreme north there was more than the average sunshine while in the west and north-west there was a decided deficiency. In February sunshine aggregates were above the normal, but in March they were well below it, the month being dull. Over southern and south-eastern Scotland sunshine totals during April were in general above the average; elsewhere they were subnormal. May was, unless in a few districts, chiefly in extreme north and in southern Hebrides, generally dull, this being particularly so along the east coast, where the deficiency of sunshine reached almost an average of two hours per day; it was the most sunless May in Edinburgh since 1925. Sunshine totals during June varied greatly around the normal. July was a dull month and August only slightly better. In September in eastern districts sunshine totals were well above the average and were almost double those experienced in western districts. There was a general deficiency of sunshine in October, while in November and December the sunshine totals did not generally differ much from the normal.

Fog.—Fog occurred most frequently in February, March, November and December. It was very thick locally on February 8th and again between the 15th and 18th; it was also very dense locally on November 7th and 19th, particularly in the Forth and Clyde valleys.

Aurora.—Aurora was observed during each month, excepting June, July and August, and was noted on at least 53 occasions, being perhaps most frequently and widely observed during April, September, October and December.

[*For Statistical Tables, see page 132.*]

APPENDIX IV.

ALTERATIONS OF BOUNDARIES OF BURGHES, LANDWARD AREAS, CIVIL PARISHES AND REGISTRATION DISTRICTS REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1932.

Area.	Nature of Alteration.	Population at Census 1931.					
		Before Alteration.			After Alteration.		
		Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
I. BURGHES—							
Johnstone - - -	Extension within Civil Parish of Paisley.	12,841	6,099	6,742	12,978	6,172	6,806
Melrose - - -	Extension within Civil Parish of Melrose.	2,052	859	1,193	2,053	860	1,193
East Linton - - -	Extension (no population) within Civil Parish of Prestonkirk.
Dundee - - -	Extension within Civil Parishes of Dundee, Liff and Benvie, and Mains and Strathmartine.	175,585	78,793	96,792	175,681	78,838	96,843
Leven - - -	Extension within Civil Parish of Scoonie.	7,411	3,527	3,884	7,460	3,551	3,909
Bonnyrigg and Lasswade	Extension within Civil Parishes of Cockpen and Lasswade.	4,481	2,162	2,319	4,552	2,191	2,361
St. Andrews - - -	Extension within Civil Parish of St. Andrews and St. Leonards.	8,269	3,329	4,940	8,300	3,336	4,964
II. LANDWARD AREAS—							
Renfrew County - -	Extension of Johnstone Burgh.	54,646	25,248	29,398	54,509	25,175	29,334
Roxburgh County -	Extension of Melrose Burgh.	19,764	9,377	10,387	19,763	9,376	10,387
Angus County - -	Extension of Dundee Burgh.	39,141	19,590	19,551	39,045	19,545	19,500
Fife County - - -	{ Extension of Leven Burgh. Extension of St. Andrews Burgh. }	103,088	52,271	50,817	103,008	52,240	50,768
Midlothian County -	Extension of Bonnyrigg and Lasswade Burgh.	51,607	26,623	24,984	51,536	26,594	24,942
III. CIVIL PARISHES -	None.
IV. REGISTRATION DISTRICTS—							
98 ^{b1} Kilmallie - - -	Part of Lochaber annexed.	4,018	2,125	1,893	4,887	2,679	2,208
99 ² Lochaber - - -	Part transferred to Kilmallie.	2,297	1,397	900	1,428	843	585
251 ¹ Banchory-Devenick -	{ United under name of “Nigg and Banchory-Devenick.” }	465	230	235
266 Nigg - - -		1,506	717	789
266 Nigg & Banchory-Devenick -	See above.	1,971	947	1,024
349 Dunkeld - - -	{ United under name of “Dunkeld and Birnam.” }	751	357	394
373 Little Dunkeld -		2,182	1,044	1,138
349 Dunkeld and Birnam - - -	See above.	2,933	1,401	1,532
369 Kinnoull - - -	{ United under name of “Scone and Kinnoull.” }	361	169	192
394 ^c Scone - - -		2,559	1,175	1,384
394 ^a Scone and Kinnoull	See above.	2,920	1,344	1,576
400 Abdie - - -	{ United under name of “Newburgh and Abdie.” }	670	303	367
450 Newburgh - - -		2,019	956	1,063
450 Newburgh and Abdie - - -	See above.	2,689	1,259	1,430
420 Cupar - - -	United to Moonzie.	7,629	3,416	4,213	7,749	3,470	4,279
449 Moonzie - - -	United to Cupar.	120	54	66

APPENDIX V.

NOTE ON THE EFFECT OF CHANGES IN THE AGE DISTRIBUTION OF THE SCOTTISH POPULATION ON RATES OF MORTALITY.

From an examination of the differences in the age constitution of the population disclosed at successive Censuses it is apparent that (1) for many years there has been, owing to the declining birth-rate and improvement in mortality particularly in younger life, a gradually progressive increase in the proportion of persons in the later years of life with a corresponding decline in the proportion of infants and young children, and that (2) in the several geographical and administrative subdivisions of the country at the present day gross differences of age constitution occur. From the medical point of view this variation of age distribution has to be kept in mind in the interpretation of secular or geographical differences of rates of mortality from all causes and, more particularly, from certain selected diseases affecting solely or principally restricted age periods of life. In this connection may be mentioned the recorded increases in the number of deaths and the crude death-rates from malignant disease, cardio-vascular degeneration and diabetes, increases which have been a feature of the vital statistics of Scotland over a period of many years. It is quite obvious that in diseases such as these where mortality falls most heavily on the older age-groups of the people, an increase in the proportion of persons living at those ages most liable to death from these causes will, even in the absence of any real change in their relative frequency in the sexes or at individual ages, result in an increase in the crude mortality ascribed thereto. The changing age distribution of the population is consequently one of the first, if not the first, of factors the influence of which, easily measured quantitatively by generally accepted methods, should be eliminated before one is justified in regarding an increase in the number of deaths or of the crude death-rate as a cause for concern. In the case of cancer, for instance, there is general agreement that an appreciable part of the increased mortality can be ascribed to the gradual change of the age constitution of the population, and in the same way it is very probable that the more important positions of degenerative diseases as a whole are in part at least the direct result of such a change. The influence on the crude death-rate from all causes will similarly be an unfavourable one, an increasing proportion of elderly people tending to produce a rise of general mortality.

To illustrate this change and obtain some idea of its numerical effects on crude rates of mortality, the death-rates have been calcu-

lated for each sex in separate age periods for the triennium 1910-12 (the population at risk used being that found at the Census of 1911), and these rates have been applied to the numbers living in the appropriate ages as found at the Censuses of 1921 and 1931. From these the expected death-rates have been calculated and are tabled below. If there had been no appreciable change of age constitution, or if any changes which had occurred were compensating in their effects, the expected death-rates in 1921 and 1931 would be equal to the crude death-rates in 1910-12. If, on the other hand, progressive worsening of the population in its age constitution had occurred the expected death-rates of the two latter years would be in excess of the crude death-rates for 1910-12 to an extent which is itself a useful numerical measure of the degree of deterioration of age constitution which has taken place.

	Death-rate per 1000.			Ratio of expected death-rates to crude death-rates of 1910-12.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1910-12	15·15	15·58	14·74	1·00	1·00	1·00
1921 (expected) . .	15·53	16·12	14·99	1·03	1·03	1·02
1931 (, ,) . . .	16·54	17·20	15·93	1·09	1·10	1·08

As will be seen from the above Table showing the average annual crude death-rates of males, females and persons in 1910-12, the expected death-rates in 1921 and 1931 and the ratio which the expected death-rates bear to the crude death-rates of 1910-12, the difference of age constitution has been appreciable in its influence on general mortality. The expected death-rates in 1921 compared with the crude death-rates of 1910-12 in respect of persons, males and females are 3, 3 and 2 per cent. higher respectively, and those for 1931 are 9, 10 and 8 per cent. respectively in excess. The crude death-rates of 1921 and 1931 would have to be correspondingly reduced to eliminate the effect of changing population constitution in respect of age to render them comparable with one another in this respect. Thus while the crude death-rates for the sexes combined in the two triennia centred on the Census years of 1921 and 1931 show a decline of only 6·6 and 11·6 per cent. over the rate for 1910-12, the rates standardised by this (the indirect) method are actually 8·9 and 19·0 per cent. lower. The following figures compare the crude and standardised death-rates from all causes for the triennia centred on the three most recent Census years :—

	1910.	1920-22.	1930-32.
Crude death-rates	15·15	14·15	13·39
Standardised death-rates . . .	15·15	13·80	12·27

The influence on rates of mortality such as those from malignancy, cardiovascular degeneration and similar conditions in which deaths are well-nigh confined to ages over 45 years, it may be inferred, will be very much greater.

THE TREND OF MORTALITY AT DIFFERENT PERIODS OF LIFE IN THE LAST SEVENTY YEARS.

The fact that improvement in mortality has been a feature of our vital statistical history is common knowledge. This is clearly evidenced by the statistical data quoted by most public health speakers and writers. Scrutiny of the literature of the past few years reveals the frequency with which reference is made to the improved general death-rate, the enhanced expectation of life and the decline of infant mortality, changes which are regarded by many as triumphs of preventive medicine. The rapidity of improvement at separate age periods of life, and the date at which the amelioration first occurred, are apparently not so widely realised.

The complete examination of the vital statistics relating to the population, involving as it does a study, among many other factors, of the separate trends of individual causes of death in addition to that of age and sex differences irrespective of cause, is a more ambitious project than can be attempted at the present juncture. Here reference is only made to changes in the total mortality in Scotland by sex and at certain age periods over a series of years. In respect that the numbers living at each age are not accurately known except in those years in which Censuses are taken, this inquiry has been restricted to an examination of the death-rates in the years centring on these periods. The death-rates in each of the triennia centring on the Census years, beginning with the period 1860-2 and ending with 1930-2, have been calculated and are presented in the accompanying Table, together with the percentage ratio of the death-rate for each sex and age group in each triennial period to that of the years 1860-2 which is taken as standard (=100). The latter figures aid in assessing the relative amount of the decline in the several age and sex groups of the population.

Examination of the whole series of death-rates shows that, although gross changes have taken place throughout the period of years under review, the two well-known features of age and sex specific death-rates are apparent in each individual triennium of the series, namely (1) the rates of mortality beginning with high values in infancy, dropping to a minimum in the age group 10-15 years and steadily increasing till the end of life, and (2) the generally higher male than female death-rate at each age. Exceptions to the latter feature occur at ages 1-15 years, when the female is often as high as, or higher than, the corresponding male death-rate.

Death-rates 1860-62 to 1930-32 by Age and Sex.

AGE AND SEX.	DEATH-RATES PER 1000.								DEATH-RATES COMPARED WITH 1860-62 (=100).							
	1860-62.	1870-72.	1880-82.	1890-92.	1900-02.	1910-12.	1920-22.	1930-32.	1860-62.	1870-72.	1880-82.	1890-92.	1900-02.	1910-12.	1920-22.	1930-32.
All Ages { Males Females	22.4 20.6	23.1 21.3	20.4 19.0	20.1 19.2	18.5 17.3	15.6 14.8	14.8 13.6	13.9 12.8	100 100	103 103	91 92	90 93	88 84	70 72	66 66	62 62
1- { Males Females	152.0 126.4	159.5 130.8	150.0 121.3	159.0 129.6	158.4 126.0	137.4 109.0	118.7 90.4	101.6 78.0	100 100	105 104	99 96	105 103	104 100	90 86	78 72	67 62
1- { Males Females	37.4 37.4	35.3 35.3	29.5 28.8	27.5 27.1	22.8 21.5	18.4 17.4	15.7 14.6	10.4 9.6	100 100	94 94	79 77	74 73	61 58	49 47	42 39	28 26
5- { Males Females	9.1 8.8	9.8 9.3	7.8 7.3	5.7 6.0	4.3 4.4	3.7 3.8	3.0 2.9	2.7 2.3	100 100	108 106	85 83	63 68	48 54	41 44	32 33	29 26
10- { Males Females	5.2 5.1	5.4 5.8	4.3 4.7	3.5 4.0	2.8 3.2	2.4 2.5	2.0 2.0	1.7 1.6	100 100	105 113	83 92	68 78	54 63	46 49	38 39	33 31
15- { Males Females	8.7 7.6	9.2 8.5	7.1 7.0	6.5 6.2	5.4 5.1	4.0 3.9	3.5 3.4	3.0 2.8	100 100	97 112	81 93	71 82	59 68	44 51	39 45	32 37
25- { Males Females	10.3 9.6	11.2 10.4	8.9 9.2	8.3 8.8	8.5 7.3	5.6 5.5	4.9 5.0	3.9 3.9	100 100	109 109	86 96	81 91	83 75	54 58	48 52	38 40
35- { Males Females	12.3 11.5	14.0 12.4	12.4 11.0	12.2 11.6	11.7 10.0	8.5 8.0	7.2 6.7	6.6 5.5	100 100	114 108	101 96	100 101	95 87	69 69	59 59	54 48
45- { Males Females	17.2 14.4	20.0 16.1	19.4 14.8	20.8 15.8	19.5 15.6	15.6 12.5	12.7 10.4	11.6 9.4	100 100	116 112	113 103	121 110	113 108	90 87	74 72	67 65
55- { Males Females	29.5 24.9	32.5 27.2	33.4 26.6	37.2 31.6	37.9 30.5	31.3 25.2	27.8 21.9	24.6 19.7	100 100	110 109	113 107	126 127	129 122	106 101	94 88	83 79
65- { Males Females	64.6 56.6	64.1 54.6	63.6 53.3	72.1 61.8	71.6 60.2	65.3 52.8	61.4 48.5	60.5 47.1	100 100	99 96	98 94	112 109	111 106	101 93	95 86	94 83
75 and over { Males Females	166.5 155.1	159.7 150.3	148.1 136.6	165.2 149.8	159.2 142.8	148.7 134.7	154.1 135.3	154.6 137.3	100 100	96 97	89 88	99 97	96 92	89 87	93 87	93 89

For a comparison of the rates of change of mortality, the second half of the above table, wherein the death-rates of the period 1860-2 are taken as 100 and succeeding death-rates are expressed as a percentage thereof, may be referred to.

In infancy it will be observed that during the latter half of last century the death-rates showed no appreciable evidence of trend up or down, the ratios to the death-rates in 1860-2 deviating by no more than 5 per cent. Between 1900-2 and 1910-2 an appreciable improvement began, and this has continued until the present day. Thus the death-rates in the triennium centred on 1911 were in males 10 per cent. and in females 14 per cent. lower than in 1860-2; ten years later they had dropped to values 22 and 28 per cent. lower, and in the most recent period of the series to values 33 and 38 per cent. lower than the corresponding male and female rates at the beginning of the period.

In succeeding age groups an even more interesting state of affairs is manifest. In pre-school children, at ages 1-4 years inclusive, improvement in mortality has been continuous and extensive in degree. Thus at the beginning of the present century mortality at this age had diminished to a value roughly only half

of what it was forty years before, and at the present day is just slightly more than one-quarter of its value seventy years ago. Thus, compared with infants under one year of age, there has been a much more substantial rate of improvement in pre-school children, an improvement which, moreover, began long before the loss of infant life showed any evidence of a change for the better.

In early school years (5-9), improvement likewise is relatively greater than in infancy. Apart from the higher rates experienced in 1870-2 than in 1860-2, extensive and steady decline is a feature of the mortality at this age, and the death-rates at the present time have reached values which are only 29 and 26 per cent. of the rates in 1860-2 for males and females respectively. In later years of school life (10-14 years) the course of events is very similar, a peak being attained in 1870-2, subsequent to which mortality steadily diminished. The rates of the final three years period are only one-third of their value seventy years ago.

In the two succeeding decennial age groups, 15-24 and 25-34 years, the figures again show a slight increase in the years 1870-2 (except in males aged 15-24 years, where a slight improvement was in evidence); but subsequently improvement set in, to such an extent that in the final triennium of the series the death-rates at these ages are only about one-third of the original values registered in 1860-2.

At 35-44 years of age, the heaviest death-rates are again recorded in 1870-2, after which a decline set in, the rate of decline being greater subsequent to 1890-2 than in the preceding two decennia. At 45-54 years the death-rates up to and including those in 1900-2 are higher in each sex than they were at the beginning of the period reviewed; but in the last three triennia mortality has progressively diminished. At 55-64 years the death-rates show a progressive increase from 1860-2 up to 1900-2, after which mortality improved, and is now at a point some 20 per cent. below that recorded in 1860-2.

At later ages 65-74 and 75 years and upwards no very great changes have taken place. In the first of these age groups the death-rates in 1890-2 and in 1900-2 were higher than in 1860-2 by about 10 per cent., and in the most recent years the death-rates in males and females are only 6 and 17 per cent. respectively lower than the corresponding rates in 1860-2. In the final age group there is very little change of note to record.

It is noteworthy, therefore, that the death-rates at each age and of each sex are in 1930-2 lower than in 1860-2. Comparison of the rates of mortality at the present day with those of seventy years ago shows that:—

1. The improvement in females is greater than in males at most age periods.
2. The greatest reduction in mortality obtains at pre-school and school ages.

3. With the exception of the age group under one year the reduction is greatest in the young and progressively diminishes in degree with advancing age.

4. The improvement in mortality of infants, while appreciable in extent, is substantially less than has occurred at every age period under 45 years. The decline in the death-rate under one year of age has, moreover, been restricted in time to the years of the present century.

INFANTILE MORTALITY.

The general features of the decline in the infantile death-rate have been noted previously. The following statistics are offered to indicate the principal causes of death at this age, and the changes which have occurred therein within the last twenty years.

The death-rates per 1,000 births from the more important causes or cause groups are set out in the accompanying Table for the two decennial periods 1911-20 and 1921-30 and for the whole period of twenty years 1911-30. For comparative purposes the corresponding rates for England and Wales for the same periods are added, together with the percentage ratio of the Scottish death-rates to those of England and Wales.

*Infantile Mortality Rates from Selected Causes per 1,000 Births :
Scotland compared with England and Wales.*

CAUSES OF DEATH.	1911-1920.			1921-1930.			1911-1930.		
	Scotland.	England and Wales.	Ratio of Scotland to Eng-land and Wales (=100).	Scotland.	England and Wales.	Ratio of Scotland to Eng-land and Wales (=100).	Scotland.	England and Wales.	Ratio of Scotland to Eng-land and Wales (=100).
Measles	3·14	2·66	118	2·50	1·27	197	2·84	1·97	144
Scarlet fever . . .	0·18	0·08	225	0·11	0·04	275	0·15	0·06	250
Whooping-cough . .	6·14	3·97	154	4·87	2·76	176	5·54	3·37	164
Diphtheria	0·53	0·27	196	0·38	0·19	200	0·46	0·23	200
Tuberculosis (all forms) .	3·49	2·86	122	1·97	1·24	159	2·76	2·06	134
Bronchitis and pneumonia	20·26	21·04	96	18·99	15·27	124	19·66	18·19	108
Diarrhoea and enteritis .	11·40	16·27	70	6·81	7·36	93	9·22	11·87	78
Congenital malformations	4·17	4·38	95	4·35	4·55	96	4·26	4·46	96
Diseases of early infancy	37·19	38·63	96	34·20	28·15	121	35·77	33·45	107
Premature Birth . .	19·29	21·71	89	17·82	18·23	98	18·59	19·99	93
Congenital debility .	14·88	13·38	111	13·21	5·90	224	14·09	9·68	146
Overlying	1·06	1·26	84	0·68	0·63	108	0·88	0·95	93
Syphilis	1·34	1·74	77	0·72	0·91	79	1·05	1·33	79
Convulsions	4·71	8·75	54	3·38	3·65	93	4·08	6·22	66
Ill-defined causes . .	1·60	0·24	667	0·65	0·10	650	1·15	0·17	676
All causes . . .	106·2	111·7	95	88·84	72·3	122	98·0	92·2	106

For the entire period 1911-30 the infant mortality from all causes in Scotland, 98 per 1,000 births, was 6 per cent. in excess of that for England and Wales. Scrutiny of the individual causes of death indicates that the greatest relative excess of the Scottish death-rates in infancy are to be found in infectious diseases, particularly scarlet fever, and diphtheria, wherein the death-rates in Scotland are respectively 2·5 times and twice as high as in England and Wales. Whooping-cough and measles with excesses of 64 and 44 per cent. respectively are also obviously much heavier contributors to the total deaths of infants in Scotland. Other prominent excesses are shown by congenital debility with an excess of 46 per cent., tuberculosis (all forms) with 34 per cent., and ill-defined conditions, wherein the death-rate in this country is nearly seven times as high as that in England and Wales. In the two principal groups of causes of death, bronchitis and pneumonia and diseases of early infancy, the death-rates in Scotland exceed those in England and Wales by 8 and 7 per cent. respectively. Diarrhœa and enteritis, on the other hand, is appreciably less in the Scottish figures, the death-rate here being only 78 per cent. of the corresponding rate in England and Wales. Syphilis and infantile convulsions are likewise much lower in Scotland, whereas premature birth and congenital malformations show relatively little divergence, the Scottish being 7 and 4 per cent. respectively lower than the death-rate in England and Wales.

The principal causes of infant death in both countries are the respiratory group of diseases, bronchitis and pneumonia, premature birth, congenital debility, diarrhœa and enteritis, whooping-cough, infantile convulsions and congenital malformations.

Examination of the separate returns of the two decennial periods reveals several points of interest. In the first of these, 1911-20, infant mortality in Scotland was 5 per cent. below the death-rate in England and Wales in these years, but in the succeeding decennium, 1921-30, it was 22 per cent. above. Thus, as mortality at this age in both countries has definitely improved in recent years, it is obvious that the rate of improvement in England and Wales has been greater than in Scotland. Further, inspection of individual causes or cause groups from this point of view indicates that the ratio of the death-rate in Scotland to that in England and Wales is greater in 1921-30 than in 1911-20. Thus, while in some of the separate causes the difference in the ratios are insignificant in magnitude, it is clear that in no case has the decline in Scotland been greater than in England and Wales, while in several instances the rate of decline in England and Wales has been appreciably faster than in Scotland. The differences in each decennium are, however, very similar to one another and to those already pointed out in reference to comparison of the death-rate for the whole period of twenty years. Thus, in each decennium, the Scottish death-rates from the principal infectious diseases, from tuberculosis and from congenital debility are in excess, while those from

diarrhoea and enteritis, syphilis, infantile convulsions, premature birth and congenital malformations are in defect of the corresponding rates for England and Wales. The two large groups of causes of death, bronchitis and pneumonia and diseases of early infancy, in 1911-20 are each slightly (4 per cent.) lower, but in 1921-30 are each higher (by 24 and 21 per cent. respectively) than the rates in England and Wales.

The rates of decline in individual causes over the last twenty years differ appreciably. Thus in Scotland relatively the greatest amount of improvement is found to have taken place in tuberculosis (principally the abdominal form) and in diarrhoea and enteritis. Recorded mortality from syphilis, infantile convulsions, overlaying and suffocation, infectious diseases and ill-defined causes also shows appreciable diminution, whereas that from birth injury and from congenital malformations has increased. In England and Wales likewise the greatest relative decline is shown in tuberculosis (and again particularly in the abdominal form) and in diarrhoea and enteritis; and extensive improvement has also occurred in the mortality attributed to infantile convulsions, ill-defined causes, congenital debility, overlaying and suffocation, and syphilis. In general, the decline shown in the death-rates for England and Wales is, as previously pointed out, somewhat greater than that in the corresponding Scottish rates.

MORTALITY FROM EXOPHTHALMIC GOITRE.

In a recent American paper it was pointed out that (1) among Metropolitan Industrial policyholders the mortality from exophthalmic goitre had shown a substantial increase, the rate for the ten years 1922-31 being almost double that for the decennium 1911-20, and (2) only among white women and in the five years ending 1931 had there been any sign of a downward trend. The present note briefly reviews the changes in mortality ascribed to this condition both in Scotland and in England and Wales.

In the years 1911-30 the deaths from exophthalmic goitre numbered 116 in males and 1,254 in females in Scotland, and 1,239 and 11,576 in males and females respectively in England and Wales. Thus in males in both countries this disease accounts for less than 1 in 4,000, and in females for less than 1 in 400 of the deaths from all causes. As a cause of death, therefore, its numerical importance is relatively speaking negligible; but to any disease the mortality from which is either not improving or on the contrary is actually tending to increase, special interest attaches at the present time when the general trend of most diseases is a downward one.

Age and Sex differences of Mortality.—In view of the small number of deaths from this condition, the records relating to a comparatively long series of years are necessary to provide fairly stable death-rates on which reliable findings as to age and sex

differences can be reached. In the accompanying Table are shown both for Scotland and for England and Wales in age groups and in each sex for the twenty years 1911-30 (1) the number of deaths from exophthalmic goitre, (2) the average annual death-rates per million population, (3) the ratio of the female to the male death-rate, and (4) the ratio of the rates in England and Wales to those in Scotland.

Deaths and Death-rates from Exophthalmic Goitre, 1911-1930.

AGE PERIOD.	TOTAL DEATHS.				DEATH-RATES PER MILLION.				Ratio of Female: Male Mortality.		Ratio of Mortality England and Wales: Scotland.	
	Males.		Females.		Males.		Females.		Ratio of Female: Male Mortality.		Ratio of Mortality England and Wales: Scotland.	
	Scotland.	England and Wales.	Scotland.	England and Wales.	Scotland.	England and Wales.	Scotland.	England and Wales.	Scotland.	England and Wales.	Males.	Females.
0 -	2	10	5	58	0·14	0·10	0·36	0·57	2·54	5·87	0·69	1·60
15 -	11	121	118	1,129	1·27	1·87	13·13	16·36	10·36	8·78	1·47	1·25
25 -	20	166	188	1,542	2·86	2·93	24·20	24·06	8·47	8·23	1·02	0·99
35 -	25	244	306	2,429	4·34	4·99	47·02	43·83	10·85	8·80	1·15	0·93
45 -	34	327	330	3,211	6·98	8·00	62·11	71·32	8·91	8·91	1·15	1·15
55 -	17	265	206	2,167	4·92	9·39	54·32	69·12	11·05	7·36	1·91	1·27
65 -	7	91	78	881	3·70	5·97	32·25	46·25	8·73	7·75	1·61	1·43
75 +	...	15	23	159	...	2·90	21·62	19·67	...	6·79	...	0·91
All Ages	116	1,239	1,254	11,576	2·49	3·40	25·07	29·31	10·06	8·62	1·36	1·17

The death-rate irrespective of age is lower in each sex in Scotland than in England and Wales. The relative excess in England and Wales is greater in males than in females, the male being 36 per cent., and the female only 17 per cent. higher in England and Wales than in Scotland. In both countries the male death-rate is extremely small in the age-period 0-14 years, but steadily increases to a maximum which is attained at a different age in the two countries. In Scotland the heaviest death-rate is recorded at ages 45-54 years, but in England and Wales the peak is not reached until the succeeding ten years of life. Subsequent to these ages, mortality falls rapidly till the end of life. With the unimportant exception of the first fifteen years of life, the Scottish death-rates in the several age periods are consistently lower than those at corresponding ages in England and Wales, the greatest relative deficit being at older ages, namely 55 years and over. In females in both countries the general trend of the differences in mortality with age are somewhat similar to, but on a much more extensive scale than, those among males. The rates of mortality, beginning at very low levels in infancy and childhood, rapidly increase to their maximum value, which is reached in the same decade, namely

45-54 years, in the two countries and thereafter decrease with advancing age. The death-rates in England and Wales are, except at 25-44 years and at ages 75 years and over, higher than at corresponding ages in Scotland. The death-rate at all ages is in females very much higher than in males. In Scotland the female is 10, in England and Wales 8·6 times higher than the male death-rate. At individual ages it will be seen that this female excess is consistent, but the amount of it varies. This variation of the sex ratio of rates of mortality is seen to be irregular and, except in the first age period, not very great. At ages under 15 years the female death-rate is in Scotland only 2·5 times, in England and Wales 5·9 times as high as the corresponding rate among males, whereas in subsequent age groups the female : male ratio in Scotland varies from 8·47 to 11·05 at 25-34 and 55-64 years respectively, and in England and Wales from 6·79 at ages 75 years and upwards to 8·91 in the decade 45-54 years. These differences in the amount of the female excess at individual age periods, therefore, show no definite relationship with age and lack correspondence in the two countries.

The amount of female preponderance and the age distribution in each sex as revealed by rates of mortality differ widely from corresponding figures in respect of incidence of cases. Differences such as these may, however, be produced by the long duration of the disease from onset to death, and by variations of fatality in the sexes and at the several age periods of life; and, in addition, the comparatively low preference accorded to the disease in cases of death with joint causes is almost bound to produce divergence between the specific features of incidence and mortality statistics.

Changes in Mortality in recent years.—In a second Table the rates of mortality specific for age and sex in the two countries are shown for the two decennial periods 1911-20 and 1921-30, together with the ratio of the mortality rates in the later to the corresponding ones in the earlier period.

In both Scotland and England and Wales it will be observed that the crude rates in 1921-30 are appreciably in excess of those pertaining to 1911-20. The increase is relatively greater in England and Wales than in Scotland, the excess among males amounting to 85 per cent. in England and Wales and to only 27 per cent. in Scotland, and among females to 76 per cent. in England and Wales and 39 per cent. in Scotland. The difference in the extent of increase in the two sexes does not vary widely in the two countries. In Scotland the increase among females is somewhat greater than in males, in England and Wales the reverse is the case.

In individual age periods the changes in mortality in Scotland are irregular in both males and females; in England and Wales, however, an increase in mortality is a feature of each age period of life. More irregular statistics are perhaps to be expected in Scotland owing to the smaller numbers on which the death-rates are based. In Scottish males the greatest relative increases have

*Death-rates per million from Exophthalmic Goitre,
1911-20 and 1921-30.*

AGE PERIOD.	MALES.				FEMALES.				RATIO 1921-30 : 1911-20.			
	Scotland.		England and Wales.		Scotland.		England and Wales.		Males.		Females.	
	1911-20.	1921-30.	1911-20.	1921-30.	1911-20.	1921-30.	1911-20.	1921-30.	Scotland.	England and Wales.	Scotland.	England and Wales.
0—	0·13	0·14	0·07	0·12	0·41	0·29	0·45	0·70	1·08	1·61	0·72	1·56
15—	1·37	1·15	1·36	2·37	12·28	13·76	13·26	19·32	0·84	1·74	1·12	1·46
25—	2·85	2·96	2·31	3·56	22·17	26·27	21·49	26·78	1·04	1·54	1·19	1·25
35—	4·43	4·18	3·48	6·39	20·12	52·81	34·59	51·76	0·94	1·84	2·63	1·50
45—	5·48	8·11	5·64	9·87	50·94	71·31	49·36	89·19	1·48	1·75	1·40	1·81
55—	3·21	6·32	6·27	11·37	45·04	62·12	48·27	86·25	1·97	1·81	1·38	1·79
65—	3·53	3·89	3·71	7·12	23·43	40·61	29·93	60·10	1·10	1·92	1·74	2·01
75+	0·85	4·22	26·21	17·54	12·69	25·30	...	4·99	0·67	1·99
All Ages	2·19	2·78	2·38	4·39	20·89	29·02	21·08	37·04	1·27	1·85	1·39	1·76

taken place in the death-rates in the two decades 45-54 and 55-64 years. Smaller increases have occurred in other age groups except at 15-24 and at 35-44 years, wherein decreases of 16 and 6 per cent. respectively are registered. In females, on the other hand, increases are recorded in each individual age period with exceptions at the extremes of life, namely under 15 years, where mortality is lower by 28 per cent., and at 75 years and upwards, wherein the decrease amounts to 33 per cent. In the intervening ages the heaviest increases are at 35-44 years, where mortality in the second decennium is more than $2\frac{1}{2}$ times as heavy as at similar ages in 1911-20, and at 65-74 years, where an increase of 74 per cent. is evident in the later as compared with the earlier decennium. In England and Wales the increased mortality among both males and females pertains to each age period, but the amount of increase varies. The increase observed at ages 45 and over is, in each sex, to some degree greater than at earlier ages, this difference being more marked in females than in males.

The annual number of deaths from this disease being so few, it is probably of little value to set forth the figures in more detail for separate ages and sexes, but in the third Table are collected figures showing the average annual number of deaths of males and females in the two countries in the four quinquennial periods ending 1926-30 with, for the sake of completeness, the statistics for the last two years 1931 and 1932. These indicate that the

increase has been a more or less gradual phenomenon except in Scottish males, where the numbers are almost negligibly small, but that the most significant part of the increase has occurred in the last five years of the series. The numbers of deaths registered in 1931 and 1932 do not suggest any improvement in the situation.

Deaths from Exophthalmic Goitre, 1911-32.

	MALES.		FEMALES.	
	Scotland.	England and Wales.	Scotland.	England and Wales.
1911-15*	3·8	37·8	55·4	392·6
1916-20*	6·6	46·6	48·8	417·6
1921-25*	4·6	56·6	66·6	589·4
1926-30*	8·4	106·8	80·0	915·6
1931	8	138	80	1162
1932	14	165	88	1239

* Annual average.

In a disease such as this where the etiological factors are largely matters of speculation, it is difficult to account for secular changes of mortality. Before it is possible to regard an increased rate of mortality as indicative of increased prevalence, however, other possibilities must be considered such as improvements in the recognition of the disease, changes in the frequency of diseases which take preference in allocation of joint causes and the influence of changes in methods of therapy, factors which obviously will tend to depreciate the value of mortality statistics as indicators of prevalence. How far these and other possible factors have influenced the death-rates it is impossible to determine; but it is significant that in all three countries, America, England and Wales and Scotland, the registered mortality from the disease has, in the last twenty years at least, definitely increased in each sex and at most age groups.

TABLE 1.—Population, Births, Deaths, and Marriages in Scotland, 1855-1932.
Quinquennial averages.

YEAR	Estimated Mid-Year Popula- tion.	BIRTHS.							MARRIAGES.	DEATHS.				Excess of Births over Deaths.
		Total.	Males.	Fem.	Illegit.	Twin Births	Triplet Births.	Total.		Males.	Fem.	Under 1 Year.		
1855-60	3,018,000	102,462	52,655	49,807	8,953	1,282	*16	20,645	62,644	31,139	31,505	12,250	39,818	
1861-65	3,127,000	109,764	56,336	53,428	10,742	1,298	13	22,013	69,265	34,380	34,885	13,166	40,499	
1866-70	3,276,000	114,394	58,676	55,718	11,270	1,393	*13	22,832	71,974	35,823	36,151	13,971	42,420	
1871-75	3,441,000	120,376	61,964	58,412	10,941	1,416	13	25,754	77,988	38,961	39,027	15,314	42,388	
1876-80	3,629,000	126,086	64,648	61,438	10,711	1,430	14	24,956	74,801	37,463	37,338	14,921	51,285	
1881-85	3,799,000	126,409	64,805	61,604	10,453	1,417	14	26,176	74,396	37,041	37,355	14,864	52,013	
1886-90	3,944,000	123,977	63,674	60,303	9,973	1,378	13	25,702	74,320	36,729	37,591	14,943	49,657	
1891-95	4,122,000	125,800	64,558	61,242	9,326	1,420	13	27,962	78,350	38,797	39,553	15,896	47,450	
1896- 1900 }	4,345,000	130,209	66,554	63,655	8,870	1,465	16	31,771	78,021	39,070	38,951	16,857	52,188	
1901-05	4,536,000	132,399	67,565	64,834	8,609	1,599	*17	31,838	77,313	38,716	38,597	15,881	55,086	
1906-10	4,680,000	128,987	65,811	63,176	9,125	1,609	*14	31,811	75,534	37,596	37,938	14,501	53,453	
1911-15	4,748,000	120,654	61,607	59,047	8,698	1,538	15	33,857	74,466	37,253	37,213	13,604	46,188	
1916-20	4,820,000	109,750	56,269	53,481	8,315	1,491	*10	37,437	72,365	36,455	35,910	10,869	37,385	
1921	4,882,497	123,201	63,075	60,126	8,757	1,596	8	39,243	66,210	33,085	33,125	11,130	56,991	
1922	4,898,000	115,085	58,826	56,259	7,881	1,498	11	34,375	72,905	36,244	36,661	11,664	42,180	
1923	4,888,000	111,902	57,332	54,570	7,477	1,491	9	35,200	63,283	31,682	31,601	8,825	48,619	
1924	4,862,000	106,900	54,919	51,981	7,086	1,400	13	32,328	70,357	35,168	35,189	10,446	36,543	
1925	4,867,000	104,137	53,426	50,711	6,831	1,309	7	32,456	65,507	33,036	32,471	9,430	38,630	
1921-25	4,880,000	112,245	57,516	54,729	7,606	1,459	10	34,720	67,652	33,843	33,809	10,299	44,593	
1926	4,864,000	102,449	52,362	50,087	7,046	1,279	*12	31,244	63,780	32,021	31,759	8,514	38,669	
1927	4,853,000	96,672	49,314	47,358	6,978	1,237	9	32,553	65,830	33,097	32,733	8,576	30,842	
1928	4,848,000	96,822	49,584	47,238	7,158	1,201	15	32,948	65,271	32,577	32,694	8,299	31,551	
1929	4,832,000	92,880	47,769	45,111	7,165	1,157	12	32,967	70,917	35,386	35,531	8,061	21,963	
1930	4,828,000	94,549	48,069	46,480	6,950	1,265	9	33,315	64,285	32,448	31,837	7,852	30,264	
1926-30	4,845,000	96,674	49,419	47,255	7,059	1,228	11	32,605	66,917	33,106	32,911	8,360	30,657	
1931	4,842,980	92,220	46,972	45,248	6,661	1,117	15	32,652	64,229	32,238	31,991	7,544	27,991	
1932	4,883,000	91,000	46,579	44,421	6,455	1,106	17	33,178	66,045	32,743	33,302	7,849	24,955	

* Including one case of quadruplets.

TABLE 2.—Birth-, Death-, and Marriage-rates in Scotland, 1855-1932.
Quinquennial averages.

YEAR.	Rates per 1000 of Population.						Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.
	Birth- rate.	Mar- riage- rate.	Death-rate.			Natural Increase (excess of Births over Deaths).				
			Total.	Males.	Fem.					
1855-60	34.104	6.839	20.750	21.72	19.84	13.36	8.74	105.7	1.23	119.6
1861-65	35.096	7.046	22.139	23.16	21.21	12.96	9.79	105.4	1.21	119.9
1866-70	34.911	6.971	21.969	22.96	21.06	12.94	9.85	105.3	1.24	122.1
1871-75	34.974	7.482	22.655	23.67	21.67	12.32	9.09	106.1	1.20	127.2
1876-80	34.758	6.882	20.617	21.49	19.81	13.94	8.49	105.2	1.16	118.3
1881-85	33.275	6.891	19.582	20.21	18.98	13.69	8.27	105.2	1.15	117.6
1886-90	31.444	6.515	18.843	19.26	18.42	12.60	8.04	105.6	1.13	120.5
1891-95	30.522	6.784	19.014	19.48	18.58	11.51	7.41	105.4	1.15	126.4
1896-1900	29.970	7.310	17.949	18.53	17.40	12.02	6.81	104.6	1.15	129.5
1901-05	29.193	7.020	17.050	17.58	16.56	12.14	6.50	104.2	1.24	119.9
1906-10	27.569	6.800	16.144	16.56	15.75	11.43	7.07	104.2	1.27	112.4
1911-15	25.415	7.131	15.683	16.17	15.23	9.73	7.21	104.3	1.30	112.8
1916-20	22.757	7.761	15.014	15.72	14.36	7.74	7.58	105.2	1.39	99.0
1921	25.233	8.037	13.561	14.09	13.07	11.67	7.11	104.9	1.32	90.3
1922	23.496	7.018	14.885	15.39	14.41	8.61	6.85	104.6	1.33	101.4
1923	22.892	7.201	12.946	13.48	12.45	9.95	6.68	105.1	1.36	78.9
1924	21.986	6.649	14.470	15.05	13.93	7.52	6.63	105.7	1.34	97.7
1925	21.396	6.668	13.459	14.13	12.84	7.94	6.56	105.4	1.28	90.6
1921-25	23.001	7.114	13.864	14.43	13.34	9.14	6.78	105.1	1.33	91.8
1926	21.061	6.423	13.112	13.70	12.57	7.95	6.88	104.5	1.28	83.1
1927	19.919	6.707	13.564	14.20	12.98	6.35	7.22	104.1	1.31	88.7
1928	19.971	6.796	13.463	14.02	12.95	6.51	7.39	105.0	1.28	85.7
1929	19.220	6.822	14.675	15.28	14.12	4.54	7.71	105.9	1.27	86.8
1930	19.583	6.900	13.314	14.01	12.67	6.27	7.35	103.4	1.37	83.0
1926-30	19.951	6.730	13.626	14.24	13.06	6.32	7.30	104.6	1.30	85.4
1931	19.042	6.742	13.262	13.86	12.71	5.78	7.22	103.8	1.24	81.8
1932	18.636	6.794	13.525	13.94	13.14	5.11	7.09	104.9	1.25	86.2

TABLE 3.—Births, Deaths and Marriages in Scotland, 1922 to 1932.

	Numbers.					Rates.				
	Births.		Marriages.	Deaths.		Per 1000 of Estimated Population.			Illegit. Births per cent. of Total Births.	Deaths under One Year per 1000 Births.
	Total.	Illegitimate.		All Ages.	Under One Year.	Births.	Marriages.	Deaths.		
1st Quarter 1922 .	30,854	2,103	7,888	26,263	4,362	25·6	6·6	21·8	6·8	141
2nd " " .	30,046	2,024	8,717	17,768	3,022	24·7	7·2	14·6	6·7	101
3rd " " .	28,019	1,962	9,381	13,179	1,786	22·8	7·6	10·7	7·0	64
4th " " .	26,166	1,792	8,389	15,695	2,494	21·3	6·8	12·8	6·8	95
Year 1922 .	115,085	7,881	34,375	72,905	11,664	23·6	7·0	14·9	6·8	101
1st Quarter 1923 .	28,530	1,915	8,083	17,671	2,804	23·7	6·7	14·7	6·7	98
2nd " " .	29,140	1,868	8,881	16,321	2,292	24·0	7·3	13·4	6·4	79
3rd " " .	27,087	1,881	9,872	13,172	1,679	22·0	8·0	10·7	6·9	62
4th " " .	27,145	1,813	8,364	16,119	2,050	22·1	6·8	13·1	6·7	76
Year 1923 .	111,902	7,477	35,200	63,283	8,825	23·0	7·2	13·0	6·7	79
1st Quarter 1924 .	27,452	1,801	7,296	21,967	3,622	22·7	6·0	18·1	6·6	132
2nd " " .	27,985	1,802	7,971	17,872	2,590	23·1	6·6	14·8	6·4	93
3rd " " .	26,175	1,743	9,141	13,703	1,801	21·4	7·5	11·2	6·7	69
4th " " .	25,288	1,740	7,920	16,815	2,433	20·7	6·5	13·7	6·9	96
Year 1924 .	106,900	7,086	32,328	70,357	10,446	21·9	6·6	14·4	6·6	98
1st Quarter 1925 .	25,230	1,628	7,644	18,350	2,723	21·0	6·4	15·3	6·5	108
2nd " " .	27,909	1,769	8,014	15,911	2,246	23·0	6·6	13·1	6·3	81
3rd " " .	25,595	1,785	9,137	13,450	1,861	20·9	7·4	11·0	7·0	73
4th " " .	25,403	1,649	7,661	17,796	2,600	20·7	6·2	14·5	6·5	102
Year 1925 .	104,137	6,831	32,456	65,507	9,430	21·4	6·7	13·5	6·6	91
1st Quarter 1926 .	26,170	1,778	7,819	17,928	2,520	21·8	6·5	15·0	6·8	96
2nd " " .	26,996	1,783	7,682	17,008	2,158	22·3	6·3	14·0	6·6	80
3rd " " .	24,821	1,749	8,408	12,866	1,588	20·8	6·9	10·5	7·0	64
4th " " .	24,462	1,736	7,335	15,978	2,248	20·0	6·0	13·0	7·1	92
Year 1926 .	102,449	7,046	31,244	63,780	8,514	21·1	6·4	13·1	6·9	83
1st Quarter 1927 .	24,775	1,738	7,348	19,437	2,728	20·7	6·1	16·2	7·0	110
2nd " " .	25,116	1,812	7,931	15,812	1,949	20·7	6·5	13·1	7·2	78
3rd " " .	23,496	1,741	9,093	13,641	1,566	19·2	7·4	11·1	7·4	67
4th " " .	23,285	1,687	8,181	16,940	2,333	19·0	6·7	13·8	7·2	100
Year 1927 .	96,672	6,978	32,553	65,830	8,576	19·9	6·7	13·6	7·2	89
1st Quarter 1928 .	24,252	1,764	7,383	19,387	2,593	20·1	6·1	16·1	7·3	107
2nd " " .	25,723	1,895	7,905	16,567	2,112	21·3	6·6	13·7	7·4	82
3rd " " .	23,444	1,805	9,236	13,453	1,610	19·2	7·6	11·1	7·7	69
4th " " .	23,403	1,694	8,424	15,859	1,984	19·2	6·9	13·0	7·2	85
Year 1928 .	96,822	7,158	32,948	65,271	8,299	19·9	6·8	13·4	7·4	86
1st Quarter 1929 .	23,449	1,827	6,727	26,386	3,011	19·6	5·6	22·1	7·8	128
2nd " " .	24,380	1,903	8,117	15,895	1,842	20·2	6·7	13·1	7·8	76
3rd " " .	23,053	1,802	9,686	13,283	1,437	18·9	7·9	10·9	7·8	62
4th " " .	21,998	1,633	8,437	15,353	1,771	18·0	6·9	12·6	7·4	81
Year 1929 .	92,880	7,165	32,967	70,917	8,061	19·2	6·8	14·6	7·7	87
1st Quarter 1930 .	23,686	1,798	7,297	19,055	2,600	19·8	6·1	15·9	7·6	110
2nd " " .	24,822	1,846	8,285	15,889	1,823	20·5	6·9	13·2	7·4	73
3rd " " .	22,954	1,731	9,528	13,356	1,358	18·8	7·8	10·9	7·5	59
4th " " .	23,087	1,575	8,205	15,985	2,071	18·9	6·7	13·1	6·8	90
Year 1930 .	94,549	6,950	33,315	64,285	7,852	19·5	6·9	13·3	7·4	83
1st Quarter 1931 .	23,558	1,769	7,071	20,189	2,653	19·7	5·9	16·9	7·5	113
2nd " " .	24,130	1,753	8,153	15,916	1,867	20·0	6·8	13·2	7·3	77
3rd " " .	22,659	1,669	9,348	13,244	1,353	18·6	7·7	10·9	7·4	60
4th " " .	21,873	1,470	8,080	14,880	1,672	17·9	6·6	12·2	6·7	76
Year 1931 .	92,220	6,661	32,652	64,229	7,545	19·0	6·7	13·3	7·2	82
1st Quarter 1932 .	23,069	1,573	7,691	19,634	2,573	19·0	6·3	16·2	6·8	112
2nd " " .	24,245	1,720	7,882	16,407	1,976	20·0	6·5	13·5	7·1	81
3rd " " .	22,033	1,625	9,343	13,192	1,396	18·0	7·6	10·7	7·4	63
4th " " .	21,653	1,538	8,262	16,812	1,895	17·6	6·7	13·7	7·1	88
Year 1932 .	91,000	6,456	33,178	66,045	7,840	18·6	6·8	13·5	7·1	86

TABLE 4.—Birth-, Death-, and Marriage-rates in Scotland, its Counties and Large Burghs in 1932.

COUNTIES AND LARGE BURGHS.	Estimated Population 1932.	Birth-rate.	Marriage-rate.	DEATH-RATE.										Illegitimate Births per cent. of Total Births.	Infantile Mortality. Rate per 1000 Births.	
				Crude (Corrected for Transfers).	Corrected (and Adjusted for Age and Sex).	All Tuberculosis.	Tuberculosis of Respiratory System.	Principal Epidemic Diseases.								Bronchitis and Pneumonia.
								*Total.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Influenza.			
SCOTLAND	4,883,000	18·6	6·8	13·5	13·5	0·84	0·61	0·87	0·18	0·05	0·09	0·08	0·35	1·81	7·1	86
LARGE BURGHS	2,669,000	19·2	7·9	13·9	14·8	0·96	0·71	0·95	0·22	0·06	0·12	0·08	0·34	2·22	6·2	97
SMALL BURGHS	732,000	17·0	6·5	13·6	12·5	0·73	0·52	0·73	0·12	0·03	0·06	0·05	0·38	1·30	7·1	68
LANDWARD	1,482,000	18·4	4·9	12·8	12·0	0·69	0·48	0·80	0·15	0·05	0·07	0·07	0·36	1·33	8·8	74
ABERDEEN COUNTY	303,424	19·8	7·4	13·1	12·2	0·72	0·48	0·52	0·12	0·01	0·14	0·05	0·14	1·34	11·5	79
Aberdeen Burgh (including Kincardine portion)	169,265	18·8	8·7	13·5	13·7	0·73	0·47	0·58	0·14	0·01	0·21	0·04	0·10	1·51	8·0	93
Remainder of County	146,731	21·1	5·5	12·5	10·8	0·71	0·48	0·46	0·08	0·01	0·05	0·05	0·18	1·13	14·5	67
ANGUS COUNTY.	271,674	17·4	6·7	13·7	12·8	0·67	0·52	0·59	0·19	0·01	0·05	0·07	0·17	1·62	7·7	68
Arbroath Burgh	17,866	15·4	6·0	15·3	12·7	0·45	0·39	0·34	0·06	—	—	—	0·11	1·40	6·9	73
Dundee Burgh	176,833	18·5	7·3	13·8	13·8	0·78	0·61	0·68	0·27	0·02	0·06	0·10	0·14	1·94	6·9	72
Remainder of County	76,975	15·1	5·6	13·2	10·9	0·47	0·35	0·43	0·04	—	0·04	0·04	0·26	0·95	10·0	55
ARGYLL COUNTY	61,093	14·1	4·8	16·1	11·9	0·90	0·59	0·65	0·10	0·07	0·07	—	0·33	1·21	12·5	61
AYR COUNTY	284,993	19·4	6·1	13·0	13·4	0·60	0·40	0·93	0·10	0·03	0·07	0·09	0·58	1·49	6·9	74
Ayr Burgh	36,770	19·6	6·9	13·3	13·7	0·68	0·60	1·12	0·08	0·03	0·16	0·11	0·63	1·79	5·7	82
Kilmarnock Burgh	38,420	19·5	7·2	12·4	13·4	0·47	0·36	0·83	0·08	0·05	0·03	0·08	0·55	1·74	8·3	84
Remainder of County	209,803	19·3	5·8	13·0	13·2	0·61	0·37	0·92	0·11	0·03	0·06	0·10	0·58	1·40	6·9	71
BANFF COUNTY.	55,389	19·5	5·3	12·3	11·0	0·69	0·51	0·52	0·07	0·02	0·04	0·04	0·23	1·57	12·9	74
BERWICK COUNTY	26,689	12·8	5·1	12·4	10·6	0·56	0·45	0·49	—	—	0·04	—	0·37	1·05	5·3	58
BUTE COUNTY	16,319	13·5	4·7	16·3	11·6	0·30	0·61	0·49	0·06	0·06	—	—	0·25	1·78	7·3	50
CAITHNESS COUNTY	25,606	18·2	5·0	15·4	11·5	0·74	0·35	0·20	—	—	0·04	—	0·16	1·44	12·2	66
CLACKMANNAN COUNTY	32,155	16·7	4·9	12·6	12·5	0·81	0·65	0·62	0·22	0·03	0·03	0·12	0·16	1·31	5·8	69
DUMBARTON COUNTY	149,173	18·4	5·3	12·3	13·1	0·78	0·57	0·75	0·12	0·13	0·04	0·08	0·28	1·53	4·5	82
Clydebank Burgh	48,046	20·1	5·9	10·4	12·9	1·00	0·73	0·50	0·15	0·08	0·04	0·02	0·17	1·56	3·4	77
Dumbarton Burgh	21,861	20·3	3·9	13·7	14·3	0·91	0·69	0·50	0·05	0·09	—	0·09	0·23	2·01	6·5	86
Remainder of County	79,266	16·8	5·4	13·1	13·0	0·61	0·44	0·97	0·13	0·16	0·05	0·11	0·37	1·38	4·6	85
DUMFRIES COUNTY	81,524	17·9	6·7	14·4	13·1	0·91	0·69	0·49	0·06	—	0·06	0·05	0·28	1·36	11·7	61
Dumfries Burgh	23,099	18·1	8·7	13·0	12·8	1·30	0·37	0·52	—	—	0·13	—	0·35	1·34	10·8	65
Remainder of County	58,425	17·8	5·8	15·0	13·2	0·75	0·62	0·48	0·09	—	0·03	0·07	0·26	1·37	12·0	60
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
EAST LOTHIAN COUNTY	46,836	18.4	6.0	11.9	11.8	0.90	0.66	0.96	0.19	0.02	0.04	0.11	0.38	0.75	0.5	76
FIFE COUNTY	278,656	17.8	6.5	12.0	12.0	0.60	0.43	0.74	0.16	0.03	0.14	0.05	0.27	1.13	0.6	75
Dunfermline Burgh	35,694	15.4	8.8	11.0	11.2	0.48	0.39	0.36	0.06	0.03	0.08	0.03	0.06	1.23	6.4	49
Kirkcaldy Burgh	44,170	16.8	7.4	13.0	13.1	0.48	0.32	0.97	0.14	0.05	0.25	0.02	0.43	1.09	7.1	71
Remainder of County	198,792	17.7	5.9	12.0	12.0	0.64	0.46	0.75	0.18	0.03	0.12	0.06	0.27	1.12	6.6	80
INVERNESS COUNTY	81,646	16.7	5.8	14.9	11.5	0.97	0.76	0.71	0.01	0.04	0.06	0.01	0.51	1.15	9.5	59
Inverness Burgh	22,808	13.2	12.9	15.0	13.1	0.79	0.57	0.57	—	0.04	0.09	—	0.44	1.49	9.6	65
Remainder of County	58,838	16.1	3.1	14.9	11.0	1.04	0.83	0.76	0.02	0.03	0.05	0.02	0.54	1.02	9.4	56
KINCARDINE COUNTY	40,112	18.9	4.7	12.7	11.4	0.75	0.42	0.37	0.02	0.02	0.05	0.02	0.20	1.15	9.2	70
Aberdeen Burgh (part)	12,672	Included in Aberdeen	Burgh	above.												
Remainder of County	27,540	17.5	5.7	13.0	10.5	0.76	0.44	0.25	—	—	0.04	0.04	0.18	1.20	12.7	54
KINROSS COUNTY	7,269	15.8	5.8	15.0	12.3	0.28	—	0.69	0.28	—	—	—	0.41	1.51	8.7	52
KIRKCUDBRIGHT COUNTY	30,321	17.8	6.3	14.8	12.3	0.69	0.56	0.69	0.13	0.03	0.07	0.03	0.20	1.15	12.6	56
LANARK COUNTY	1,606,715	20.7	7.6	14.0	15.8	1.04	0.77	1.09	0.22	0.09	0.12	0.11	0.40	2.54	5.9	106
Airdrie Burgh	26,327	21.8	6.4	13.0	14.9	0.95	0.76	1.22	0.38	—	—	—	0.68	1.44	4.9	75
Coatbridge Burgh	43,544	24.0	5.3	14.3	16.1	0.87	0.57	1.33	0.45	0.16	0.07	0.09	0.39	2.94	4.5	120
Glasgow Burgh	1,104,689	20.6	8.3	14.5	16.3	1.15	0.87	1.06	0.17	0.09	0.12	0.11	0.41	2.83	5.9	112
Hamilton Burgh	38,332	23.0	6.6	13.7	15.6	1.07	0.60	1.20	0.31	0.05	0.10	0.26	0.39	2.01	7.0	98
Motherwell and Wishaw Burgh	65,523	20.8	6.0	12.5	14.9	0.56	0.41	1.19	0.52	0.05	0.35	0.03	0.14	1.95	5.6	94
Rutherglen Burgh	25,722	15.2	8.0	13.6	15.0	0.86	0.54	1.01	0.23	0.08	0.12	0.16	0.39	2.18	3.8	66
Remainder of County	302,578	20.9	6.0	12.4	14.1	0.79	0.54	1.12	0.29	0.09	0.09	0.15	0.41	1.75	6.2	91
MIDLOTHIAN COUNTY	536,123	16.1	8.3	13.4	13.4	0.90	0.68	0.88	0.20	0.02	0.12	0.06	0.37	1.64	6.7	75
Edinburgh Burgh	447,800	15.5	8.8	13.5	13.4	0.92	0.70	0.86	0.20	0.02	0.12	0.06	0.34	1.69	6.7	73
Remainder of County	88,323	18.9	5.8	12.8	13.5	0.79	0.55	0.97	0.22	0.02	0.11	0.06	0.48	1.39	6.8	83
MORAY COUNTY	41,058	18.9	5.2	13.1	10.9	0.66	0.56	0.58	0.02	—	0.10	0.05	0.24	1.17	15.2	70
NAIRN COUNTY	8,234	19.8	6.0	15.3	11.6	0.36	0.36	0.12	—	—	—	—	—	0.73	8.6	49
ORKNEY COUNTY	22,106	13.6	5.0	14.3	9.6	0.54	0.41	0.50	—	0.05	0.05	—	0.36	1.45	7.0	47
PEEBLES COUNTY	14,644	13.0	4.8	13.1	11.0	0.34	0.27	0.61	0.07	—	—	—	0.55	0.61	5.3	47
PERTH COUNTY	120,044	14.4	5.9	14.1	11.8	0.47	0.32	0.52	0.06	0.03	0.06	0.05	0.27	1.31	8.8	67
Perth Burgh	35,051	15.1	8.7	14.4	13.4	0.60	0.37	0.57	0.06	0.03	0.06	0.11	0.26	1.54	6.4	80
Remainder of County	84,993	14.1	4.8	14.0	11.3	0.41	0.31	0.51	0.06	0.04	0.06	0.02	0.27	1.21	9.8	62
RENFREW COUNTY	293,160	18.8	5.4	13.4	14.4	0.84	0.57	1.17	0.42	0.09	0.07	0.06	0.39	1.88	4.8	98
Greenock Burgh	79,387	21.5	5.3	14.6	15.7	1.03	0.67	1.65	0.91	0.13	0.06	0.05	0.38	2.46	5.7	121
Paisley Burgh	87,900	18.8	6.4	13.8	14.9	0.84	0.60	1.08	0.36	0.06	0.14	0.07	0.32	1.98	4.3	105
Port Glasgow Burgh	19,728	25.8	6.6	14.2	15.9	1.27	0.96	1.17	0.61	0.20	0.05	0.10	0.15	2.43	6.7	83
Remainder of County	106,145	15.5	4.3	12.0	12.6	0.62	0.41	0.89	0.08	0.07	0.03	0.05	0.51	1.26	3.9	71
ROSS AND CROMARTY COUNTY	62,580	14.8	3.7	14.8	10.4	1.02	0.81	0.70	0.02	0.08	0.05	—	0.46	1.52	7.6	48
ROXBURGH COUNTY	46,083	14.7	6.0	13.3	11.9	0.43	0.35	0.87	0.20	—	0.13	—	0.43	0.93	9.3	46
SELKIRK COUNTY	22,651	13.1	5.1	12.6	11.1	0.66	0.31	0.62	0.09	—	0.04	—	0.35	1.02	7.4	64
STIRLING COUNTY	168,022	19.7	6.4	12.6	13.5	0.73	0.46	0.87	0.20	0.04	0.06	0.09	0.38	1.69	6.0	88
Falkirk Burgh	36,971	19.0	7.6	12.7	14.0	0.84	0.46	0.92	0.32	—	—	0.05	0.46	1.89	4.7	95
Stirling Burgh	22,832	19.8	8.0	13.3	13.8	0.74	0.44	0.61	0.13	—	0.04	0.04	0.39	1.71	8.2	93
Remainder of County	108,219	20.0	5.7	12.4	13.3	0.69	0.47	0.91	0.17	0.06	0.08	0.11	0.35	1.62	6.0	83
SUTHERLAND COUNTY	15,810	14.1	3.1	18.2	11.7	1.14	1.01	0.82	—	—	—	—	0.76	1.08	9.0	76
WEST LOTHIAN COUNTY	82,015	20.5	5.6	11.0	12.6	0.71	0.52	0.90	0.29	0.01	0.11	0.06	0.37	1.37	5.7	72
WIGTOWN COUNTY	29,452	20.3	6.3	14.9	13.2	1.02	0.54	0.78	0.24	0.07	0.03	0.03	0.37	1.43	16.2	80
ZETLAND COUNTY	21,493	12.7	5.3	16.7	10.9	1.26	0.74	0.51	—	—	0.05	—	0.37	0.98	9.5	22

* Includes the following in addition to those indicated:—International Long List Nos. 1, 2, 3-6, 12-17, 18.

TABLE 5.—Birth-, Death-, and Marriage-rates in the Small Burghs of Scotland in 1932.

SMALL BURGHS.	Estimated Population 1932.	RATES PER 1000 OF POPULATION.							Illegitimate Births per cent. of Total Births.	Rate Infantile Mortality. per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.						
				Crude (Corrected for Transfers).	Corrected (and Adjusted for Age and Sex).	All Tuberculosis.	Tuberculosis of Re-spiratory System.	*Principal Epi-demic Diseases.		
ABERDEEN COUNTY—										
Ballater	1,218	17·2	4·9	15·6	11·7	0·82	0·82	0·82	9·5	95
Ellon	1,323	24·9	28·0	15·1	10·9	0·76	0·00	0·76	12·1	30
Fraserburgh	9,966	22·2	8·1	12·8	13·9	0·90	0·80	1·00	12·7	95
Hantly	3,910	17·4	9·0	15·1	11·3	1·02	0·51	0·51	7·4	118
Inverurie	4,566	21·5	6·1	9·2	7·9	0·22	0·22	0·00	4·1	41
Kintore	774	22·0	6·5	22·0	16·2	2·58	1·29	0·00	0·0	0
Old Meldrum	991	17·2	8·1	10·1	6·7	0·00	0·00	1·01	17·6	0
Peterhead	12,845	25·3	5·3	13·0	13·1	1·25	0·62	0·62	11·1	74
Rosehearty	1,130	29·2	4·4	10·6	7·9	0·88	0·00	0·00	12·1	0
Turriff	2,367	16·9	14·8	11·8	8·9	0·00	0·00	0·84	15·0	75
ANGUS COUNTY—										
Brechin	6,919	11·9	7·7	19·4	14·2	1·16	1·01	0·14	12·2	49
Carnoustie	4,821	10·4	3·3	17·2	12·2	0·41	0·41	0·41	4·0	80
Forfar	9,762	14·9	7·7	14·0	11·8	0·51	0·41	0·72	8·3	62
Kirriemuir	3,316	16·3	11·8	16·9	11·0	0·00	0·00	0·30	7·4	56
Monifieth	3,006	11·6	6·0	13·6	11·8	0·67	0·67	2·00	11·4	57
Montrose	10,334	13·8	6·1	14·7	11·3	0·19	0·19	0·10	9·1	70
ARGYLL COUNTY—										
Campbeltown	6,394	20·5	6·9	16·1	14·2	0·78	0·31	0·94	19·1	69
Dunoon	7,534	11·1	6·2	19·1	13·1	0·66	0·53	0·66	9·5	83
Inveraray	478	10·5	4·2	20·9	16·0	2·09	2·09	0·00	0·0	200
Lochgilphead	1,021	27·4	0·0	21·5	15·3	3·92	2·94	0·00	17·9	0
Oban	5,821	15·6	10·8	13·1	11·7	0·86	0·17	0·52	5·5	22
Tobermory	779	12·8	0·0	25·7	17·6	1·28	1·28	0·00	10·0	100
AYR COUNTY—										
Ardrossan	6,954	18·4	7·0	12·5	13·7	0·86	0·86	1·29	4·7	39
Cumnock and Holmhead	3,727	22·3	5·9	11·8	11·2	0·54	0·54	0·27	8·4	108
Darvel	3,250	14·2	7·1	13·5	13·1	0·00	0·00	0·62	4·3	65
Galston	4,723	18·4	9·1	13·1	14·0	0·00	0·00	1·06	4·6	69
Girvan	5,125	21·3	6·0	11·9	10·3	0·59	0·20	0·20	6·4	64
Irvine	12,493	21·1	4·7	14·2	15·5	0·96	0·64	0·96	4·5	91
Kilwinning	5,349	24·1	6·4	11·4	12·6	1·31	0·75	0·37	6·2	39
Largs	5,104	11·8	3·9	17·4	12·2	0·59	0·59	0·98	5·0	50
Maybole	4,379	23·3	7·8	11·2	11·0	0·23	0·23	1·83	10·8	39
Newmilns and Greenholm	3,942	16·2	6·6	13·2	12·5	0·76	0·51	0·25	0·0	63
Prestwick	8,217	12·4	3·3	15·6	12·9	0·49	0·24	1·34	3·9	49
Saltcoats	9,907	16·4	7·2	14·3	14·5	0·50	0·30	1·51	5·6	86
Stewarton	2,815	17·8	8·9	12·4	11·6	1·07	0·71	0·71	2·0	40
Troon	8,213	11·1	4·9	14·4	14·2	0·37	0·24	1·22	6·6	44
BANFF COUNTY—										
Aberchirder	878	28·5	6·8	10·3	7·1	1·14	1·14	1·14	32·0	0
Banff	3,491	16·6	8·9	12·9	10·3	0·57	0·57	0·00	10·3	86
Buckie	8,813	20·5	5·0	13·5	13·6	0·45	0·34	1·25	8·3	122
Charlestown of Aberlour	1,175	9·4	6·8	6·8	6·9	0·00	0·00	0·85	9·1	91
Cullen	1,762	13·1	3·4	13·1	10·8	0·00	0·00	0·00	0·0	130
Dufftown	1,432	18·2	7·7	25·1	17·1	0·00	0·00	0·00	7·7	0
Findochty	1,733	18·5	3·5	8·7	9·9	0·58	0·00	0·00	9·4	63
Keith	4,479	18·3	9·6	11·2	9·5	0·45	0·00	0·00	9·8	61
Macduff	3,376	19·3	4·7	16·6	13·5	0·89	0·89	0·89	16·9	92
Portknockie	1,634	20·8	2·4	15·9	15·8	1·84	1·22	0·61	2·9	59
Portsoy	1,734	20·8	11·5	11·5	8·7	2·31	1·73	0·00	36·1	56

* See footnote Table 4.

TABLE 5—continued.

SMALL BURGHS.	Estimated Population 1932.	RATES PER 1000 OF POPULATION.							Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.						
				Crude (Corrected for Transfers).	Corrected (and Adjusted for Age and Sex).	All Tuberculosis.	Tuberculosis of Re- spiratory System.	Principal Epi- demic Diseases.		
BERWICK COUNTY—										
Coldstream	1,248	8·8	4·0	12·0	9·1	0·00	0·00	0·00	0·0	0
Duns	1,832	10·4	6·0	14·2	10·6	0·00	0·00	0·55	5·3	211
Eyemouth	2,272	14·1	8·8	9·7	9·3	1·32	0·88	0·00	0·0	63
Lauder	626	9·6	1·6	14·4	10·4	3·19	3·19	0·00	16·7	0
BUTE COUNTY—										
Millport	1,531	12·4	3·3	11·8	8·9	0·00	0·00	0·00	0·0	0
Rothsay	8,025	15·3	6·5	16·6	11·9	0·87	0·62	0·87	7·3	73
CAITHNESS COUNTY—										
Thurso	3,040	17·4	9·2	13·5	11·0	0·99	0·66	0·00	7·5	38
Wick	7,391	23·4	7·6	16·2	14·3	0·81	0·27	0·27	12·1	75
CLACKMANNAN COUNTY—										
Alloa	13,297	17·9	4·0	13·1	13·8	1·12	0·98	0·98	7·1	84
Alva	3,850	15·1	7·5	13·5	11·7	0·78	0·52	0·26	3·4	17
Dollar	1,476	12·9	2·7	10·8	8·2	0·68	0·68	0·00	15·8	0
Tillicoultry	2,997	15·0	5·0	15·0	13·2	0·00	0·00	0·67	2·2	22
DUMBARTON COUNTY—										
Cove and Kilcreggan	874	10·3	4·6	14·9	10·0	1·14	1·14	0·00	0·0	0
Helensburgh	8,762	12·9	4·1	12·4	10·7	0·46	0·46	0·46	3·5	44
Kirkintilloch	12,011	21·1	6·2	13·6	14·9	0·67	0·50	1·42	4·7	103
Milngavie	5,234	12·2	5·9	13·4	12·8	1·53	0·96	0·57	3·1	63
DUMFRIES COUNTY—										
Annan	4,015	23·4	4·7	14·2	13·0	0·50	0·50	0·25	11·7	32
Langholm	2,431	8·6	5·8	16·5	12·3	0·41	0·41	0·00	0·0	0
Lochmaben	1,026	22·4	4·9	24·4	18·8	0·00	0·00	0·97	4·3	43
Lockerbie	2,610	16·9	6·5	14·9	13·3	0·77	0·77	0·38	4·5	68
Moffat	2,035	12·3	5·9	17·7	13·1	0·98	0·49	0·00	8·0	0
Sanquhar	1,765	15·9	6·8	15·3	14·5	0·00	0·00	1·13	3·6	0
EAST LOTHIAN COUNTY—										
Cockenzie and Port Seton	2,584	17·4	7·4	9·7	11·0	1·16	0·77	0·00	0·0	44
Dunbar	3,705	21·6	7·0	14·6	12·4	0·54	0·27	0·81	2·5	88
East Linton	901	7·8	4·4	17·8	11·6	3·33	2·22	0·00	14·3	0
Haddington	4,398	17·3	4·3	14·6	12·8	1·14	0·68	0·68	6·6	92
North Berwick	3,241	5·9	5·9	12·3	10·1	0·31	0·31	0·62	0·0	53
Prestonpans	2,497	26·8	10·0	12·0	13·4	0·80	0·40	2·40	4·5	45
Tranent	4,652	22·8	9·9	7·7	8·9	1·29	0·86	0·86	5·7	75
FIFE COUNTY—										
Auchtermuchty	1,224	14·7	4·1	15·5	10·5	0·82	0·82	1·63	11·1	56
Buckhaven and Methil	17,813	20·6	6·6	10·7	12·8	0·56	0·56	0·84	5·2	101
Burntisland	5,433	12·1	3·9	13·3	12·4	0·74	0·55	0·37	12·1	106
Cowdenbeath	12,841	19·8	7·0	11·7	14·0	0·70	0·31	0·70	7·1	79
Crail	1,054	7·6	7·6	27·5	16·3	3·80	2·85	0·00	12·5	0
Culross	505	15·8	25·7	5·9	4·9	0·00	0·00	1·98	0·0	0
Cupar	4,749	17·1	7·2	10·3	8·1	0·21	0·21	0·21	8·6	37
Elie and Earlsferry	984	4·1	6·1	25·4	16·1	2·03	1·02	0·00	0·0	0
Falkland	777	15·4	6·4	18·0	13·1	0·00	0·00	1·29	16·7	250
Inverkeithing	3,254	15·1	2·5	12·3	12·5	0·61	0·61	0·61	8·2	82
Kilrenny and Anstruther	3,269	13·2	4·6	15·0	11·5	0·92	0·61	0·31	2·3	70
Kinghorn	1,913	17·3	3·7	14·6	13·9	1·57	1·05	1·05	3·0	30
Ladybank and Monkston	1,164	14·6	5·2	13·7	10·5	1·72	0·86	0·00	0·0	118

TABLE 5—continued.

SMALL BURGHS.	Estimated Population 1932.	RATES PER 1000 OF POPULATION.							Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.						
				Crude (Corrected for Transfers).	Corrected (and Adjusted for Age and Sex).	All Tuberculosis.	Tuberculosis of Re- spiratory System.	Principal Epi- demic Diseases.		
FIFE COUNTY— <i>contd.</i> —										
Leslie	2,498	16·0	4·8	13·6	12·5	0·40	0·40	1·60	2·5	100
Leven	7,457	15·0	7·2	12·3	12·1	0·67	0·27	1·07	4·5	45
Lochgelly	9,373	18·7	8·9	9·9	11·7	1·07	0·64	0·43	3·4	46
Markinch	2,086	19·2	9·1	11·0	10·6	0·96	0·96	1·44	0·0	75
Newburgh	2,183	17·4	5·5	17·4	13·6	0·00	0·00	0·46	2·6	26
Newport	3,302	6·4	4·8	13·9	9·7	0·00	0·00	0·00	4·8	48
Pittenweem	1,655	12·1	2·4	10·9	8·8	1·21	1·21	0·00	10·0	50
St. Andrews	8,551	10·9	4·3	12·9	11·5	0·70	0·58	0·58	7·5	32
Tayport	3,250	13·2	5·5	12·3	10·3	0·92	0·92	0·00	4·7	93
INVERNESS COUNTY—										
Fort-William	2,360	18·2	11·0	14·8	15·0	1·27	1·27	0·85	2·3	23
Kingussie	1,025	20·5	8·8	17·6	14·1	2·93	2·93	0·00	0·0	95
KINCARDINE COUNTY—										
Banchory	1,677	14·9	10·1	16·1	11·5	0·60	0·60	0·00	4·0	120
Inverbervie	1,036	11·6	13·5	10·6	8·6	0·97	0·00	0·00	0·0	0
Laurencekirk	1,365	10·3	4·4	24·2	14·2	0·00	0·00	0·00	7·1	0
Stonehaven	4,165	14·2	8·2	12·0	8·2	0·48	0·48	0·48	11·9	34
KINROSS COUNTY—										
Kinross	2,521	16·3	6·0	13·5	11·8	0·40	0·00	0·40	7·3	24
KIRKCUDBRIGHT COUNTY—										
Castle-Douglas	3,003	15·3	6·3	11·7	10·2	0·33	0·33	1·00	13·0	0
Dalbeattie	3,057	20·3	9·2	14·1	11·5	1·31	1·31	0·33	11·3	65
Gatehouse	886	13·5	2·3	20·3	12·4	1·13	1·13	0·00	8·3	83
Kirkcudbright	2,326	15·9	6·9	13·8	10·8	0·43	0·00	0·86	8·1	0
New Galloway	322	12·4	0·0	21·7	15·5	3·11	3·11	0·00	0·0	0
LANARK COUNTY—										
Biggar	1,312	16·0	3·8	13·0	9·0	0·76	0·76	0·76	0·0	0
Lanark	6,147	15·5	12·2	17·6	16·2	0·98	0·98	0·49	5·3	105
MIDLOTHIAN COUNTY—										
Bonnyrigg and Lasswade	4,671	17·3	0·6	11·6	11·2	0·43	0·21	1·50	3·7	99
Dalkeith	7,619	18·1	6·7	13·1	13·1	0·79	0·26	0·79	10·1	51
Loanhead	4,017	22·2	6·5	9·5	10·8	0·25	0·25	0·25	5·6	56
Musselburgh	17,265	17·0	6·8	13·4	14·9	1·22	0·98	1·04	5·1	68
Penicuik	2,767	21·3	9·4	17·0	15·3	0·72	0·72	0·72	5·1	102
MORAY COUNTY—										
Burghead	1,326	27·1	0·8	12·1	10·0	0·75	0·75	2·26	19·4	139
Elgin	8,833	17·2	11·1	16·0	13·8	1·02	0·91	0·11	13·8	66
Forres	4,234	17·5	5·7	14·6	11·3	0·94	0·94	0·24	12·2	95
Grantown-on-Spey	1,470	17·0	2·0	12·2	9·8	0·00	0·00	0·00	28·0	80
Lossiemouth	3,963	19·4	5·6	11·9	11·1	0·50	0·25	1·01	10·4	65
Rothies	1,291	22·5	3·1	16·3	12·4	0·00	0·00	0·77	27·6	69
NAIRN COUNTY—										
Nairn	4,198	19·1	8·1	16·4	12·1	0·48	0·48	0·24	7·5	63
ORKNEY COUNTY—										
Kirkwall	3,550	13·0	9·3	14·6	10·3	0·56	0·56	0·56	6·5	22
Stromness	1,571	8·9	3·8	11·5	8·3	0·00	0·00	0·64	21·4	0
PEEBLES COUNTY—										
Innerleithen	2,356	11·9	7·2	11·9	9·8	0·00	0·00	0·42	7·1	0
Peebles	5,760	12·5	5·7	13·7	11·3	0·87	0·69	0·52	1·4	42

TABLE 5—continued.

SMALL BURGHS.	Estimated Population 1932.	RATES PER 1000 OF POPULATION.							Illegitimate Births per cent. of Total Births.	Infantile Mortality. Rate per 1000 Births.	
		Birth-rate.	Marriage-rate.	Death-rate.							
				Crude (Corrected for Transfers).	Corrected (and Adjusted for Age and Sex).	All Tuberculosis.	Tuberculosis of Re- spiratory System.	Principal Epi- demic Diseases.			
PERTH COUNTY—											
Aberfeldy	1,538	16·9	5·2	13·7	10·0	0·00	0·00	0·00	0·0	154	
Abernethy	588	8·5	5·1	25·5	16·6	1·70	1·70	1·70	0·0	0	
Alyth	1,666	23·4	6·0	23·4	15·2	0·00	0·00	0·00	7·7	77	
Auchterarder	2,253	17·8	3·1	17·3	12·3	0·44	0·00	0·44	5·0	25	
Blairgowrie and Rattray	4,634	14·7	6·2	18·1	12·6	0·00	0·00	0·43	4·3	58	
Callander	1,536	11·7	6·5	15·0	12·2	0·65	0·00	0·65	5·6	0	
Coupar-Angus	1,914	11·5	7·3	17·8	13·0	2·09	1·57	1·57	22·7	91	
Crieff	5,223	13·4	5·7	14·2	11·0	0·57	0·38	0·38	7·1	29	
Doune	840	14·3	8·3	13·1	10·7	0·00	0·00	0·00	8·3	0	
Dunblane	2,719	9·6	8·1	17·7	12·7	0·37	0·00	1·10	7·7	77	
RENFREW COUNTY—											
Barrhead	12,495	19·4	5·8	11·1	12·4	0·72	0·24	1·20	2·5	87	
Gourock	8,656	13·4	3·9	13·9	13·6	0·46	0·46	1·04	4·3	103	
Johnstone	13,222	23·3	6·1	16·3	17·7	1·13	0·61	1·29	3·9	101	
*Renfrew	15,229	17·9	4·5	11·0	12·9	0·53	0·39	0·66	3·7	73	
ROSS AND CROMARTY COUNTY—											
Cromarty	827	9·7	1·2	15·7	10·6	1·21	0·00	0·00	0·0	0	
Dingwall	2,584	15·5	12·4	19·0	15·1	1·93	1·55	0·00	7·5	25	
Fortrose	846	8·3	5·9	14·2	8·3	0·00	0·00	0·00	23·6	0	
Invergordon	1,414	7·8	5·0	15·6	13·7	1·41	0·71	1·41	0·0	0	
Stornoway	3,873	15·2	4·6	12·4	10·1	0·00	0·00	0·52	3·4	68	
Tain	1,436	11·1	12·5	20·2	13·9	0·00	0·00	1·39	12·5	188	
ROXBURGH COUNTY—											
Hawick	17,276	13·9	5·7	13·7	13·2	0·93	0·69	0·75	9·1	71	
Jedburgh	3,139	25·2	12·1	10·8	10·7	0·64	0·64	0·32	8·9	25	
Kelso	3,854	13·0	7·3	15·8	12·4	0·26	0·26	1·30	8·0	0	
Melrose	2,111	7·6	4·7	14·2	10·3	0·00	0·00	0·95	12·5	63	
SELKIRK COUNTY—											
Galashiels	13,142	12·9	5·1	13·3	11·8	0·91	0·38	0·46	7·7	77	
Selkirk	5,738	13·1	6·3	12·7	10·5	0·52	0·35	0·87	8·0	53	
STIRLING COUNTY—											
Bridge-of-Allan	2,903	14·1	5·5	15·2	11·8	0·69	0·69	0·69	9·8	49	
Denny and Dunipace	5,619	18·2	6·4	14·4	16·9	1·07	0·53	1·07	3·9	127	
Grangemouth	12,062	19·2	4·3	10·4	11·7	0·25	0·25	0·50	3·9	82	
Kilsyth	7,766	21·1	6·1	11·3	13·3	0·77	0·52	1·16	4·9	73	
SUTHERLAND COUNTY—											
Dornoch	746	13·4	13·4	12·1	9·8	0·00	0·00	0·00	0·0	0	
WEST LoTHIAN COUNTY—											
Armadale	4,937	21·3	6·5	8·5	10·5	0·81	0·81	0·61	6·7	48	
Bathgate	10,309	16·6	6·7	11·0	13·0	0·68	0·58	0·49	7·0	41	
Borrowstounness	10,256	21·5	7·5	12·1	14·2	0·59	0·49	1·85	2·3	86	
Linlithgow	3,654	18·1	7·4	12·3	12·3	0·27	0·27	0·55	4·5	45	
Queensferry	1,843	20·1	6·5	12·5	13·3	1·09	1·09	1·09	8·1	135	
Whitburn	2,464	23·9	4·1	11·8	13·7	1·22	0·81	2·44	5·1	68	
WIGTOWN COUNTY—											
Newton-Stewart	1,958	11·7	8·7	14·3	11·8	1·02	0·51	0·51	8·7	87	
Stranraer	6,650	19·7	6·0	14·7	13·5	1·20	0·60	1·20	9·9	84	
Whithorn	972	24·7	6·2	16·5	11·6	1·03	1·03	0·00	20·8	0	
Wigtown	1,275	22·7	7·8	18·8	14·2	0·78	0·78	1·57	34·5	34	
ZETLAND COUNTY—											
Lerwick	4,243	11·3	17·4	15·3	11·8	1·65	1·41	0·00	16·7	21	

* Including portion in Lanark county.

TABLE 6.—Birth-, Death-, and Marriage-rates in the Landward Areas of Scotland in 1932.

LANDWARD AREAS.	Estimated Population 1932.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality. Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.							
				Crude (Corrected for Transfers).	Corrected (and Ad- justed for Age and Sex).	All Tuberculosis.	Tuberculosis of Re- spiratory System.	*Principal Epi- demic Diseases.			
Aberdeen	107,641	20·6	4·7	12·3	10·5	0·64	0·46	0·39	16·0	65	
Angus	38,817	16·9	4·2	10·6	9·5	0·44	0·26	0·39	10·8	49	
Argyll	39,066	13·1	3·6	15·5	11·1	0·87	0·61	0·67	12·4	63	
Ayr	125,605	20·5	5·7	12·5	13·2	0·60	0·33	0·87	7·8	74	
Banff	24,882	20·3	3·9	11·1	10·1	0·72	0·56	0·48	14·0	63	
Berwick	20,711	13·2	4·7	12·5	10·8	0·48	0·39	0·58	5·8	51	
Bute	6,763	11·5	3·0	17·0	11·8	0·89	0·74	0·15	9·0	26	
Caithness	15,175	15·9	2·8	15·4	10·6	0·66	0·33	0·20	13·3	66	
Clackmannan . . .	10,535	16·7	5·5	11·1	11·6	0·66	0·47	0·38	4·5	85	
Dumbarton	52,385	17·0	5·4	13·0	13·1	0·52	0·36	1·01	4·8	87	
Dumfries	44,543	18·0	5·9	14·6	13·1	0·83	0·67	0·52	13·4	68	
East Lothian . . .	24,858	18·7	4·9	11·7	12·1	0·80	0·68	1·09	8·4	82	
Fife	103,457	19·1	5·6	11·6	12·0	0·56	0·39	0·86	7·3	86	
Inverness	55,453	16·0	2·6	14·9	10·8	0·99	0·78	0·78	9·9	56	
Kincardine	19,297	19·2	4·4	12·3	10·8	0·88	0·47	0·26	14·0	57	
Kinross	4,748	15·6	5·7	15·8	12·5	0·21	0·00	0·84	9·5	68	
Kirkcudbright . .	20,727	18·3	6·0	15·1	12·8	0·63	0·48	0·72	13·5	66	
Lanark	295,105	21·1	5·9	12·3	14·1	0·79	0·53	1·14	6·3	91	
Midlothian	51,984	19·4	5·5	12·8	13·5	0·73	0·50	1·00	7·2	92	
Moray	19,941	19·2	3·1	11·6	9·6	0·55	0·45	0·70	15·1	60	
Nairn	4,036	20·6	3·7	14·1	11·0	0·25	0·25	0·00	9·6	36	
Orkney	16,985	14·1	4·2	14·5	9·6	0·59	0·41	0·47	6·3	54	
Peebles	6,528	13·8	3·1	13·0	11·2	0·00	0·00	0·77	7·8	67	
Perth	62,032	14·0	4·3	12·9	10·8	0·39	0·32	0·48	10·9	64	
Renfrew	56,557	12·4	3·6	11·2	11·3	0·53	0·39	0·78	4·4	46	
Ross and Cromarty .	51,600	15·2	3·0	14·6	10·1	1·09	0·89	0·74	7·8	46	
Roxburgh	19,703	14·9	5·2	12·8	11·1	0·05	0·05	0·96	9·6	38	
Selkirk	3,771	13·8	3·2	9·8	9·1	0·00	0·00	0·80	5·8	38	
Stirling	79,869	20·3	5·8	12·6	13·5	0·73	0·49	0·95	6·4	83	
Sutherland	15,064	14·1	2·6	18·5	11·8	1·19	1·06	0·86	9·4	80	
West Lothian . . .	48,552	21·0	4·8	10·9	12·4	0·72	0·47	0·76	6·1	76	
Wigtown	18,597	21·1	6·1	14·7	13·3	0·97	0·48	0·65	17·1	87	
Zetland	17,250	13·0	2·3	17·0	10·6	1·16	0·58	0·64	8·0	22	

* See footnote Table 4.

TABLE 7.—Birth-rate among Married and among Unmarried Women in Scotland, 1932.

	Estimated Number of Women aged 15-44.			Births.			Birth Rates.		
	Total.	Married Women aged 16-44.	Un-married Women and Widows aged 15-44.	Total.	Legiti-mate.	Illegiti-mate.	Total per 1000 Women aged 15-44.	Legiti-mate Births per 1000 Married Women aged 16-44.	Illegiti-mate Births per 1000 Un-married Women aged 15-44.
SCOTLAND .	1,165,200	512,400	652,800	91,000	84,544	6,456	78·1	165·0	9·9
LARGE BURGHS .	667,600	293,900	373,700	51,234	48,065	3,169	76·7	163·5	8·5
SMALL BURGHS .	175,000	75,300	99,700	12,477	11,585	892	71·3	153·8	8·9
LANDWARD .	322,600	143,200	179,400	27,289	24,894	2,395	84·6	173·8	13·4
ABERDEEN Co. .	71,700	31,200	40,500	6,004	5,311	693	83·7	170·1	17·1
Aberdeen Burgh (including Kincardine portion)	43,600	18,800	24,800	3,188	2,934	254	73·1	156·1	10·2
Remainder of Co.	31,400	14,000	17,400	3,094	2,646	448	98·6	189·1	25·8
ANGUS Co. .	66,700	27,700	39,000	4,716	4,355	361	70·7	157·1	9·3
Arbroath B. .	4,200	1,700	2,500	275	256	19	65·8	149·8	7·7
Dundee B. .	45,100	19,000	26,100	3,276	3,050	226	72·7	160·7	8·7
Remainder of Co.	17,400	7,000	10,400	1,165	1,049	116	66·7	149·0	11·1
ARGYLL Co. .	13,200	4,700	8,500	859	752	107	65·3	159·9	12·7
AYR Co. .	68,600	30,700	37,900	5,522	5,139	383	80·5	167·6	10·1
Ayr B. .	9,300	4,000	5,300	720	679	41	76·9	168·7	7·7
Kilmarnock B. .	9,900	4,500	5,400	748	686	62	75·8	154·1	11·5
Remainder of Co.	49,400	22,200	27,200	4,054	3,774	280	82·1	170·2	10·3
BANFF Co. .	11,700	5,300	6,400	1,079	940	139	92·3	178·5	21·6
BERWICK Co. .	6,000	2,700	3,300	342	324	18	57·1	121·9	5·4
BUTE Co. .	3,700	1,300	2,400	220	204	16	59·6	153·5	6·8
CAITHNESS Co. .	5,300	2,100	3,200	467	410	57	87·9	190·3	18·1
CLACKMANNAN Co.	7,800	3,500	4,300	536	505	31	68·9	145·4	7·2
DUMBARTON Co. .	35,400	15,600	19,800	2,741	2,618	123	77·5	167·5	6·2
Clydebank B. .	11,400	5,600	5,800	967	934	33	85·2	166·8	5·7
Dumbarton B. .	4,900	2,300	2,600	443	414	29	91·0	182·3	11·2
Remainder of Co.	19,100	7,700	11,400	1,331	1,270	61	69·4	163·7	5·3
DUMFRIES Co. .	18,800	8,200	10,600	1,457	1,287	170	77·4	156·6	16·0
Dumfries B. .	6,000	2,600	3,400	418	373	45	69·5	145·5	13·0
Remainder of Co.	12,800	5,600	7,200	1,039	914	125	81·2	161·7	17·5
EAST LoTHIAN Co.	10,700	4,900	5,800	864	808	56	80·8	166·6	9·6
FIFE Co. .	64,100	31,200	32,900	4,816	4,496	320	75·2	144·1	9·7
Dunfermline B. .	8,900	4,200	4,700	550	515	35	61·6	121·3	7·5
Kirkcaldy B. .	10,800	5,000	5,800	743	690	53	68·8	139·1	9·1
Remainder of Co.	44,400	22,000	22,400	3,523	3,291	232	79·4	149·6	10·4
INVERNESS Co. .	17,200	6,400	10,800	1,365	1,236	129	79·6	193·5	12·0
Inverness B. .	5,700	2,200	3,500	415	375	40	72·9	167·7	11·6
Remainder of Co.	11,500	4,200	7,300	950	861	89	82·9	207·4	12·2

Appendix Tables.

TABLE 7—continued.

	Estimated Number of Women aged 15-44.			Births.			Birth-rates.		
	Total.	Married Women aged 16-44.	Un- married Women and Widows aged 15-44.	Total.	Legiti- mate.	Illegiti- mate.	Total per 1000 Women aged 15-44.	Legiti- mate Births per 1000 Married Women aged 16-44.	Illegiti- mate Births per 1000 Un- married Women aged 15-44.
KINCARDINE Co. .	9,000	4,000	5,000	759	689	70	83·7	169·2	14·0
Aberdeen B. (part)	3,200	1,500	1,700	278	269	9	(Included with Aberdeen B.)	167·7	18·3
Remainder of Co.	5,800	2,500	3,300	481	420	61			
KINROSS Co. .	1,600	700	900	115	105	10	70·6	155·1	10·5
KIRKCUDBRIGHT Co.	6,800	2,900	3,900	540	472	68	79·9	164·1	17·5
LANARK Co. .	389,600	179,000	210,600	33,325	31,371	1,954	85·5	175·2	9·3
Airdrie B. .	6,100	3,000	3,100	574	546	28	94·4	182·5	9·1
Coatbridge B. .	9,300	4,800	4,500	1,046	999	47	112·0	207·3	10·4
Glasgow B. .	276,800	124,300	152,500	22,732	21,401	1,331	82·1	172·2	8·7
Hamilton B. .	8,700	4,300	4,400	880	818	62	101·3	188·5	14·3
Motherwell and Wishaw B.	14,600	7,400	7,200	1,366	1,289	77	93·3	173·7	10·7
Rutherglen B. .	6,400	2,700	3,700	391	376	15	61·4	140·7	4·1
Remainder of Co.	67,700	32,500	35,200	6,336	5,942	394	93·6	182·7	11·2
MIDLOTHIAN Co. .	137,400	56,300	81,100	8,630	8,051	579	62·8	143·0	7·1
Edinburgh B. .	117,800	46,700	71,100	6,960	6,494	466	59·1	138·9	6·6
Remainder of Co.	19,600	9,600	10,000	1,670	1,557	113	85·3	162·8	11·3
MORAY Co. .	9,000	3,800	5,200	776	658	118	85·7	171·5	22·6
NAIRN Co. .	1,800	700	1,100	163	149	14	89·7	219·1	12·3
ORKNEY Co. .	4,500	1,800	2,700	300	279	21	66·0	150·3	7·8
PEEBLES Co. .	3,500	1,400	2,100	190	180	10	53·3	126·1	4·7
PERTH Co. .	28,200	11,200	17,000	1,724	1,573	151	61·2	140·7	8·9
Perth B. .	9,000	3,700	5,300	528	494	34	58·8	134·4	6·4
Remainder of Co.	19,200	7,500	11,700	1,196	1,079	117	62·4	143·8	10·0
RENFREW Co. .	71,700	31,100	40,600	5,503	5,237	266	76·7	168·4	6·5
Greenock B. .	18,000	8,700	9,300	1,703	1,606	97	94·6	184·6	10·4
Paisley B. .	22,600	9,600	13,000	1,650	1,579	71	73·2	164·9	5·5
Port Glasgow B.	4,300	2,100	2,200	508	474	34	116·4	222·8	15·2
Remainder of Co.	26,800	10,700	16,100	1,642	1,578	64	61·3	147·5	4·0
ROSS & CROMARTY Co.	13,100	4,400	8,700	924	854	70	70·5	193·7	8·0
ROXBURGH Co. .	11,300	4,400	6,900	679	616	63	60·0	139·5	9·1
SELKIRK Co. .	5,600	2,300	3,300	296	274	22	53·0	121·8	6·6
STIRLING Co. .	38,700	18,200	20,500	3,313	3,114	199	85·6	170·8	9·7
Falkirk B. .	8,800	4,300	4,500	702	669	33	80·1	156·5	7·4
Stirling B. .	5,600	2,500	3,100	451	414	37	81·1	166·7	12·0
Remainder of Co.	24,300	11,400	12,900	2,160	2,031	129	88·6	177·1	10·0
SUTHERLAND Co. .	3,200	1,100	2,100	223	203	20	69·5	179·3	9·6
WEST LOTHIAN Co.	17,700	9,100	8,600	1,680	1,585	95	95·2	174·9	11·1
WIGTOWN Co. .	6,700	2,900	3,800	599	502	97	89·2	174·2	25·3
ZETLAND Co. .	4,900	1,600	3,300	273	247	26	55·9	153·2	8·0

TABLE 8.—Method of Celebration, etc. of Marriages in Scotland, 1855-1931.

YEAR.	Total MARRIAGES.		REGULAR MARRIAGES according to Forms of the							IRREGULAR MARRIAGES.	SIGNED BY MARK.	
	Number.	Proportion per 1000 of Population.	Church of Scotland.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Scottish Episcopal Church.	Other Forms.	Form not stated.		Men.	Women.
NUMBERS.												
1855-1860	20645	6·840	9586	4747	2872	1846	383	1058	135	19	2335	4804
1861-1870	22422	7·004	9929	5278	3214	2071	464	1324	101	41	2387	4736
1871-1880	25355	7·172	11549	5619	3305	2286	646	1633	25	263	2150	4321
1881-1890	25939	6·700	11971	5277	3011	2558	732	1728	12	650	1381	2572
1891-1900	29866	7·054	13497	5638	3292	2934	899	2179	0	1428	740	1162
Un. Free Ch.*												
1901-1910	31825	6·907	14414	8477		3331	936	2634	0	2034	471	642
1911-1920	35647	7·451	14231	8340		3964	1131	2669	0	5312	221	300
1921-1929	33702	6·926	14289	7677		3883	980	2561	0	4312	76	98
1921	39243	8·037	15976	9082		4220	1076	2754	0	6135	103	147
1922	34375	7·018	14329	8022		3730	1031	2588	0	4675	70	105
1923	35200	7·201	14757	8411		4034	1005	2697	0	4296	84	122
1924	32328	6·649	13488	7657		3849	974	2425	0	3935	68	100
1925	32456	6·668	13548	7531		3865	951	2529	0	4032	79	99
1926	31244	6·423	13203	7403		3580	964	2382	0	3712	76	64
1927	32553	6·707	13858	7534		3804	945	2474	0	3938	83	88
1928	32948	6·796	13942	7607		3937	941	2587	0	3934	63	94
1929	32967	6·822	15503	5849		3925	930	2609	0	4151	62	64
1930	33315	6·900		21,328		4162	897	2863	0	4065	61	66
1931	32652	6·742		20,765		4115	870	2805	0	4097	70	55
PERCENTAGES.												
1855-1860	100·00	...	46·42	23·01	13·92	8·94	1·85	5·12	0·65	0·09	11·31	23·27
1861-1870	100·00	...	44·30	23·54	14·33	9·22	2·07	5·89	0·47	0·18	10·65	21·12
1871-1880	100·00	...	45·56	22·28	13·02	9·02	2·55	6·42	0·11	1·04	8·48	17·02
1881-1890	100·00	...	46·17	20·34	11·61	9·85	2·82	6·66	0·05	2·50	5·32	9·79
1891-1900	100·00	...	45·20	18·91	11·04	9·81	3·00	7·29	0·00	4·75	2·51	3·95
Un. Free Ch.*												
1901-1910	100·00	...	45·29	26·63		10·46	2·94	8·28	0·00	6·40	1·48	2·01
1911-1920	100·00	...	39·92	23·40		11·12	3·17	7·49	0·00	14·90	0·62	0·84
1921-1929	100·00	...	42·44	22·77		11·54	2·91	7·61	0·00	12·73	0·22	0·29
1921	100·00	...	40·72	23·14		10·76	2·74	7·02	0·00	15·62	0·26	0·37
1922	100·00	...	41·68	23·34		10·85	3·00	7·53	0·00	13·60	0·20	0·31
1923	100·00	...	41·92	23·90		11·46	2·85	7·67	0·00	12·20	0·24	0·35
1924	100·00	...	41·72	23·69		11·91	3·01	7·50	0·00	12·17	0·21	0·31
1925	100·00	...	41·75	23·20		11·91	2·93	7·79	0·00	12·42	0·24	0·31
1926	100·00	...	42·26	23·69		11·46	3·09	7·62	0·00	11·88	0·24	0·20
1927	100·00	...	42·57	23·14		11·69	2·90	7·60	0·00	12·10	0·25	0·27
1928	100·00	...	42·31	23·09		11·95	2·86	7·85	0·00	11·94	0·19	0·29
1929	100·00	...	47·03	17·74		11·91	2·82	7·91	0·00	12·59	0·19	0·19
1930	100·00	...		64·02		12·49	2·69	8·60	0·00	12·20	0·18	0·20
1931	100·00	...		63·60		12·60	2·66	8·59	0·00	12·55	0·21	0·17

* The Free Church and the United Presbyterian Church were united on 31st October 1900 under the name of the United Free Church. The Church of Scotland and the United Free Church were united on 2nd October 1929 under the designation of "The Church of Scotland."

TABLE 9.—Regular and Irregular Marriages in Scotland, 1931.

	Total Marriages.	NUMBERS.					PERCENTAGE OF TOTAL MARRIAGES.				
		REGULAR MARRIAGES.			IRREGULAR MARRIAGES.		REGULAR MARRIAGES.			IRREGULAR MARRIAGES.	
		Banns.	Publication of Notice.	Banns and Publication.	Registered by Sheriff's Warrant.	Otherwise Registered.	Banns.	Publication of Notice.	Banns and Publication.	Registered by Sheriff's Warrant.	Otherwise Registered.
SCOTLAND	32,652	19,623	8,295	637	4,087	10	60·1	25·4	2·0	12·5	0·0
LARGE BURGHS	20,931	9,788	6,898	349	3,887	9	46·8	33·0	1·7	18·6	0·0
OTHER DISTRICTS	11,721	9,835	1,397	288	200	1	83·9	11·9	2·5	1·7	0·0
Counties.											
Aberdeen	2,274	1,468	503	37	265	1	64·6	22·1	1·6	11·7	0·0
Angus	1,744	1,046	480	24	194	—	60·0	27·5	1·4	11·1	—
Argyll	276	247	10	10	9	—	89·5	3·6	3·6	3·3	—
Ayr	1,812	1,580	152	46	34	—	87·2	8·4	2·5	1·9	—
Banff	280	259	6	1	14	—	92·5	2·1	0·4	5·0	—
Berwick	128	126	—	2	—	—	98·4	—	1·6	—	—
Bute	75	71	—	3	1	—	94·7	—	4·0	1·3	—
Caithness	133	123	—	2	8	—	92·5	—	1·5	6·0	—
Clackmannan	190	168	11	8	3	—	88·4	5·8	4·2	1·6	—
Dumbarton	708	439	242	23	4	—	62·0	34·2	3·2	0·6	—
Dumfries	557	429	39	3	86	—	77·0	7·0	0·5	15·4	—
East Lothian	266	249	12	5	—	—	93·6	4·5	1·9	—	—
Fife	1,634	1,181	286	35	132	—	72·3	17·5	2·1	8·1	—
Inverness	441	338	54	7	42	—	76·6	12·2	1·6	9·5	—
Kincardine	201	172	21	6	2	—	85·6	10·4	3·0	1·0	—
Kinross	33	29	1	3	—	—	87·9	3·0	9·1	—	—
Kirkcudbright	185	182	—	—	3	—	98·4	—	—	1·6	—
Lanark	12,228	5,234	4,699	233	2,056	6	42·8	38·4	1·9	16·8	0·0
Midlothian	4,281	2,242	935	77	1,025	2	52·4	21·8	1·8	23·9	0·0
Moray	266	215	14	6	31	—	80·8	5·3	2·3	11·7	—
Nairn	37	36	—	—	1	—	97·3	—	—	2·7	—
Orkney	119	108	4	2	5	—	90·8	3·4	1·7	4·2	—
Peebles	61	58	1	2	—	—	95·1	1·6	3·3	—	—
Perth	708	576	51	13	68	—	81·4	7·2	1·8	9·6	—
Renfrew	1,565	988	539	20	18	—	63·1	34·4	1·3	1·2	—
Ross and Cromarty	231	159	53	12	7	—	68·8	22·9	5·2	3·0	—
Roxburgh	267	254	9	3	1	—	95·1	3·4	1·1	0·4	—
Selkirk	100	96	4	—	—	—	96·0	4·0	—	—	—
Stirling	1,052	852	109	33	58	—	81·0	10·4	3·1	5·5	—
Sutherland	58	52	3	—	3	—	89·7	5·2	—	5·2	—
West Lothian	446	371	56	17	1	1	83·2	12·6	3·8	0·2	0·2
Wigtown	204	184	1	3	16	—	90·2	0·5	1·5	7·8	—
Zetland	92	91	—	1	—	—	98·9	—	1·1	—	—
Large Burghs.											
Glasgow	9,254	3,414	3,676	151	2,008	5	36·9	39·7	1·6	21·7	0·1
Edinburgh	3,783	1,842	856	58	1,025	2	48·7	22·6	1·5	27·1	0·1
Dundee	1,265	601	463	13	188	—	47·5	36·6	1·0	14·9	—
Aberdeen	1,515	729	497	30	258	1	48·1	32·8	2·0	17·0	0·1
Paisley	533	329	192	7	5	—	61·7	36·0	1·3	0·9	—
Greenock	438	248	176	1	13	—	56·6	40·2	0·2	2·0	—
Motherwell & Wishaw	379	198	153	10	18	—	52·2	40·4	2·6	4·8	—
Clydebank	233	121	107	4	1	—	51·9	45·9	1·7	0·4	—
Kirkcaldy	335	243	43	3	46	—	72·5	12·8	0·9	13·7	—
Coatbridge	245	104	131	9	1	—	42·4	53·5	3·7	0·4	—
Kilmarnock	264	184	65	7	8	—	69·7	24·6	2·7	3·0	—
Hamilton	268	203	49	6	9	1	75·7	18·3	2·2	3·4	0·4
Ayr	294	244	20	4	26	—	83·0	6·8	1·4	8·8	—
Falkirk	280	223	18	3	36	—	79·6	6·4	1·1	12·9	—
Dunfermline	255	84	87	5	79	—	32·9	34·1	2·0	31·0	—
Perth	305	189	44	6	66	—	62·0	14·4	2·0	21·6	—
Airdrie	161	93	65	2	1	—	57·8	40·4	1·2	0·6	—
Rutherglen	178	102	73	3	—	—	57·3	41·0	1·7	—	—
Dumfries	196	120	37	3	36	—	61·2	18·9	1·5	18·4	—
Stirling	168	113	23	11	21	—	67·3	13·7	6·5	12·5	—
Inverness	265	215	10	4	36	—	81·1	3·8	1·5	13·6	—
Dumbarton	81	34	42	2	3	—	42·0	51·9	2·5	3·7	—
Port Glasgow	133	69	60	4	—	—	51·9	45·1	3·0	—	—
Arbroath	103	86	11	3	3	—	83·5	10·7	2·9	2·9	—

TABLE 10.—Marriages in Scotland according to Church of Celebration, 1931.

	Total Marriages.	ACCORDING TO FORMS OF							PERCENTAGE OF TOTAL MARRIAGES.						
		Church of Scotland.	U.F. Church Continuing.	Free Church.	Roman Catholic Church.	Scottish Episcopal Church.	Other Forms.	Irregular.	Church of Scotland.	U.F. Church Continuing.	Free Church.	Roman Catholic Church.	Scottish Episcopal Church.	Other Forms.	Irregular.
SCOTLAND	32,652	20,765	236	368	4,115	870	2,201	4,097	63·6	0·7	1·1	12·6	2·7	6·7	12·6
LARGE BURGHS .	20,931	11,325	110	236	3,075	661	1,628	3,896	54·1	0·5	1·1	14·7	3·2	7·8	18·6
OTHER DISTRICTS	11,721	9,440	126	132	1,040	209	573	201	80·5	1·1	1·1	8·9	1·8	4·9	1·7
Counties.															
Aberdeen .	2,274	1,740	7	8	52	75	126	266	76·5	0·3	0·4	2·3	3·3	5·5	11·7
Angus .	1,744	1,066	8	2	252	116	106	194	61·1	0·5	0·1	14·4	6·7	6·1	11·1
Argyll .	276	223	5	9	16	8	6	9	80·8	1·8	3·3	5·8	2·9	2·2	3·3
Ayr .	1,812	1,493	11	6	134	27	107	34	82·4	0·6	0·3	7·4	1·5	5·9	1·9
Banff .	280	220	—	—	25	7	14	14	78·6	—	—	8·9	2·5	5·0	5·0
Berwick .	128	122	—	—	2	3	1	—	95·3	—	—	1·6	2·3	0·8	—
Bute .	75	59	—	1	10	1	3	1	78·7	—	1·3	13·3	1·3	4·0	1·3
Caithness .	133	103	1	6	—	1	14	8	77·4	0·8	4·5	—	0·8	10·5	6·0
Clackmannan .	190	132	26	—	8	7	14	3	69·5	13·7	—	4·2	3·7	7·4	1·6
Dumbarton .	708	439	1	3	178	23	60	4	62·0	0·1	0·4	25·1	3·2	8·5	0·6
Dumfries .	557	392	4	—	36	18	21	86	70·4	0·7	—	6·5	3·2	3·8	15·4
East Lothian .	266	228	—	—	24	4	10	—	85·7	—	—	9·0	1·5	3·8	—
Fife .	1,634	1,292	26	4	79	33	68	132	79·1	1·6	0·2	4·8	2·0	4·2	8·1
Inverness .	441	271	1	50	43	12	22	42	61·5	0·2	11·3	9·8	2·7	5·0	9·5
Kincardine .	201	170	2	—	4	22	1	2	84·6	1·0	—	2·0	10·9	0·5	1·0
Kinross .	33	29	3	—	—	—	1	—	87·9	9·1	—	—	—	3·0	—
Kirkcudbright .	185	169	—	—	6	6	1	3	91·4	—	—	3·2	3·2	0·6	1·6
Lanark .	12,228	6,333	72	172	2,288	195	1,106	2,062	51·8	0·6	1·4	18·7	1·6	9·0	16·9
Midlothian .	4,281	2,562	28	5	309	189	161	1,027	59·8	0·7	0·1	7·2	4·4	3·8	24·0
Moray .	266	196	5	3	8	8	15	31	73·7	1·9	1·1	3·0	3·0	5·6	11·7
Nairn .	37	31	1	1	1	—	2	1	83·8	2·7	2·7	2·7	—	5·4	2·7
Orkney .	119	102	2	—	—	—	10	5	85·7	1·7	—	—	—	8·4	4·2
Peebles .	61	50	—	—	4	4	3	—	82·0	—	—	6·6	6·6	4·9	—
Perth .	708	550	5	2	38	23	22	68	77·7	0·7	0·3	5·4	3·2	3·1	9·6
Renfrew .	1,565	907	8	2	393	50	187	18	58·0	0·5	0·1	25·1	3·2	11·9	1·2
Ross & Cromarty	231	123	—	77	2	3	19	7	53·2	—	33·3	0·9	1·3	8·2	3·0
Roxburgh .	267	221	—	—	20	14	11	1	82·8	—	—	7·5	5·2	4·1	0·4
Selkirk .	100	79	—	—	5	8	8	—	79·0	—	—	5·0	8·0	8·0	—
Stirling .	1,052	838	1	2	98	6	49	58	79·7	0·1	0·2	9·3	0·6	4·7	5·5
Sutherland .	58	39	—	15	—	—	1	3	67·2	—	25·9	—	—	1·7	5·2
West Lothian .	446	341	10	—	74	7	12	2	76·5	2·2	—	16·6	1·6	2·7	0·4
Wigtown .	204	180	—	—	6	—	2	16	88·2	—	—	2·9	—	1·0	7·8
Zetland .	92	65	9	—	—	—	18	—	70·7	9·8	—	—	—	19·6	—
Large Burghs.															
Glasgow .	9,254	4,376	55	164	1,638	169	839	2,013	47·3	0·6	1·8	17·7	1·8	9·1	21·8
Edinburgh .	3,783	2,166	18	5	241	178	148	1,027	57·3	0·5	0·1	6·4	4·7	3·9	27·2
Dundee .	1,265	627	1	2	244	104	99	188	49·6	0·1	0·2	19·3	8·2	7·8	14·9
Aberdeen .	1,515	1,032	5	8	49	65	97	259	68·1	0·3	0·5	3·2	4·3	6·4	17·1
Paisley .	533	323	1	—	118	13	73	5	60·6	0·2	—	22·1	2·4	13·7	1·0
Greenock .	438	216	4	2	127	15	61	13	49·3	0·9	0·5	29·0	3·4	13·9	3·0
Motherwell and Wishaw .	379	215	1	—	91	10	44	18	56·7	0·3	—	24·0	2·6	11·6	4·8
Clydebank .	233	116	—	1	70	5	40	1	49·8	—	0·4	30·0	2·1	17·2	0·4
Kirkcaldy .	335	239	7	4	9	8	22	46	71·3	2·1	1·2	2·7	2·4	6·6	13·7
Coatbridge .	245	124	3	7	93	—	17	1	50·6	1·2	2·9	38·0	—	6·9	0·4
Kilmarnock .	264	221	1	—	23	3	8	8	83·7	0·4	—	8·7	1·1	3·0	3·0
Hamilton .	268	190	—	—	45	4	19	10	70·9	—	—	16·8	1·5	7·1	3·7
Ayr .	294	197	2	5	25	21	18	26	67·0	0·7	1·7	8·5	7·1	6·1	8·8
Falkirk .	280	222	—	—	16	2	4	36	79·3	—	—	5·7	0·7	1·4	12·9
Dunfermline .	255	132	2	—	17	7	18	79	51·8	0·8	—	6·7	2·7	7·1	31·0
Perth .	305	179	1	2	27	14	16	66	58·7	0·3	0·7	8·9	4·6	5·2	21·6
Airdrie .	161	96	1	—	27	2	34	1	59·6	0·6	—	16·8	1·2	21·1	0·6
Rutherglen .	178	125	—	—	38	—	15	—	70·2	—	—	21·3	—	8·4	—
Dumfries .	196	108	3	—	33	13	3	36	55·1	1·5	—	16·8	6·6	1·5	18·4
Stirling .	168	110	1	1	26	4	5	21	65·5	0·6	0·6	15·5	2·4	3·0	12·5
Inverness .	265	156	—	34	14	10	15	36	58·9	—	12·8	5·3	3·8	5·7	13·6
Dumbarton .	81	27	—	1	34	6	10	3	33·3	—	1·2	42·0	7·4	12·3	3·7
Port Glasgow .	133	39	—	—	66	6	22	—	29·3	—	—	49·6	4·5	16·5	—
Arbroath .	103	89	4	—	4	2	1	3	86·4	3·9	—	3·9	1·9	1·0	2·9

TABLE 11—Civil Condition, etc. of Persons Marrying in Scotland, 1931.

	Total Marriages.	MARRIAGES BETWEEN				PERCENTAGE OF MARRIAGES BETWEEN				NUMBER WHO SIGNED BY MARK	
		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Men.	Women.
SCOTLAND . . .	32,652	29,775	559	1,706	612	91·2	1·7	5·2	1·9	70	55
LARGE BURGHS . . .	20,931	18,837	452	1,159	483	90·0	2·2	5·5	2·3	52	46
OTHER DISTRICTS . . .	11,721	10,938	107	547	129	93·3	0·9	4·7	1·1	18	9
Counties.											
Aberdeen	2,274	2,092	23	128	31	92·0	1·0	5·6	1·4	5	4
Angus	1,744	1,546	32	112	54	88·6	1·8	6·4	3·1	3	4
Argyll	276	257	7	7	5	93·1	2·5	2·5	1·8	—	—
Ayr	1,812	1,688	14	89	21	93·2	0·7	4·9	1·2	—	1
Banff	280	251	5	18	6	89·6	1·8	6·4	2·1	—	—
Berwick	128	119	1	7	1	93·0	0·8	5·5	0·8	—	—
Bute	75	69	2	1	3	92·0	2·7	1·3	4·0	—	—
Caithness	133	128	—	5	—	96·2	—	3·8	—	1	2
Clackmannan	190	177	2	8	3	93·1	1·1	4·2	1·6	—	—
Dumbarton	708	656	8	37	7	92·7	1·1	5·2	1·0	—	1
Dumfries	557	500	7	42	8	89·8	1·3	7·5	1·4	—	—
East Lothian	266	250	5	8	3	94·0	1·9	3·0	1·1	1	—
Fife	1,634	1,520	18	78	18	96·6	0·5	2·5	0·4	3	1
Inverness	441	406	4	26	5	92·1	0·9	5·9	1·1	—	2
Kincardine	201	184	3	12	2	91·5	1·5	6·0	1·0	1	1
Kinross	33	29	—	4	—	87·9	—	12·1	—	—	—
Kirkcudbright	185	166	3	16	—	89·7	1·6	8·6	—	—	—
Lanark	12,228	11,022	270	644	292	90·1	2·2	5·3	2·4	40	34
Midlothian	4,281	3,847	104	240	90	89·9	2·4	5·6	2·1	4	3
Moray	266	245	3	14	4	92·1	1·1	5·3	1·5	—	—
Nairn	37	34	1	2	—	91·9	2·7	5·4	—	—	—
Orkney	119	109	1	9	—	91·6	0·8	7·6	—	—	—
Peebles	61	56	—	4	1	91·8	—	6·6	1·6	1	—
Perth	708	660	8	31	9	93·2	1·1	4·4	1·3	—	—
Renfrew	1,565	1,451	23	65	26	98·1	0·3	1·4	0·2	3	2
Ross and Cromarty	231	206	2	22	1	89·2	0·9	9·5	0·4	4	—
Roxburgh	267	255	—	9	3	95·5	—	3·4	1·1	1	—
Selkirk	100	97	—	3	—	97·0	—	3·0	—	—	—
Stirling	1,052	995	9	36	12	94·6	0·9	3·4	1·1	1	—
Sutherland	58	54	—	2	2	93·1	—	3·4	3·4	1	—
West Lothian	446	431	2	10	3	96·6	0·4	2·2	0·7	—	—
Wigtown	204	190	2	10	2	93·1	1·0	4·9	1·0	1	—
Zetland	92	85	—	7	—	92·4	—	7·6	—	—	—
Large Burghs.											
Glasgow	9,254	8,263	233	523	235	89·3	2·5	5·7	2·5	35	32
Edinburgh	3,783	3,380	100	220	83	89·3	2·6	5·8	2·2	3	3
Dundee	1,265	1,115	24	81	45	88·1	1·9	6·4	3·6	2	2
Aberdeen	1,515	1,383	18	86	28	91·3	1·2	5·7	1·8	4	2
Paisley	533	486	5	28	14	91·2	0·9	5·3	2·6	—	1
Greenock	438	408	13	10	7	93·1	3·0	2·3	1·6	3	—
Motherwell & Wishaw	379	350	5	15	9	92·3	1·3	4·0	2·4	1	1
Clydebank	233	214	3	13	3	91·8	1·3	5·6	1·3	—	1
Kirkcaldy	335	303	2	21	9	90·4	0·6	6·3	2·7	2	1
Coatbridge	245	224	6	10	5	91·4	2·4	4·1	2·0	1	—
Kilmarnock	264	242	3	17	2	91·7	1·1	6·4	0·8	—	1
Hamilton	268	240	2	17	9	89·6	0·7	6·3	3·4	—	—
Ayr	294	266	4	17	7	90·5	1·4	5·8	2·4	—	—
Falkirk	280	270	4	4	2	96·4	1·4	1·4	0·7	—	—
Dunfermline	255	229	8	16	2	89·8	3·1	6·3	0·8	1	—
Perth	305	279	7	14	5	91·5	2·3	4·6	1·6	—	—
Airdrie	161	148	2	8	3	91·9	1·2	5·0	1·9	—	—
Rutherglen	178	167	1	8	2	93·8	0·6	4·5	1·1	—	1
Dumfries	196	174	5	15	2	88·8	2·6	7·7	1·0	—	—
Stirling	168	153	1	10	4	91·1	0·6	6·0	2·4	—	—
Inverness	265	245	3	14	3	92·5	1·1	5·3	1·1	—	—
Dumbarton	81	77	1	3	—	95·1	1·2	3·7	—	—	—
Port Glasgow	133	125	1	5	2	94·0	0·8	3·8	1·5	—	1
Arbroath	103	96	1	4	2	93·2	1·0	3·9	1·9	—	—

TABLE 12.—AGES OF MEN AT MARRIAGE IN SCOTLAND,
1931.

TABLE 12.—AGES of MEN at Marriage in Scotland, 1931.

TABLE 12.—AGES of MEN at Marriage in Scotland, 1931.

	All Ages.	Average Age.	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.
SCOTLAND	32,652	29·3	3	48	233	583	1,099	8,894	11,435	5,134	2,096	1,120	723	483	343	236	137	72	9	4	—
LARGE BURGHS .	20,931	29·5	2	39	170	414	718	5,645	7,180	3,209	1,375	754	489	347	244	179	98	58	6	4	—
OTHER DISTRICTS	11,721	28·9	1	9	63	169	381	3,249	4,255	1,925	721	366	234	136	99	57	39	14	3	—	—
<i>Counties.</i>																					
Aberdeen .	2,274	29·1	1	3	17	48	81	670	761	329	149	80	44	39	14	21	8	8	—	1	—
Angus .	1,744	29·6	—	6	19	33	48	457	624	283	100	45	42	23	29	15	14	6	—	—	—
Argyll .	276	31·7	—	—	1	1	5	49	86	65	29	17	11	6	2	2	2	—	—	—	—
Ayr .	1,812	28·3	1	1	9	27	79	570	634	271	95	52	32	12	14	7	4	4	—	—	—
Banff .	280	28·8	—	—	1	4	9	82	108	37	14	10	5	4	4	1	—	1	—	—	—
Berwick .	128	30·5	—	—	1	2	2	28	49	24	8	2	4	5	2	—	—	—	—	—	—
Bute .	75	30·6	—	—	—	1	4	20	25	8	6	3	4	—	2	—	—	—	—	—	—
Caithness .	133	29·0	—	—	—	3	6	34	42	29	3	5	3	3	2	—	—	—	—	—	—
Clackmannan	190	28·0	—	—	—	5	6	53	71	31	12	7	3	—	2	—	—	—	—	—	—
Dumbarton	708	29·3	—	—	—	10	24	184	245	134	53	14	10	12	7	8	2	1	—	—	—
Dumfries .	557	30·6	—	—	1	7	13	140	183	97	44	28	21	3	6	6	4	2	—	—	—
East Lothian	266	28·3	—	—	—	4	5	81	109	35	19	3	4	4	—	1	1	2	—	—	—
Fife .	1,634	28·1	—	—	—	29	54	517	632	194	90	44	23	14	6	10	7	2	—	—	—
Inverness .	441	31·9	—	—	—	4	3	76	148	87	53	29	13	15	5	4	2	—	—	—	—
Kincardine	201	28·9	—	—	—	3	11	52	77	29	8	5	6	4	4	—	—	—	—	—	—
Kinross .	33	29·0	—	—	—	—	1	7	16	5	1	1	2	—	—	—	—	—	—	—	—
Kirkcudbright	185	29·3	—	—	—	3	7	45	66	30	14	6	5	2	—	—	—	—	—	—	—
Lanark .	12,228	29·2	1	23	117	251	428	3,434	4,156	1,838	775	425	275	200	124	96	52	28	4	1	—
Midlothian	4,281	29·9	—	7	16	73	147	1,056	1,510	728	278	154	100	80	61	35	22	11	2	1	—
Moray .	266	30·1	—	—	—	3	7	56	97	60	19	9	2	5	5	1	1	1	—	—	—
Nairn .	37	30·0	—	—	—	—	3	5	15	7	3	1	3	—	—	—	—	—	—	—	—
Orkney .	119	29·7	—	—	—	—	8	29	36	20	11	5	4	2	—	—	—	—	—	—	—
Peebles .	61	30·7	—	—	—	—	3	10	19	17	6	3	1	1	—	—	—	—	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

AGES of MEN at Marriage in Scotland, 1931.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth	708	30.8	-	1	3	7	12	151	258	133	48	35	24	9	12	7	6	2	-	-	-
Renfrew	1,565	28.7	-	3	17	33	64	444	539	238	93	59	34	14	14	9	1	2	1	-	-
Ross & Cromarty	231	34.3	-	-	-	1	3	28	55	55	41	18	14	6	4	2	1	-	-	-	-
Roxburgh	267	28.9	-	-	2	5	5	67	107	45	21	6	4	-	3	1	1	-	-	-	-
Selkirk	100	28.9	-	-	-	1	-	31	39	15	10	1	-	2	1	-	-	-	-	-	-
Stirling	1,052	28.3	-	-	1	14	34	304	431	157	51	21	10	11	10	5	2	1	-	-	-
Sutherland	58	32.1	-	-	1	-	1	5	22	14	6	5	3	-	-	-	-	-	-	-	-
West Lothian	446	27.8	-	-	2	7	15	143	167	70	21	9	5	2	1	4	-	-	-	-	-
Wigtown	204	29.2	-	-	1	2	8	49	83	29	7	12	8	3	2	-	-	-	-	-	-
Zetland	92	32.4	-	-	-	2	3	17	25	20	8	6	4	2	2	1	1	-	1	-	-
<i>Large Burghs.</i>																					
Glasgow	9,254	29.6	1	16	90	202	321	2,477	3,100	1,412	629	358	219	168	105	84	44	23	4	1	-
Edinburgh	3,783	30.1	-	7	14	62	128	913	1,323	641	259	142	94	75	58	32	21	11	2	1	-
Dundee	1,265	29.3	-	6	17	29	40	346	449	182	71	34	27	15	20	14	11	4	-	-	-
Aberdeen	1,515	29.3	-	1	11	32	57	428	517	222	96	52	34	27	10	16	5	6	-	-	-
Paisley	533	29.1	-	-	1	10	22	150	191	77	26	23	18	6	4	4	-	1	-	-	-
Greenock	438	27.9	-	2	8	13	23	141	129	61	31	12	10	2	4	1	1	-	-	-	-
Motherwell and Wishaw	379	28.0	-	1	3	6	16	129	128	48	24	6	6	5	3	2	1	1	-	-	-
Clydebank	233	28.8	-	-	1	5	8	67	80	42	14	4	4	2	3	2	1	-	-	-	-
Kirkcaldy	335	29.2	-	-	2	7	14	90	135	34	19	13	5	7	2	4	2	1	-	-	-
Coatbridge	245	28.1	-	2	3	7	1	75	86	42	14	9	3	2	-	-	1	-	-	-	-
Kilmarnock	264	28.9	1	1	-	4	10	83	80	49	14	6	6	2	5	3	-	-	-	-	-
Hamilton	268	28.9	-	1	2	7	7	85	93	35	13	5	9	2	2	3	2	2	-	-	-
Ayr	294	28.7	-	-	3	5	16	85	98	45	17	11	6	3	3	-	2	1	-	-	-
Falkirk	280	27.6	-	-	1	3	14	82	121	32	15	3	3	3	2	1	2	-	-	-	-
Dunfermline	255	29.3	-	-	-	4	3	79	94	30	21	9	7	1	3	1	4	-	-	-	-
Perth	305	31.4	-	-	1	3	3	70	104	60	20	15	9	5	6	1	-	2	-	-	-
Airdrie	161	28.1	-	-	2	-	4	57	60	16	9	4	6	1	1	1	-	1	-	-	-
Rutherglen	178	28.4	-	1	2	2	9	55	63	21	10	5	4	4	1	-	-	1	-	-	-
Dumfries	196	31.0	-	-	-	4	4	45	62	39	14	11	7	2	4	1	-	2	-	-	-
Stirling	168	30.0	-	-	-	2	5	45	51	34	15	5	-	6	4	-	-	1	-	-	-
Inverness	265	31.3	-	-	2	3	2	45	100	45	32	17	7	5	2	4	1	-	-	-	-
Dumbarton	81	28.7	-	-	-	-	1	24	31	14	6	2	1	2	-	-	-	-	-	-	-
Port-Glasgow	133	26.8	-	1	6	3	8	49	43	10	4	4	2	-	1	2	-	-	-	-	-
Arbroath	103	30.4	-	-	1	1	2	25	42	18	2	4	2	-	1	1	2	2	-	-	-

TABLE 13.—Ages of WOMEN at Marriage in Scotland, 1931.

TABLE 13.—Ages of WOMEN at Marriage in Scotland, 1931.

	All Ages.	Average age.	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.
SCOTLAND	32,652	26·3	174	655	1472	2048	2,367	10,633	8,676	3,421	1,499	696	481	258	133	73	43	16	5	2	-
LARGE BURGHS	20,931	26·5	111	415	959	1314	1,490	6,709	5,477	2,215	1,014	461	352	194	107	59	32	15	5	2	-
OTHER DISTRICTS	11,721	25·9	63	240	513	734	877	3,924	3,199	1,206	485	235	129	64	26	14	11	1	-	-	-
<i>Counties.</i>																					
Aberdeen . . .	2,274	26·0	10	59	112	142	182	768	563	231	100	35	36	14	12	7	2	-	1	-	-
Angus . . .	1,744	27·0	6	21	71	103	118	542	490	182	93	43	31	21	11	7	2	2	1	-	-
Argyll . . .	276	27·9	1	5	5	11	9	67	100	43	19	5	8	3	-	-	-	-	-	-	-
Ayr . . .	1,812	25·4	8	31	98	122	146	638	484	170	49	32	13	15	2	3	1	-	-	-	-
Banff . . .	280	25·4	1	9	8	16	20	109	71	29	10	3	1	2	-	1	-	-	-	-	-
Berwick . . .	128	27·2	-	-	5	4	9	44	37	11	9	3	6	-	-	-	-	-	-	-	-
Bute . . .	75	27·7	1	-	1	4	4	29	19	7	5	2	-	2	1	-	-	-	-	-	-
Caithness . . .	133	26·0	1	5	5	10	13	34	36	14	11	2	1	2	-	-	-	-	-	-	-
Clackmannan . . .	190	25·7	2	2	7	13	20	57	56	21	5	5	-	2	-	-	-	-	-	-	-
Dumbarton . . .	708	26·2	3	13	36	48	39	238	206	64	23	17	9	4	3	4	1	-	-	-	-
Dumfries . . .	557	26·9	2	6	21	32	36	177	152	56	36	19	12	4	3	1	-	-	-	-	-
East Lothian . . .	266	26·1	-	6	10	14	15	99	73	27	8	6	5	2	2	3	2	1	-	-	-
Fife . . .	1,634	25·2	11	39	85	112	144	596	403	139	51	24	15	8	-	-	-	-	-	-	-
Inverness . . .	441	27·4	3	7	14	17	31	126	118	64	32	18	9	1	-	-	-	-	-	-	-
Kincardine . . .	201	25·7	2	4	11	11	22	69	46	18	9	3	3	-	3	-	-	-	-	-	-
Kinross . . .	33	26·0	-	1	-	2	-	14	8	7	-	-	1	-	-	-	-	-	-	-	-
Kirkcudbright . . .	185	26·3	1	6	9	9	18	45	52	26	10	8	1	-	-	-	-	-	-	-	-
Lanark . . .	12,228	26·2	72	281	612	849	901	3,985	3,084	1,212	560	253	191	106	56	29	22	11	3	1	-
Midlothian . . .	4,281	27·0	15	62	151	226	267	1,323	1,241	498	229	105	74	43	24	11	9	2	1	-	-
Moray . . .	266	27·2	-	4	11	11	14	85	73	36	17	6	4	2	1	-	2	-	-	-	-
Nairn . . .	37	27·2	-	-	-	2	5	14	6	4	3	2	1	-	-	-	-	-	-	-	-
Orkney . . .	119	26·1	1	5	-	3	7	34	36	15	4	5	-	-	-	-	-	-	-	-	-
Peebles . . .	61	27·5	-	1	3	1	3	16	19	12	3	1	-	1	1	-	-	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

AGES of WOMEN at Marriage in Scotland, 1931.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth	708	27.3	5	6	23	36	43	205	204	96	49	19	11	7	3	1	-	-	-	-	-
Renfrew	1,565	25.7	18	41	77	114	122	493	400	171	66	28	19	8	6	1	1	-	-	-	-
Ross & Cromarty	231	29.6	-	2	8	3	10	55	55	49	28	12	6	-	2	1	-	-	-	-	-
Roxburgh	267	27.0	1	3	4	17	8	78	101	30	10	8	6	-	1	-	-	-	-	-	-
Selkirk	100	26.3	-	-	3	2	4	38	38	7	5	2	1	-	-	-	-	-	-	-	-
Stirling	1,052	25.5	3	18	43	66	106	370	280	98	31	16	10	7	2	2	-	-	-	-	-
Sutherland	58	27.5	-	1	-	1	3	19	17	14	1	1	-	1	-	-	-	-	-	-	-
West Lothian	446	25.0	2	13	18	27	34	171	120	40	12	6	-	1	-	2	-	-	-	-	-
Wigtown	204	25.3	5	4	14	11	11	72	57	16	6	5	3	1	-	-	-	-	-	-	-
Zetland	92	28.3	-	-	4	4	3	23	31	14	5	2	4	2	-	-	-	-	-	-	-
<i>Large Burghs.</i>																					
Glasgow	9,254	26.5	51	210	436	641	665	2,942	2,325	963	456	211	150	94	53	25	17	11	3	1	-
Edinburgh	3,783	27.2	12	55	128	189	242	1,145	1,093	457	208	99	69	42	21	11	9	2	1	1	-
Dundee	1,265	26.8	5	15	61	82	95	395	331	123	68	31	27	14	8	6	2	1	1	-	-
Aberdeen	1,515	26.2	7	34	65	86	114	509	399	158	70	21	27	7	10	6	1	-	1	-	-
Paisley	533	26.3	5	9	23	31	40	161	152	62	26	10	6	4	3	1	-	-	-	-	-
Greenock	438	25.0	8	17	27	42	34	143	95	40	15	7	5	3	2	-	-	-	-	-	-
Motherwell and Wishaw	379	25.0	3	7	32	28	27	143	83	30	11	4	7	2	-	1	1	-	-	-	-
Clydebank	233	25.9	1	1	9	16	16	90	66	19	5	3	3	2	-	2	-	-	-	-	-
Kirkcaldy	335	26.4	1	5	18	16	25	115	88	38	11	5	5	5	-	2	1	-	-	-	-
Coatbridge	245	25.4	4	7	13	20	20	70	70	22	12	2	4	-	-	-	-	-	-	-	-
Kilmarnock	264	26.2	-	7	11	13	17	94	66	33	8	11	-	3	-	1	-	-	-	-	-
Hamilton	268	25.8	4	5	15	13	19	96	63	29	10	5	6	2	1	-	-	-	-	-	-
Ayr	294	25.4	1	8	22	21	18	106	67	27	11	6	3	3	-	1	-	-	-	-	-
Falkirk	280	24.9	1	5	18	18	32	94	76	21	10	-	1	2	-	-	-	-	-	-	-
Dunfermline	255	26.2	1	2	13	13	17	88	71	26	13	6	4	-	1	-	-	-	-	-	-
Perth	305	27.6	3	3	6	13	18	88	94	39	19	10	7	4	1	-	-	-	-	-	-
Airdrie	161	25.3	-	1	11	5	15	61	45	11	7	1	3	-	-	1	-	-	-	-	-
Rutherglen	178	25.8	1	6	7	13	16	61	43	15	6	2	6	-	1	1	-	-	-	-	-
Dumfries	196	27.0	1	2	9	9	8	64	57	19	15	4	4	2	2	-	-	-	-	-	-
Stirling	168	27.1	-	4	7	9	12	51	42	19	10	8	4	1	-	1	-	-	-	-	-
Inverness	265	27.1	1	4	9	9	17	83	71	42	14	9	6	-	-	-	-	-	-	-	-
Dumbarton	81	25.8	1	1	2	7	5	31	22	3	4	3	2	-	-	-	-	-	-	-	-
Port Glasgow	133	24.0	-	5	14	15	13	46	25	9	2	2	1	-	1	-	-	-	-	-	-
Arbroath	103	27.8	-	2	3	5	5	33	33	10	3	1	2	4	1	-	-	1	-	-	-

TABLE 14.—AGES in Combination of MEN and WOMEN at Marriage in Scotland, 1931.

AGES OF WIVES.																Total Husbands.	AGES OF HUSBANDS.										
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-		75-	80-	85 and over.	Not Stated	Total Wives						
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.	Not Stated	32,652							
16-	17-</																										

Average age—Husbands, 29·3; Wives, 26·3.

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their *Husbands* at Marriage :—Thus, of 2,048 *Wives* aged 19, 6 married *Husbands* aged 17, 53 married *Husbands* aged 18, etc.
Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their *Wives* at Marriage :—Thus, of 583 *Husbands* aged 19, 19 married *Wives* aged 16, 61 married *Wives* aged 17, etc.

TABLE 18.—AGES in Combination of WIDOWERS and WIDOWS at Marriage in Scotland, 1931.

AGES OF WIDOWS.																	Total Widowers.	AGES OF WIDOWERS.											
16-17	17-18	18-19	19-20	20-21	21-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80		85 and over.	Not stated	Total Widowers and Widows.									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{									
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		{								
-	-	-	-	-	-	-	-	-	-	-	-	-	-																

Average age—Husbands, 52·1; Wives, 46·8.

TABLE 19.—Ages at Death in 1932, with Death-rate in each Age-group.

Age Groups.	Number of Deaths.				Rate per 1000 of Population.			
	Scot-land.	Large Burghs.	Small Burghs.	Land-ward.	Scot-land.	Large Burghs.	Small Burghs.	Land-ward.
Under 1 - -	7,840	4,959	852	2,029	90·2	101·7	71·7	77·4
1- - -	3,386	2,253	344	789	10·1	12·1	7·2	7·4
5- - -	1,108	664	144	300	2·5	2·7	2·2	2·1
10- - -	719	430	93	196	1·6	1·9	1·5	1·4
15- - -	2,501	1,461	319	721	2·9	3·0	2·6	2·8
25- - -	2,950	1,797	394	759	3·9	4·3	3·6	3·6
35- - -	3,715	2,248	482	985	6·0	6·5	5·2	5·6
45- - -	5,714	3,408	863	1,443	10·4	11·2	10·2	8·9
55- - -	9,600	5,704	1,333	2,563	21·9	24·5	19·4	19·4
65- - -	13,814	7,420	2,268	4,126	53·3	58·4	49·8	48·8
75- - -	11,539	5,491	2,227	3,821	128·8	141·9	130·4	120·7
85- - -	3,159	1,245	668	1,246	273·8	280·4	281·4	258·7
Not stated -	—	—	—	—	—	—	—	—
ALL AGES -	66,045	37,080	9,987	18,978	13·5	13·9	13·6	12·8

TABLE 20.—Deaths, Male and Female, at each year of Age,

MALES.													
AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.
0 ...	4408	4408	-	-	-	-	50 ...	301	62	219	20	-	-
1 ...	987	987	-	-	-	-	51 ...	287	67	196	24	-	-
2 ...	377	377	-	-	-	-	52 ...	345	60	258	26	1	-
3 ...	226	226	-	-	-	-	53 ...	364	78	249	36	-	1
4 ...	188	188	-	-	-	-	54 ...	383	71	270	42	-	-
5 ...	160	160	-	-	-	-	55 ...	393	86	266	40	-	1
6 ...	122	122	-	-	-	-	56 ...	384	78	261	44	1	-
7 ...	120	120	-	-	-	-	57 ...	459	75	323	61	-	-
8 ...	95	95	-	-	-	-	58 ...	508	110	343	54	1	-
9 ...	100	100	-	-	-	-	59 ...	524	105	352	67	-	-
10 ...	78	78	-	-	-	-	60 ...	547	108	347	88	1	3
11 ...	62	62	-	-	-	-	61 ...	533	89	355	87	2	-
12 ...	97	97	-	-	-	-	62 ...	584	99	396	86	1	2
13 ...	43	43	-	-	-	-	63 ...	556	107	343	105	-	1
14 ...	70	70	-	-	-	-	64 ...	605	105	394	104	2	-
15 ...	72	72	-	-	-	-	65 ...	659	115	395	148	-	1
16 ...	102	102	-	-	-	-	66 ...	653	106	396	149	2	-
17 ...	124	124	-	-	-	-	67 ...	676	119	397	160	-	-
18 ...	139	137	2	-	-	-	68 ...	667	100	420	147	-	-
19 ...	126	124	2	-	-	-	69 ...	737	99	434	204	-	-
20 ...	140	135	5	-	-	-	70 ...	712	122	375	214	-	1
21 ...	123	118	5	-	-	-	71 ...	686	123	367	194	2	-
22 ...	157	141	16	-	-	-	72 ...	772	101	409	261	1	-
23 ...	128	110	17	1	-	-	73 ...	700	98	348	254	-	-
24 ...	148	128	20	-	-	-	74 ...	735	97	351	287	-	-
25 ...	136	106	25	3	-	2	75 ...	728	99	324	303	-	2
26 ...	144	103	39	1	-	1	76 ...	678	90	324	264	-	-
27 ...	113	74	38	1	-	-	77 ...	609	72	239	297	-	1
28 ...	136	88	48	-	-	-	78 ...	548	64	197	287	-	-
29 ...	156	84	67	5	-	-	79 ...	563	53	227	283	-	-
30 ...	146	68	75	2	-	1	80 ...	491	64	166	261	-	-
31 ...	123	54	68	1	-	-	81 ...	434	48	150	236	-	-
32 ...	153	63	86	2	1	1	82 ...	393	39	109	245	-	-
33 ...	135	42	93	-	-	-	83 ...	347	34	97	216	-	-
34 ...	136	51	80	4	1	-	84 ...	274	34	75	164	-	1
35 ...	132	47	82	3	-	-	85 ...	199	39	43	117	-	-
36 ...	172	51	116	5	-	-	86 ...	163	17	43	103	-	-
37 ...	156	44	107	3	1	1	87 ...	146	13	42	91	-	-
38 ...	192	51	135	6	-	-	88 ...	113	5	29	79	-	-
39 ...	212	58	147	7	-	-	89 ...	103	9	22	72	-	-

and by Condition as to Marriage, in Scotland, 1932.

F E M A L E S.

AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.
0 ...	3432	3432	-	-	-	-	50 ...	252	60	170	21	-	1
1 ...	910	910	-	-	-	-	51 ...	288	58	188	41	1	-
2 ...	326	326	-	-	-	-	52 ...	333	66	205	62	-	-
3 ...	215	215	-	-	-	-	53 ...	325	69	197	58	1	-
4 ...	157	157	-	-	-	-	54 ...	345	71	219	54	1	-
5 ...	152	152	-	-	-	-	55 ...	354	82	210	62	-	-
6 ...	109	109	-	-	-	-	56 ...	390	72	230	88	-	-
7 ...	94	94	-	-	-	-	57 ...	409	65	257	86	1	-
8 ...	81	81	-	-	-	-	58 ...	414	79	239	96	-	-
9 ...	75	75	-	-	-	-	59 ...	468	85	270	113	-	-
10 ...	86	86	-	-	-	-	60 ...	440	102	241	97	-	-
11 ...	64	64	-	-	-	-	61 ...	479	100	262	116	1	-
12 ...	91	91	-	-	-	-	62 ...	496	99	241	156	-	-
13 ...	49	49	-	-	-	-	63 ...	500	100	248	151	1	-
14 ...	79	79	-	-	-	-	64 ...	557	109	249	198	1	-
15 ...	103	103	-	-	-	-	65 ...	570	120	241	209	-	-
16 ...	99	99	-	-	-	-	66 ...	595	115	240	240	-	-
17 ...	129	127	2	-	-	-	67 ...	602	116	234	249	3	-
18 ...	116	109	7	-	-	-	68 ...	627	131	233	263	-	-
19 ...	139	119	20	-	-	-	69 ...	629	137	202	290	-	-
20 ...	111	93	18	-	-	-	70 ...	644	147	205	292	-	-
21 ...	141	104	37	-	-	-	71 ...	710	154	212	344	-	-
22 ...	141	100	40	1	-	-	72 ...	780	157	221	401	1	-
23 ...	129	74	54	1	-	-	73 ...	818	176	198	441	3	-
24 ...	134	75	59	-	-	-	74 ...	842	163	213	466	-	-
25 ...	138	79	59	-	-	-	75 ...	755	169	176	409	1	-
26 ...	158	72	85	1	-	-	76 ...	850	161	177	512	-	-
27 ...	174	80	93	1	-	-	77 ...	752	152	143	457	-	-
28 ...	147	64	81	2	-	-	78 ...	685	149	111	425	-	-
29 ...	137	50	87	-	-	-	79 ...	672	166	88	416	1	1
30 ...	151	40	109	1	1	-	80 ...	656	128	71	457	-	-
31 ...	172	53	114	3	2	-	81 ...	552	101	56	395	-	-
32 ...	178	61	113	4	-	-	82 ...	577	113	52	411	-	1
33 ...	161	52	104	4	1	-	83 ...	521	114	32	373	-	2
34 ...	156	37	114	4	1	-	84 ...	454	91	28	333	-	2
35 ...	148	46	95	6	1	-	85 ...	354	86	26	241	-	1
36 ...	175	49	113	11	2	-	86 ...	391	101	15	272	-	3
37 ...	188	44	138	5	1	-	87 ...	297	68	10	219	-	-
38 ...	176	44	126	6	-	-	88 ...	263	59	12	191	-	1
39 ...	190	46	132	12	-	-	89 ...	212	44	4	162	-	2
40 ...	177	47	118	12	-	-	90 ...	165	36	3	126	-	-
41 ...	176	43	123	10	-	-	91 ...	127	21	4	102	-	-
42 ...	213	57	143	13	-	-	92 ...	105	22	4	79	-	-
43 ...	190	34	137	17	2	-	93 ...	71	13	-	58	-	-
44 ...	206	47	135	24	-	-	94 ...	48	11	1	36	-	-
45 ...	237	55	164	18	-	-	95 ...	44	10	-	34	-	-
46 ...	196	43	131	22	-	-	96 ...	38	3	1	34	-	-
47 ...	269	53	195	21	-	-	97 ...	22	5	1	16	-	-
48 ...	234	55	148	31	-	-	98 ...	14	3	-	11	-	-
49 ...	272	48	183	40	1	-	99 ...	15	1	-	14	-	-
							100 and over	14	4	-	10	-	-
							Not stated	-	-	-	-	-	-
							All Females	33,302	12,686	9,917	10657	28	14

TABLE 21.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1932.

INTERNATIONAL Nos.		CAUSES OF DEATH.	Sex.	NUMBERS AGED												DEATH-RATE PER 100,000 AT AGES											
Long List.	Short List.			All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-
1, 2	1	Typhoid fever (incl. Paratyphoid)	M. F.	19 13	1 -	1 -	1 1	7 2	1 6	3 1	3 1	2 1	2 1	1 -	-	1 1	2 -	1 -	0 -	0 0	2 1	0 2	0 1	1 0	0 0	2 1	3 -
7	4	Measles	M. F.	440 452	273 284	28 31	1 1	5 2	1 -	1 -	2 1	2 1	2 1	-	-	19 18	307 293	162 172	13 14	0 0	0 1	0 1	0 0	0 1	1 -	-	-
8	5	Scarlet Fever	M. F.	109 141	6 11	43 59	5 14	12 15	4 2	3 1	3 1	3 1	3 1	-	-	5 6	14 26	13 36	2 12	3 3	1 3	2 1	1 0	0 0	-	-	
9	6	Whooping-cough	M. F.	206 253	100 112	102 133	3 7	1 -	-	-	-	-	-	-	-	9 10	227 261	61 80	1 3	0 -	-	-	-	-	-	-	-
10	7	Diphtheria	M. F.	174 194	16 12	81 79	16 71	3 4	3 5	1 1	1 2	2 2	2 -	-	-	7 8	36 28	48 48	23 32	7 7	1 1	0 1	0 1	1 -	-	-	-
11	8	Influenza	M. F.	768 956	46 34	30 17	12 9	34 44	46 51	87 80	101 108	122 130	138 208	103 190	32 71	33 38	105 79	18 10	5 4	8 6	13 10	31 24	40 37	58 57	119 146	289 352	910 885
18	14 (1)	Cerebro-spinal fever	M. F.	139 90	58 32	25 29	12 6	18 8	6 4	3 1	7 4	3 1	3 -	-	-	6 4	132 75	15 18	5 3	2 2	4 2	1 0	3 1	0 -	3 -	-	-
3-6, 12-17	14 (2)	Other epidemic diseases (2, 3, 9)*	M. F.	146 135	16 11	6 3	2 4	8 1	6 15	18 11	32 19	28 17	22 25	6 10	1 3	6 5	36 37	4 7	1 1	0 2	2 0	6 4	13 7	13 18	19 19	28 37	
23	10	Tuberculosis of respiratory system	M. F.	1561 1430	7 10	23 24	23 54	300 415	369 410	329 220	270 129	154 98	71 40	6 8	-	66 56	16 23	14 15	4 10	25 96	103 104	116 66	106 44	73 43	61 28	17 15	-
24-32	11	Other tuberculous diseases	M. F.	588 544	64 56	173 122	68 64	98 92	52 58	33 33	22 24	21 23	15 18	3 6	1 -	25 21	145 130	103 74	30 29	17 22	14 15	12 10	9 8	10 13	13 11	8 11	28 -
19-22, 33-44	14 (3)	Other infectious and parasitic diseases (12, 13)	M. F.	177 107	27 30	11 10	5 3	6 8	13 6	14 7	33 11	37 19	19 5	1 4	1 2	8 4	61 70	7 6	4 1	2 1	4 2	5 2	13 4	18 8	16 4	3 7	28 25
45-53 (a)	15 (b)	Cancer, malignant disease (c)	M. F.	3408 4050	1 1	7 7	2 3	31 16	61 56	140 262	442 634	986 1054	1174 1223	528 688	36 102	145 160	2 2	4 4	1 2	7 4	17 14	50 78	173 217	467 464	1010 857	1484 1275	1023 1272 (q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
59	18	Diabetes mellitus - -	{ M. F.	225 441	- -	1 -	- 2	1 4	15 11	9 19	13 21	24 37	48 118	76 170	33 52	5 7
54-58, 60-77	20	Other general dis., chronic poisonings (16, 17, 19) -	{ M. F.	580 960	22 20	19 20	29 25	26 22	34 76	43 76	63 111	81 141	114 176	95 185	45 99	9 9
82	22	Cerebral hæmorrhage, &c.	{ M. F.	3185 4025	2 2	5 2	5 2	1 -	11 9	20 16	48 73	196 318	641 703	1225 1370	907 1245	124 285
78-81, 83-89	23	Oth. dis. of nervous system and sense organs (21) -	{ M. F.	974 839	192 142	96 84	29 23	17 28	66 55	60 64	102 89	126 95	141 90	95 99	46 63	4 7
90-95	24	Heart disease - -	{ M. F.	4689 4933	3 1	8 5	14 26	21 36	76 81	78 123	173 200	399 402	1024 831	1533 1432	1165 1413	195 383
96-103	25	Other circulatory diseases	{ M. F.	829 655	6 2	3 3	- -	1 1	- 3	4 3	12 12	48 32	117 60	291 173	277 251	70 115
106	26	Bronchitis - -	{ M. F.	1684 1735	180 169	37 38	4 5	3 3	12 8	27 20	66 38	133 103	245 200	503 424	406 520	68 207
107-109	27	Pneumonia (all forms) -	{ M. F.	2999 2431	909 690	474 435	53 53	29 27	127 72	153 109	221 131	246 137	283 199	311 262	174 237	19 79
104, 105, 110-114	28	Other respiratory diseases	{ M. F.	500 467	31 29	34 16	10 8	4 2	15 12	15 14	27 34	74 31	70 59	124 91	76 120	20 51
117	32(1)	Gastric and duodenal ulcer	{ M. F.	448 160	- -	- -	1 1	1 -	16 3	27 3	76 23	108 28	106 50	84 32	28 17	1 3
119, 120	29	Diarrhœa, &c. (all ages) -	{ M. F.	631 537	429 327	80 64	14 12	1 1	4 4	10 9	11 12	14 18	18 17	27 25	21 31	2 17
121	30	Appendicitis - -	{ M. F.	291 218	- 1	14 9	29 22	31 16	39 25	37 25	36 27	36 29	38 35	25 21	6 8	- -
124	31(1)	Cirrhosis of liver - -	{ M. F.	104 56	- 1	- 1	1 -	- -	1 3	4 2	4 3	25 11	34 11	29 16	6 7	- 1
125-127	31(2)	Other diseases of liver, &c.	{ M. F.	78 304	2 1	1 1	- -	- -	- 6	4 6	8 24	12 42	17 77	18 75	13 59	3 13
115, 116, 118, 122, 123, 128, 129	32(2)	Other digestive diseases -	{ M. F.	468 524	75 32	38 22	15 14	2 6	21 17	28 20	26 35	42 69	61 101	96 118	54 75	10 15

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis and lethargic encephalitis.

TABLE 21.—Deaths and Death-rates from Selected Causes in Scotland in each Age-Group, 1932—continued.

INTERNATIONAL Nos.		CAUSES OF DEATH.		Sex.	NUMBERS AGED										DEATH-RATE PER 100,000 AT AGES															
Long List.	Short List.				All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
130-132	33	Acute and chron. nephritis {	M. F.		873 931	2 6	14 10	12 2	4 9	32 33	68 90	93 142	257 185	212 142	257 243	131 126	15 23	37 37	5 14	8 6	5 1	2 4	8 8	9 16	24 27	36 49	100 81	221 170	368 233	426 287
133-139	34	Other dis. of genito-urinary system {	M. F.		636 246	16 15	4 4	2 3	1 1	6 10	5 24	16 32	29 30	88 42	224 46	202 31	43 8	27 10	36 35	2 2	1 0	0 0	1 2	1 6	10 10	11 18	42 32	193 57	568 1222	1222 100
140, 145	35	Puerperal sepsis - {	M. F.		243	-	-	-	-	60 126	57	-	-	-	-	-	-	-	-	-	-	14 32	17	-	-	-	-	-	-	-
141-144, 146-150	36	Other puerperal causes - {	M. F.		333	-	-	-	-	60 160	109	4	-	-	-	-	-	13	-	-	-	14 40	33	1	-	-	-	-	-	-
151-156	37	Diseases of skin and loco-motor system - {	M. F.		236 177	49 24	21 8	19 7	14 9	14 8	9 12	13 15	17 27	41 30	22 30	16 22	1 6	10 7	111 56	12 5	9 3	6 4	3 2	3 4	5 5	7 12	19 21	45 41	28 75	
157-161	38	Congen. debil., prem. birth, malformations, &c. - {	M. F.		1984 1476	1954 1452	18 12	3 2	2 3	6 6	1 1	-	-	-	-	-	-	84 58	4439 3381	11 7	1 1	1 1	0 0	-	-	-	-	-	-	-
162	39	Old age - - - {	M. F.		1097 1837	-	-	-	-	-	-	-	4 5	156 198	638 954	299 680	47 72	-	-	-	-	-	-	-	-	2 134	139 1793	8499 8479		
163-171	40	Suicide - - - {	M. F.		353 147	-	-	-	-	13 15	47 20	63 31	100 36	86 24	40 18	4 3	-	15 6	-	-	-	3 3	13 5	22 9	39 12	41 11	34 13	11 6	-	
172-198	42	Other violence (41) - - {	M. F.		1537 774	33 52	129 86	125 56	75 35	232 49	185 30	159 35	175 47	199 73	144 111	73 141	8 59	65 31	75 121	56 25	34 16	54 11	52 8	56 10	69 16	94 32	124 78	205 261	227 736	
199-200	43	Causes ill-defined or unknown - - {	M. F.		607 488	26 26	7 13	4 3	4 3	8 6	11 10	40 17	71 50	150 77	178 155	96 94	12 34	26 19	59 61	4 8	2 1	2 1	3 3	14 5	28 17	71 34	153 109	270 174	341 424	
		ALL CAUSES - - {	M. F.		32,743 4408	1778 1608	597 511	350 369	1259 1242	1378 1572	1876 1839	2963 2751	5093 4507	6997 6817	5065 6474	2180 2180	979 979	1394 1314	10014 7991	1055 973	268 232	157 168	295 287	384 398	664 550	1160 942	2413 1982	6021 4776	14232 11994	27828 27182

TABLE 22.—Deaths and Death-rates from Selected Causes in Scotland, 1932.

INTERNATIONAL NOS.		CAUSES OF DEATH.		NUMBERS.				DEATH-RATE PER 100,000 OF POPULATION.			
Long List.	Short List.			Scotland.	Large Burghs.	Small Burghs.	Landward.	Scotland.	Large Burghs.	Small Burghs.	Landward.
1, 2	1	Typhoid fever (including Paratyphoid)	-	32	14	2	16	1	1	0	1
7	4	Measles	-	892	587	85	220	18	22	12	15
8	5	Scarlet fever	-	250	158	25	67	5	6	3	5
9	6	Whooping-cough	-	459	308	46	105	9	12	6	7
10	7	Diphtheria	-	368	223	39	106	8	8	5	7
11	8	Influenza	-	1,724	912	279	533	35	34	38	36
18	14 (1)	Cerebro-spinal fever	-	229	154	24	51	5	6	3	3
3-6, 12-17	14 (2)	Other epidemic diseases (2, 3, 9) *	-	281	167	32	82	6	6	4	6
23	10	Tuberculosis of respiratory system	-	2,991	1,892	383	716	61	71	52	48
24-32	11	Other tuberculous diseases	-	1,132	667	155	310	23	25	21	21
19-22, 33-44	14 (3)	Other infectious and parasitic diseases (12, 13)	-	284	180	35	69	6	7	5	5
45-53	15	Cancer, malignant disease	-	7,458	4,159	1,176	2,123	153	156	161	143
59	18	Diabetes mellitus	-	666	345	124	197	14	13	17	13
54-58, 60-77	20	Other general dis., chronic poisonings (16, 17, 19)	-	1,540	796	259	485	32	30	35	33
82	22	Cerebral hæmorrhage, &c.	-	7,210	3,795	1,288	2,127	148	142	176	143
78-81, 83-89	23	Oth. dis. of nerv. system and sense org. (21)	-	1,813	963	293	557	37	36	40	38
90-95	24	Heart disease	-	9,622	5,101	1,654	2,867	197	191	226	193
96-103	25	Other circulatory diseases	-	1,484	773	276	435	30	29	38	29
106	26	Bronchitis	-	3,419	2,111	449	859	70	79	61	58
107-109	27	Pneumonia (all forms)	-	5,430	3,812	505	1,113	111	143	69	75
104, 105, 110-114	28	Other respiratory diseases	-	967	525	159	283	20	20	22	19
117	32 (1)	Gastric and duodenal ulcer	-	608	329	93	186	12	12	13	13
119, 120	29	Diarrhoea, &c. (all ages)	-	1,168	822	105	241	24	31	14	16
121	30	Appendicitis	-	509	283	82	144	10	11	11	10
124	31 (1)	Cirrhosis of liver	-	160	95	31	34	3	4	4	2
125-127	31 (2)	Other diseases of liver, &c.	-	382	196	69	117	8	7	9	8
115, 116, 118, 122,	32 (2)	Other digestive diseases	-	992	532	151	309	20	20	21	21
123, 128, 129	33	Acute and chronic nephritis	-	1,804	995	290	519	37	37	40	35
130-132	34	Other dis. of genito-urinary system	-	882	448	158	276	18	17	22	19
133-139	35	Puerperal sepsis	-	243	158	23	62	5	6	3	4
140, 145	36	Other puerperal causes	-	333	188	43	102	7	7	6	7
141-144, 146-150	37	Diseases of skin and locomotor system	-	413	222	73	118	8	8	10	8
151-156	38	Congen. debil., prem. birth, malform., &c.	-	3,460	1,905	451	1,104	71	71	62	74
157-161	39	Old age	-	2,934	1,201	571	1,162	60	45	78	78
162	40	Suicide	-	500	314	74	112	10	12	10	8
163-171	42	Other violence (41)	-	2,311	1,203	307	801	47	45	42	54
172-198	43	Causes ill-defined or unknown	-	1,095	547	178	370	22	20	24	25
199, 200		ALL CAUSES	-	66,045	37,080	9,987	18,978	1,353	1,389	1,364	1,280

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis and lethargic encephalitis.

TABLE 23.—Deaths from Selected Causes and in Age Groups in Scotland, 1922–1932.

International Nos. Short List.	CAUSES OF DEATH.	1932.	1931.	1930.	1929.	1928.	1927.	1926.	1925.	1924.	1923.	1922.
1	Typhoid fever (including Paratyphoid)	32	31	45	33	43	54	50	58	40	76	67
4	Measles	892	641	792	149	1,005	660	928	512	1,592	1,118	2,695
5	Scarlet Fever	250	161	127	109	140	200	343	404	410	352	247
6	Whooping-cough	459	957	628	901	1,072	850	506	1,737	1,625	989	1,408
7	Diphtheria	368	356	460	471	488	485	490	505	442	492	536
8	Influenza	1,724	1,270	696	3,435	961	2,026	1,421	1,246	2,490	531	3,706
14 (1)	Cerebro-spinal fever	229	290	229	282	156	145	120	100	101	97	113
14 (2)	Other epidemic dis. (2, 3, 9)*	281	304	353	332	322	280	353	336	337	303	255
10	Tuberculosis of respiratory system	2,991	3,004	3,024	3,288	3,318	3,466	3,384	3,734	3,887	3,996	4,061
11	Other tuberculous diseases	1,132	1,201	1,262	1,292	1,404	1,402	1,477	1,656	1,766	1,794	1,757
14 (3)	Other infectious and parasitic diseases (12, 13)	284	261	271	304	317	284	314	274	297	300	333
15	Cancer, malignant disease	7,458	7,158	7,120	7,108	6,901	6,919	6,640	6,675	6,498	6,376	6,133
18	Diabetes mellitus	666	660	604	616	523	519	518	457	487	517	528
20	Other general dis., chronic poisonings (16, 17, 19)	1,540	1,415	1,340	1,497	1,505	1,612	1,701	1,559	1,495	1,512	1,597
22	Cerebral hæmorrhage, &c.	7,210	6,804	6,542	6,693	6,350	6,126	5,998	6,009	6,065	5,860	5,931
23	Other dis. of nervous syst. and sense organs (21)† .	1,813	1,943	2,032	2,138	2,190	2,198	2,274	2,404	2,618	2,555	2,781
24	Heart disease	9,622	9,535	8,936	9,072	8,461	7,904	7,410	7,375	7,339	6,901	6,727
25	Other circulatory diseases	1,484	1,231	1,346	1,406	1,332	1,237	1,188	1,161	1,219	1,114	1,201
26	Bronchitis	3,419	3,673	3,777	4,731	3,491	3,914	3,586	4,027	4,480	3,574	5,127
27	Pneumonia (all forms) . . .	5,430	4,958	5,682	7,143	5,731	5,896	5,262	5,393	6,706	4,674	6,617
28	Other respiratory diseases	967	873	1,021	1,074	1,001	946	990	957	1,007	931	1,125
32 (1)	Gastric and duodenal ulcer	608	579	662	647	604	597	599	451	447	485	466
29	Diarrhoea, &c. (all ages) . .	1,168	919	897	1,019	1,046	1,001	1,094	1,185	1,170	1,202	1,274
30	Appendicitis	509	482	476	499	423	478	483	479	486	515	458
31 (1)	Cirrhosis of liver	160	148	172	171	152	147	177	174	147	170	145
31 (2)	Other diseases of liver, &c.	382	381	403	346	379	352	399	335	275	282	295
32 (2)	Other digestive diseases . .	992	1,027	1,048	1,131	1,129	1,148	1,159	1,137	1,170	1,210	1,242
33	Acute and chronic nephritis	1,804	1,797	1,954	2,023	1,914	1,870	1,834	1,833	1,880	1,799	1,967
34	Other diseases of genito-urinary system	882	873	857	849	935	805	826	804	803	788	731
35	Puerperal sepsis	243	208	221	221	234	184	173	171	184	218	228
36	Other puerperal causes† . .	333	337	436	417	442	438	483	471	438	500	531
37	Diseases of skin and locomotor system	413	465	461	392	378	357	348	373	330	418	402
38	Congenital debility, prem. birth, malformations, &c.	3,460	3,509	3,519	3,671	3,619	3,736	3,951	3,970	4,349	4,250	4,642
39	Old age	2,934	2,924	2,849	3,441	3,310	3,528	3,521	3,576	3,922	3,779	3,973
40	Suicide	500	493	495	474	474	503	424	372	360	327	276
42	Other violence (41)	2,311	2,237	2,565	2,520	2,440	2,454	2,233	2,445	2,239	2,142	2,163
43	Causes ill-defined or unknown	1,095	1,124	983	1,022	1,081	1,109	1,123	1,152	1,256	1,136	1,162
	ALL CAUSES	66,045	64,229	64,285	70,917	65,271	65,830	63,780	65,507	70,357	63,283	72,905
	AGES AT DEATH.											
	Under 1	7,840	7,544	7,852	8,061	8,299	8,576	8,514	9,430	10,446	8,825	11,664
	1–4	3,386	3,306	3,426	4,140	4,247	4,103	4,228	4,819	6,570	4,926	7,524
	5–9	1,108	1,107	1,195	1,160	1,240	1,212	1,143	1,182	1,190	1,178	1,282
	10–14	719	657	737	736	728	805	818	871	927	836	937
	15–24	2,501	2,534	2,489	2,783	2,675	2,582	2,681	2,818	2,881	2,759	3,075
	25–34	2,950	2,798	2,831	3,170	3,026	2,950	3,005	2,953	3,133	3,042	3,551
	35–44	3,715	3,499	3,765	4,201	3,739	3,950	3,739	3,836	4,037	3,818	4,438
	45–54	5,714	5,631	5,784	6,524	5,804	6,089	5,901	5,774	6,143	5,755	6,269
	55–64	9,600	9,417	9,408	10,209	9,135	9,250	8,942	9,089	9,118	8,722	9,187
	65–74	13,814	13,521	13,275	14,609	13,001	12,849	12,099	12,111	12,481	11,610	12,111
	75–84	11,539	11,048	10,464	11,839	10,313	10,264	9,646	9,586	10,371	9,139	9,978
	85 and over	3,159	3,167	3,054	3,485	3,063	3,199	3,064	3,036	3,060	2,672	2,888
	Not stated	5	..	1	1	..	2	..	1	1
	ALL AGES	66,045	64,229	64,285	70,917	65,271	65,830	63,780	65,507	70,357	63,283	72,905

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

† Cerebral softening is included with cerebral hæmorrhage from 1931 onwards.

‡ Post abortive sepsis is included with puerperal sepsis from 1931 onwards.

TABLE 24.—Death-rates from Selected Causes and in Age Groups in Scotland, 1922–1932.

Internal Nos. Short List.		1932.	1931.	1930.	1929.	1928.	1927.	1926.	1925.	1924.	1923.	1922.
CAUSES OF DEATH.		DEATH-RATE PER 100,000 OF POPULATION.										
1	Typhoid fever (including paratyphoid)	1	1	1	1	1	1	1	1	1	2	1
4	Measles	18	13	16	3	21	14	19	11	33	23	55
5	Scarlet fever	5	3	3	2	3	4	7	8	8	7	5
6	Whooping-cough	9	20	13	19	22	18	10	36	33	20	29
7	Diphtheria	8	7	10	10	10	10	10	10	9	10	11
8	Influenza	35	26	14	71	20	42	29	26	51	11	76
14 (1)	Cerebro-spinal fever	5	6	5	6	3	3	2	2	2	2	2
14 (2)	Other epidemic dis. (2, 3, 9)*	6	6	7	7	7	6	7	7	7	6	5
10	Tuberculosis of respiratory system	61	62	63	68	68	71	70	77	80	82	83
11	Other tuberculous diseases	23	25	26	27	29	29	30	34	36	37	36
14 (3)	Other infectious and parasitic diseases (12, 13)	6	5	6	6	7	6	6	6	6	6	7
15	Cancer, malignant disease	153	148	147	147	142	143	137	137	134	130	125
18	Diabetes mellitus	14	14	13	13	11	11	11	9	10	11	11
20	Other general dis., chronic poisonings (16, 17, 19)	32	29	28	31	31	33	35	32	31	31	33
22	Cerebral hæmorrhage, &c.	148	141	135	139	131	126	123	123	125	120	121
23	Other dis. of nerv. syst. and sense organs (21)†	37	40	42	44	45	45	47	49	54	52	57
24	Heart disease	197	197	185	188	175	163	152	152	151	141	137
25	Other circulatory diseases	30	25	28	29	27	25	24	24	25	23	25
26	Bronchitis	70	76	78	98	72	81	74	83	92	73	105
27	Pneumonia (all forms)	111	102	113	148	118	121	108	111	138	96	185
28	Other respiratory diseases	20	18	21	22	21	19	20	20	21	19	23
32 (1)	Gastric and duodenal ulcer	12	12	14	13	12	12	12	9	9	10	10
29	Diarrhœa, &c. (all ages)	24	19	19	21	22	21	22	24	24	25	26
30	Appendicitis	10	10	10	10	9	10	10	10	10	11	9
31 (1)	Cirrhosis of liver	8	3	4	4	3	3	4	4	3	3	3
31 (2)	Other diseases of liver, &c.	8	8	8	7	8	7	8	7	6	6	6
32 (2)	Other digestive diseases	20	21	22	23	23	24	24	23	24	25	25
33	Acute and chronic nephritis	37	37	40	42	39	39	38	38	39	37	40
34	Other diseases of genito-urinary system	18	18	18	18	19	17	17	17	17	16	15
35	Puerperal sepsis	5	4	5	5	5	4	4	4	4	4	5
36	Other puerperal causes	7	7	9	9	9	9	10	10	9	10	11
37	Diseases of skin and locomotor system	8	10	10	8	8	7	7	8	7	9	8
38	Congen. debil., prem. birth, malform., &c.	71	72	73	76	75	77	81	82	89	87	95
39	Old age	60	60	59	71	68	73	72	73	81	77	81
40	Suicide	10	10	10	10	10	10	9	8	7	7	6
42	Other violence (41)	47	46	53	52	50	51	46	50	46	44	44
43	Causes ill-defined or unknown	22	23	20	21	22	23	23	24	26	23	24
ALL CAUSES		1,353	1,326	1,331	1,463	1,346	1,356	1,311	1,346	1,447	1,295	1,488
AGES AT DEATH.		DEATH-RATE PER 1000 OF AGE-GROUP POPULATION.										
Under 1		90·2	86·5	90·3	91·1	92·1	89·6	87·7	94·8	99·8	82·7	101·6
1-4		10·1	10·0	10·1	11·9	11·6	10·9	10·8	12·0	15·6	12·3	19·9
5-9		2·5	2·5	2·6	2·4	2·6	2·7	2·6	2·8	2·9	2·7	2·8
10-14		1·6	1·6	1·8	1·9	1·7	1·8	1·8	1·9	2·0	1·7	1·9
15-24		2·9	3·0	2·9	3·2	3·0	2·9	3·0	3·1	3·2	3·0	3·4
25-34		3·9	3·6	3·7	4·2	4·0	4·0	4·1	4·1	4·4	4·2	5·0
35-44		6·0	5·7	6·2	6·9	6·1	6·5	6·1	6·3	6·5	6·1	7·0
45-54		10·4	10·3	10·5	11·7	10·4	10·9	10·6	10·4	11·2	10·6	11·6
55-64		21·9	21·3	21·8	23·8	21·8	22·6	22·4	23·3	23·8	23·3	24·9
65-74		53·3	55·2	54·5	60·9	55·2	55·7	53·2	54·9	57·2	54·1	57·1
75-84		128·8	137·9	135·2	150·0	130·1	131·9	126·9	128·9	137·4	124·5	134·7
85 and over		273·8	301·4	289·6	328·6	289·0	302·2	284·2	292·9	274·7	243·9	260·2
Not stated
ALL AGES		13·5	13·3	13·3	14·5	13·3	13·5	13·0	13·4	14·4	12·9	14·9

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

† Cerebral softening is included with cerebral hæmorrhage from 1931 onwards.

TABLE 25.—DEATHS in SCOTLAND from PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1932. Quinquennial averages.

YEAR.	NUMBER OF DEATHS FROM														
	Typhoid Fever.*	Typhus Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Tuberculosis.		Syphilis.	Cancer.	Bronchitis.†	Pneumonia.†	All Diarrhoeal Diseases.‡	Violence.
								All Forms.	Respiratory.						
1855-60	2573		995	1223	2766	2035	1226	10,140	7194	87	953	3538	2104	2976	2034
1861-65	3633		992	1377	2423	2193	2549	11,171	7914	134	1207	5768	2071	2604	2216
1866-70	1346	1799	99	1206	3427	2064	1537	11,983	8472	180	1348	7095	2284	3212	2273
1871-75	1406	779	1268	1311	3591	2015	2090	12,262	8535	201	1569	8680	3072	3202	2756
1876-80	1341	276	20	1166	1873	2347	1733	12,213	8338	218	1792	8762	3135	3061	2686
1881-85	1029	162	17	1359	1340	2273	1680	11,099	7998	246	2058	7916	4075	2766	2725
1886-90	765	91	10	1628	882	2425	1623	10,192	7436	229	2441	7509	4270	2734	2628
1891-95	761	57	51	2110	811	2151	1513	9,935	7169	194	2831	7600	5229	3215	2842
1896-1900	716	39	14	1857	756	2206	921	10,149	7151	213	3351	6238	5656	3825	3128
1901-05	521	25	118	1470	403	2222	770	9,790	6618	206	3845	5570	6578	3166	3084
1906-10	322	14	2	1647	399	1841	839	9,464	6079	229	4663	5017	6717	2697	2941
1911-15	207	8	5	1583	649	1951	857	8,011	5214	208	5207	5046	6132	2502	3105
1916-20	109	10	31	1264	287	1330	734	7,073	4781	196	5574	4999	8545	1820	3014
1921	87	4	24	269	270	1478	611	5,737	3970	199	5962	4135	5393	1991	2702
1922	65	7	-	2695	247	1408	536	5,818	4061	162	6133	5730	8265	1244	2444
1923	67	1	-	1118	352	989	492	5,790	3996	168	6376	3635	4840	1159	2469
1924	34	-	-	1592	410	1625	442	5,653	3887	151	6498	4843	7691	1147	2599
1925	52	4	-	512	404	1737	505	5,390	3734	114	6675	4191	5821	1168	2817
1921-25	61	3	5	1237	337	1447	517	5,678	3930	159	6329	4507	6402	1342	2606
1926	39	3	-	928	343	506	490	4,861	3384	147	6640	3771	5844	1084	2657
1927	41	2	-	660	200	850	485	4,868	3466	104	6919	4231	6642	976	2957
1928	29	-	-	1005	140	1072	488	4,722	3318	126	6901	3585	6098	1016	2914
1929	18	-	-	149	109	901	471	4,580	3238	125	7108	5344	8778	959	2994
1930	24	1	2	792	127	628	460	4,286	3024	119	7120	3869	5958	854	3060
1926-30	30	1	0	707	184	791	479	4,663	3296	124	6938	4160	6664	978	2916
1931	31	1	0	641	161	957	356	4,205	3004	112	7158	3879	5417	885	2730
1932	32	0	0	892	250	459	368	4,123	2991	115	7458	3645	6163	1129	2811

* Including Paratyphoid fever from 1931.

† Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given.

‡ Including Dysentery.

TABLE 26.—DEATH-RATE per 100,000 of Population in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1932. Quinquennial averages.

YEAR.	Typhoid Fever.*		Typhus Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Tuberculosis.		Syphilis.	Cancer.	Bronchitis.†	Pneumonia.†	All Diarrhoeal Diseases.†	Violence.
	All Forms.	Respiratory.														
1855-60	92			36	44	98	72	43	360	255	3	34	125	75	106	72
1861-65	122			33	46	81	73	85	375	266	4	40	194	70	88	74
1866-70	43	57		3	38	109	66	51	382	270	6	43	226	73	102	72
1871-75	42	23		38	39	106	60	62	365	254	6	47	258	91	95	82
1876-80	38	8	-	-	33	52	66	49	343	234	6	50	246	88	86	76
1881-85	27	4	-	-	36	36	61	45	296	213	6	55	211	109	74	73
1886-90	20	2	-	-	41	23	62	41	261	190	6	62	192	109	70	67
1891-95	19	1	1		51	20	53	37	243	175	5	69	186	128	79	70
1896-1900 }	17	1	-		43	18	51	22	235	166	5	78	145	131	89	73
1901-05	11	-	3		32	9	49	17	218	148	5	86	124	146	71	69
1906-10	7	-	-		35	9	40	18	204	131	5	100	108	144	58	63
1911-15	5	-	-		33	13	41	18	169	110	5	110	106	129	53	65
1916-20	2	-	1		26	6	28	15	147	99	4	116	104	177	38	63
1921	2	-	-		6	6	30	13	118	81	4	122	85	110	41	55
1922	1	-	-		55	5	29	11	119	83	3	125	117	169	25	50
1923	1	-	-		23	7	20	10	118	82	3	130	74	99	24	51
1924	1	-	-		33	8	33	9	116	80	3	134	100	158	24	53
1925	1	-	-		11	8	36	10	111	77	2	137	86	120	24	58
1921-25	1	-	-		26	7	30	11	117	81	3	130	92	131	23	53
1926	1	-	-		19	7	10	10	100	70	3	137	78	120	22	55
1927	1	-	-		14	4	18	10	100	71	2	143	87	137	20	61
1928	1	-	-		21	3	22	10	97	68	3	142	74	126	21	60
1929	0	-	-		3	2	19	10	95	68	3	147	111	182	20	62
1930	0	-	-		16	3	13	10	89	63	2	147	80	123	18	63
1926-30	1	-	-		15	4	16	10	96	68	3	143	86	137	20	60
1931	1	-	-		13	3	20	7	87	62	2	148	80	112	18	56
1932	1	-	-		18	5	9	8	84	61	2	153	75	126	23	58

*, †, ‡. See footnotes, Table 25.

TABLE 27.—Deaths and Death-rates from Puerperal Conditions in Scotland in 1932.

	Births.	Deaths from all Puerperal Conditions.	Deaths from Puerperal Sepsis.	Deaths from other Puerperal Conditions.	Death-rate per 1000 Births.		
					All Puerperal Conditions.	Puerperal Sepsis.	Other Puerperal Conditions.
SCOTLAND . . .	91,000	576	243	333	6·3	2·7	3·7
LARGE BURGHES . . .	51,234	346	158	188	6·8	3·1	3·7
SMALL BURGHES . . .	12,477	66	23	43	5·3	1·8	3·4
LANDWARD . . .	27,289	164	62	102	6·0	2·3	3·7
ABERDEEN COUNTY . . .	6,004	37	21	16	6·2	3·5	2·7
Aberdeen Burgh (including Kincardine portion)	3,188	24	15	9	7·5	4·7	2·8
Remainder of County .	3,094	13	6	7	4·2	1·9	2·3
ANGUS COUNTY . . .	4,716	22	10	12	4·7	2·1	2·5
Arbroath Burgh . . .	275	1	—	1	3·6	—	3·6
Dundee Burgh . . .	3,276	15	7	8	4·6	2·1	2·4
Remainder of County .	1,165	6	3	3	5·2	2·6	2·6
ARGYLL COUNTY . . .	859	3	1	2	3·5	1·2	2·3
AYR COUNTY . . .	5,522	33	11	22	6·0	2·0	4·0
Ayr Burgh . . .	720	6	3	3	8·3	4·2	4·2
Kilmarnock Burgh . .	748	—	—	—	—	—	—
Remainder of County .	4,054	27	8	19	6·7	2·0	4·7
BANFF COUNTY . . .	1,079	6	2	4	5·6	1·9	3·7
BERWICK COUNTY . . .	342	1	—	1	2·9	—	2·9
BUTE COUNTY . . .	220	1	—	1	4·5	—	4·5
CAITHNESS COUNTY . .	467	4	1	3	8·6	2·1	6·4
CLACKMANNAN COUNTY .	536	3	3	—	5·6	5·6	—
DUMBARTON COUNTY . .	2,741	22	11	11	8·0	4·0	4·0
Clydebank Burgh . . .	967	8	5	3	8·3	5·2	3·1
Dumbarton Burgh . . .	443	3	1	2	6·8	2·3	4·5
Remainder of County .	1,331	11	5	6	8·3	3·8	4·5
DUMFRIES COUNTY . . .	1,457	1	—	1	0·7	—	0·7
Dumfries Burgh . . .	418	—	—	—	—	—	—
Remainder of County .	1,039	1	—	1	1·0	—	1·0
EAST LOTHIAN COUNTY .	864	2	—	2	2·3	—	2·3
FIFE COUNTY . . .	4,816	26	12	14	5·4	2·5	2·9
Dunfermline Burgh . .	550	1	1	—	1·8	1·8	—
Kirkcaldy Burgh . . .	743	8	4	4	10·8	5·4	5·4
Remainder of County .	3,523	17	7	10	4·8	2·0	2·8
INVERNESS COUNTY . .	1,365	10	1	9	7·3	0·7	6·6
Inverness Burgh . . .	415	6	1	5	14·5	2·4	12·0
Remainder of County .	950	4	—	4	4·2	—	4·2
KINCARDINE COUNTY . .	759	2	—	2	2·6	—	2·6
Aberdeen Burgh (part)	278	—	—	—	—	—	—
Remainder of County .	481	2	—	2	4·2	—	4·2

TABLE 27—continued.

	Births.	Deaths from all Puerperal Conditions.	Deaths from Puerperal Sepsis.	Deaths from other Puerperal Conditions.	Death-rate per 1000 Births.		
					All Puerperal Conditions.	Puerperal Sepsis.	Other Puerperal Conditions.
KINROSS COUNTY . .	115	1	—	1	8·7	—	8·7
KIRKCUDBRIGHT COUNTY	540	7	2	5	13·0	3·7	9·3
LANARK COUNTY . .	33,325	240	110	130	7·2	3·3	3·9
Airdrie Burgh . .	574	3	3	—	5·2	5·2	—
Coatbridge Burgh . .	1,046	5	—	5	4·8	—	4·8
Glasgow Burgh . .	22,732	179	82	97	7·9	3·6	4·3
Hamilton Burgh . .	880	1	—	1	1·1	—	1·1
Motherwell and Wishaw Burgh	1,366	12	7	5	8·8	5·1	3·7
Rutherglen Burgh . .	391	1	—	1	2·6	—	2·6
Remainder of County .	6,336	39	18	21	6·2	2·8	3·3
MIDLOTHIAN COUNTY .	8,630	42	19	23	4·9	2·2	2·7
Edinburgh Burgh . .	6,960	37	15	22	5·3	2·2	3·2
Remainder of County .	1,670	5	4	1	3·0	2·4	0·6
MORAY COUNTY . .	776	1	—	1	1·3	—	1·3
NAIRN COUNTY . .	163	—	—	—	—	—	—
ORKNEY COUNTY . .	300	3	—	3	10·0	—	10·0
PEEBLES COUNTY . .	190	1	—	1	5·3	—	5·3
PERTH COUNTY . .	1,724	10	5	5	5·8	2·9	2·9
Perth Burgh . .	528	3	2	1	5·7	3·8	1·9
Remainder of County .	1,196	7	3	4	5·9	2·5	3·3
RENFREW COUNTY . .	5,503	41	18	23	7·5	3·3	4·2
Greenock Burgh . .	1,703	12	3	9	7·0	1·8	5·3
Paisley Burgh . .	1,650	10	5	5	6·1	3·0	3·0
Port Glasgow Burgh .	508	5	3	2	9·8	5·9	3·9
Remainder of County .	1,642	14	7	7	8·5	4·3	4·3
ROSS & CROMARTY COUNTY	924	5	2	3	5·4	2·2	3·2
ROXBURGH COUNTY .	679	6	1	5	8·8	1·5	7·4
SELKIRK COUNTY . .	296	1	1	—	3·4	3·4	—
STIRLING COUNTY . .	3,313	25	6	19	7·5	1·8	5·7
Falkirk Burgh . .	702	6	1	5	8·5	1·4	7·1
Stirling Burgh . .	451	—	—	—	—	—	—
Remainder of County .	2,160	19	5	14	8·8	2·3	6·5
SUTHERLAND COUNTY .	223	—	—	—	—	—	—
WEST LOTHIAN COUNTY .	1,680	12	5	7	7·1	3·0	4·2
WIGTOWN COUNTY . .	599	7	1	6	11·7	1·7	10·0
ZETLAND COUNTY . .	273	1	—	1	3·7	—	3·7

TABLE 28.—Deaths from Malignant Disease in Scotland in 1932.

International List No.	LOCATION.	All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over
			MALES.														
45	All Sites	3408	8	2	31	61	62	78	165	277	430	556	617	557	370	158	36
	Lip	32	-	-	-	-	-	-	-	2	2	3	9	7	4	4	1
	Mouth	55	-	-	1	1	-	-	1	4	7	12	11	6	4	7	1
	Tongue	112	-	-	-	-	-	2	5	10	18	25	19	22	9	2	-
	Jaw	57	1	-	-	2	-	1	3	2	6	12	10	11	6	2	1
	Salivary Glands, Parotid	12	-	-	-	1	1	-	-	1	1	3	2	3	-	-	-
	Tonsils	13	-	-	-	-	-	1	-	-	2	2	4	2	1	1	-
46	Pharynx	31	-	-	-	1	2	-	-	4	6	6	7	3	1	1	-
	Buccal Cavity, &c.—TOTAL	312	1	-	1	5	3	4	9	23	42	63	62	54	25	17	3
	Esophagus, Gullet	151	-	-	-	2	2	-	9	16	21	26	29	26	15	5	-
	Stomach, Pylorus	892	-	-	3	12	19	19	52	82	117	144	161	140	96	39	8
	Intestine	527	-	-	4	5	8	12	20	32	58	95	93	90	76	28	6
	Rectum	283	-	-	2	6	5	6	6	19	33	51	58	50	35	10	2
	Anus	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
47	Liver, Gall Bladder	213	1	-	1	2	3	4	9	15	28	27	42	53	18	5	5
	Pancreas	81	-	-	1	-	2	3	5	5	9	10	16	16	9	3	2
	Peritoneum, Omentum, Mesentery	13	-	-	1	-	1	1	-	2	3	2	1	1	1	-	-
	Digestive Organs, &c.— TOTAL	2162	1	-	12	27	40	45	101	171	269	355	400	377	250	90	24
	Larynx	61	-	-	1	-	-	-	5	8	5	12	12	10	6	2	-
	Lung	173	-	-	1	8	8	12	16	30	27	23	26	18	3	1	-
	Pleura	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
50	Mediastinum	63	-	-	2	3	2	3	7	10	11	10	4	3	5	3	-
	Respiratory Organs—TOTAL	300	-	-	4	11	10	15	29	48	44	45	43	31	14	6	-
	Breast	7	-	-	-	1	-	-	1	-	-	-	1	1	2	-	1
	Kidney	46	1	2	2	2	1	2	1	2	11	4	13	2	1	2	-
	Bladder, Urethra	92	-	-	-	1	-	4	6	5	11	12	12	20	16	3	2
	Prostate	154	-	-	-	-	-	-	2	6	11	23	29	32	32	16	3
	Testis	15	1	-	1	5	3	-	-	-	1	2	2	-	-	-	-
51	Penis	19	1	-	-	-	-	-	-	1	3	2	3	5	2	1	1
	Scrotum	8	-	-	-	-	-	-	1	-	1	2	2	-	2	-	-
	Male Genito-Urinary Organs—TOTAL	334	3	2	3	8	4	6	10	14	38	45	61	59	53	22	6
	Ear	9	-	-	-	-	-	-	1	1	-	-	1	2	2	2	-
	Nose	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Scalp and Face	41	-	-	1	-	-	-	3	1	5	6	7	4	4	8	2
	Skin	6	-	-	-	-	-	-	-	1	2	-	1	-	1	1	-
52	Skin—TOTAL	60	-	-	1	-	-	-	4	3	8	8	9	6	7	12	2
	Pelvis, Sacrum	12	-	-	-	-	-	-	-	-	-	4	5	3	-	-	-
	Rib and Sternum	3	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-
	Skull and Spinal Column	22	2	-	1	-	-	-	1	3	5	6	-	3	1	-	-
	Arm and Leg	42	-	-	4	5	2	3	1	5	3	2	5	4	6	2	-
	Thyroid	6	-	-	-	-	-	-	1	-	-	2	1	2	1	-	-
	Throat	26	-	-	-	-	-	1	2	-	5	5	6	5	-	2	-
53	Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Thorax	6	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-
	Suprarenals	4	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-
	Spleen	2	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-
	Abdomen	34	-	-	-	1	1	-	1	2	6	8	7	3	4	1	-
	Brain	6	-	-	-	1	1	-	1	1	-	1	-	-	1	-	-
	Eye and Orbit	3	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-
54	Spinal Cord	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Lymphatic Glands	55	1	-	3	1	1	2	1	5	9	7	11	7	4	3	-
	Others	7	-	-	-	-	-	-	-	-	-	2	1	1	1	2	-
	(Not stated	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Other or Unspecified Organs—TOTAL	233	3	-	10	9	5	8	11	18	29	40	41	29	19	11	-

TABLE 28—continued.

International List No.	LOCATION.	All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over
		FEMALES.															
	All Sites	4050	8	7	16	56	104	158	256	378	474	580	571	652	437	251	102
45	Lip	6	-	-	-	-	-	-	-	1	-	1	1	-	2	-	1
	Mouth	11	-	-	-	-	-	-	1	-	1	1	2	2	-	-	4
	Tongue	12	-	-	-	-	-	1	1	-	1	1	1	2	3	1	-
	Jaw	20	-	-	-	-	-	-	1	2	2	4	2	6	3	-	-
	Salivary Glands, Parotid	5	-	-	-	-	-	-	1	1	-	-	1	2	-	-	-
	Tonsils	9	-	-	-	1	-	-	-	-	1	1	2	1	-	3	-
	Pharynx	17	-	-	-	-	-	-	3	4	3	3	-	2	1	-	1
	Buccal Cavity, &c.—TOTAL	80	-	-	-	1	-	1	7	8	9	11	9	15	9	4	6
46	Esophagus, Gullet	86	-	-	-	-	2	5	2	13	11	14	11	15	9	4	-
	Stomach, Pylorus	852	-	-	1	5	7	13	25	62	86	129	148	171	119	66	20
	Intestine	664	-	1	2	3	15	18	23	51	53	87	96	142	87	64	22
	Rectum	185	-	-	1	4	4	8	7	14	25	20	27	31	26	14	4
	Anus	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Liver, Gall Bladder	306	-	-	1	2	4	4	8	20	32	47	63	52	41	24	8
	Pancreas	92	-	-	-	-	1	2	12	10	15	12	14	10	12	4	-
	Peritoneum, Omentum, Mesentery	19	-	-	1	1	2	1	-	1	5	2	-	4	-	2	-
	Digestive Organs, &c.— TOTAL	2207	-	1	6	15	35	51	77	171	227	311	360	426	295	178	54
47	Larynx	34	-	-	-	-	1	-	4	7	5	4	4	6	2	-	1
	Lung	76	-	1	2	4	4	2	6	7	11	13	13	6	6	-	1
	Pleura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Mediastinum	47	-	1	-	2	1	1	4	7	8	8	5	5	4	-	1
	Respiratory Organs—TOTAL	157	-	2	2	6	6	3	14	21	24	25	22	17	12	-	3
48	Cervix	121	-	-	-	4	10	17	16	11	20	13	10	15	3	2	-
	Uterus	329	-	-	1	8	18	31	33	40	43	47	41	38	17	8	4
	Uterus—TOTAL	450	-	-	1	12	28	48	49	51	63	60	51	53	20	10	4
49	Ovary, Fallopian Tube	140	-	-	2	11	5	13	16	21	20	20	12	14	4	2	-
	Vagina, Vulva	49	-	-	-	-	1	-	-	4	5	8	11	9	8	2	1
	Other Female Genital Organs—TOTAL	189	-	-	2	11	6	13	16	25	25	28	23	23	12	4	1
50	Breast	630	-	-	2	5	19	34	70	88	82	97	60	68	47	36	22
52	Ear	5	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-
	Nose	4	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-
	Scalp and Face	45	-	-	-	-	1	1	-	3	3	5	3	7	10	7	5
	Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	Skin—TOTAL	56	-	-	-	-	1	1	-	5	3	7	4	9	12	7	7
53	Pelvis, Sacrum	18	1	1	-	2	-	1	1	1	1	3	3	4	-	-	-
	Rib and Sternum	4	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-
	Skull and Spinal Column	14	2	-	1	-	-	-	2	-	4	1	2	1	1	-	-
	Arm and Leg	32	-	-	2	-	1	1	2	-	6	1	4	5	4	3	3
	Thyroid	16	-	-	-	-	-	1	2	-	3	5	3	1	1	-	-
	Throat	6	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
	Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Thorax	5	-	-	-	-	-	-	1	-	2	-	1	-	1	-	-
	Kidneys	43	2	2	-	1	1	1	2	2	9	9	4	5	3	1	1
	Suprarenals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Bladder	32	-	-	-	-	1	-	4	2	2	7	5	6	3	2	-
	Spleen	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
	Abdomen	58	-	-	-	1	2	1	6	3	5	8	12	9	8	3	-
	Brain	5	-	-	-	-	-	1	-	-	2	-	1	-	1	-	-
	Eye and Orbit	9	-	-	-	-	1	-	1	-	2	-	1	2	2	-	-
	Spinal Cord	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	Lymphatic Glands	28	3	-	-	1	2	1	1	1	2	4	4	4	3	2	-
	Others	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	(Not Stated	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1
	Other or Unspecified Organs—TOTAL	281	8	4	3	6	9	7	23	9	41	41	42	41	30	12	5

TABLE 29.—Deaths from Suicide in Scotland in 1932.

	Scotland.	Large Burghs.	Rest of Scotland.
TOTAL { M. F.	353 147	217 97	136 50
Cut; Stab { M. F.	52 14	26 9	26 5
Drowning { M. F.	48 17	34 10	14 7
Gunshot Wounds { M. F.	26 —	9 —	17 —
Hanging { M. F.	38 6	14 1	24 5
Poison { M. F.	166 98	118 70	48 28
Precipitation { M. F.	12 7	12 6	— 1
Railways { M. F.	10 3	4 —	6 3
Otherwise or not stated . { M. F.	1 2	— 1	1 1

TABLE 30.—Deaths from Poison in Scotland in 1932.

ACCIDENTAL POISONING.

Name of Poison.	Males.	Females.	TOTAL.	Name of Poison.	Males.	Females.	TOTAL.
Narcotic, - - -	1	1	2	Brought forward,	3	4	7
Ammonia and Turpentine, -	-	1	1	Poisonous Vapours:—			
Luminal, - - -	-	1	1	Coal gas, - - -	14	11	25
Veronal, - - -	1	-	1	Carbon monoxide,	2	1	3
Oil of Wintergreen, -	1	-	1	Motor car fumes, -	2	-	2
Chlorodyne, - - -	-	1	1	Paraffin stove fumes,	1	-	1
Carried forward,	3	4	7	Total, - - -	22	16	38

SUICIDAL POISONING.

Coal gas, - - -	106	48	154	Brought forward,	162	92	254
Carbolic Acid and				Camphorated Oil, -	1	-	1
Phenol, - - -	3	1	4	Chloral Hydrate and			
Lysol, - - -	45	38	83	Potassium Bromide,	-	1	1
Creosote - - -	-	1	1	Chloroform, - - -	-	1	1
Izal, - - -	1	-	1	Corrosive Sublimate,	-	1	1
Jeyes Fluid, - - -	1	-	1	Corrosive (unspecified),	1	-	1
Cyanide and Potassium				Dial, - - -	-	1	1
Cyanide, - - -	2	-	2	Ether, - - -	-	1	1
Arsenic, - - -	1	1	2	Motor car fumes, -	1	-	1
Hydrochloric Acid, -	1	1	2	Photographic developer			
Strychnine, - - -	1	1	2	tablets, - - -	1	-	1
Morphine, - - -	1	-	1	Veronal, - - -	-	1	1
Omnopon, - - -	-	1	1				
Carried forward,	162	92	254		166	98	264

DEATHS UNDER ANÆSTHETICS (Secondary Cause).

Chloroform and Ether,	27	21	48	Brought forward,	86	65	151
Chloroform, - - -	27	10	37	Neocaine, - - -	1	1	2
Ether, - - -	17	10	27	Durocaine, - - -	-	1	1
Nitrous Oxide, - - -	6	12	18	Novocaine, - - -	-	1	1
Ether and Ethyl				Percaïne and Nitrous			
Chloride, - - -	7	1	8	Oxide, - - -	-	1	1
Nitrous Oxide and				Planocaine, - - -	1	-	1
Ether, - - -	1	3	4	Spinocaine, - - -	1	-	1
Percaïne, - - -	1	3	4	Stovaine, - - -	-	1	1
Morocaine, - - -	-	3	3	Ethyl Chloride, Chloro-			
Ethyl Chloride, - - -	-	2	2	form and Ether, -	-	1	1
Carried forward,	86	65	151	Not stated, - - -	1	-	1
				Total - - -	90	71	161

TABLE 31.—Deaths in Scotland from Selected Causes of Children aged under One Year, 1932.

CAUSES OF DEATH.	Total.	DEATHS—AGE.								
		Under 1 day.	1 to 6 days.	1 week.	2 weeks.	3 and 4 weeks.	1 to 2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
Measles - - - - { M.	135	-	-	-	-	-	4	10	46	75
- - - - { F.	126	-	-	-	1	-	-	14	30	81
Whooping-cough - - { M.	100	-	-	-	1	3	17	16	34	29
- - - - { F.	112	-	-	-	-	3	16	27	34	32
Diphtheria - - - - { M.	16	-	-	-	-	1	2	1	2	10
- - - - { F.	12	-	-	-	1	-	1	2	4	4
Erysipelas - - - - { M.	12	-	-	1	2	-	3	4	2	-
- - - - { F.	14	-	-	1	-	1	4	5	3	-
Cerebro-spinal fever - - { M.	58	-	-	-	-	-	8	23	19	8
- - - - { F.	32	-	-	-	-	1	3	12	8	8
Tubercular meningitis - { M.	44	-	-	-	-	-	1	16	9	18
- - - - { F.	41	-	-	-	-	-	4	12	13	12
Abdominal tuberculosis - { M.	7	-	-	-	-	-	1	3	-	3
- - - - { F.	7	-	-	-	-	-	1	2	2	2
Other tuberculous diseases { M.	20	-	-	-	-	-	2	6	7	5
- - - - { F.	18	-	-	-	-	-	-	9	4	5
Syphilis - - - - { M.	15	-	-	-	1	-	7	4	1	2
- - - - { F.	13	-	1	1	1	-	5	2	3	-
Convulsions - - - - { M.	113	1	19	7	7	7	14	41	6	11
- - - - { F.	87	1	12	6	6	4	22	19	10	7
Bronchitis - - - - { M.	180	-	1	3	13	11	62	48	30	12
- - - - { F.	169	-	1	11	11	12	61	34	22	17
Pneumonia (all forms) - { M.	909	1	8	14	22	21	180	269	230	164
- - - - { F.	690	-	3	13	12	20	125	212	143	162
Other respiratory diseases - { M.	31	1	2	3	2	3	7	4	5	4
- - - - { F.	29	-	4	2	5	-	5	7	1	5
Diarrhoea - - - - { M.	429	-	2	10	16	12	118	169	72	30
- - - - { F.	327	-	3	3	9	8	88	120	61	35
Other digestive diseases - { M.	77	-	3	3	1	1	16	24	20	9
- - - - { F.	35	-	2	-	1	-	3	12	14	3
Congenital malformations - { M.	315	50	75	32	17	20	69	27	17	8
- - - - { F.	214	38	46	18	18	9	38	28	15	4
Congenital debility - - - { M.	465	68	110	39	38	31	105	54	13	7
- - - - { F.	348	51	70	40	30	36	70	31	14	6
Premature birth - - - { M.	923	422	270	82	56	50	37	5	-	1
- - - - { F.	670	306	176	52	55	34	41	5	1	-
Injury at birth - - - { M.	107	33	59	5	3	4	3	-	-	-
- - - - { F.	92	33	49	6	2	1	1	-	-	-
Other infantile diseases - { M.	144	32	65	20	16	7	4	-	-	-
- - - - { F.	128	42	52	19	9	1	3	1	-	1
Accidental mechanical suffocation { M.	17	-	-	-	3	2	7	5	-	-
- - - - { F.	27	1	4	3	1	2	10	5	1	-
All other causes - - - { M.	291	11	13	11	9	16	48	61	65	57
- - - - { F.	241	16	9	9	8	7	47	52	46	47
Total—Males -	4408	619	627	230	207	189	715	790	578	453
Females -	3432	488	432	184	170	139	548	611	429	431
Both Sexes -	7840	1107	1059	414	377	328	1263	1401	1007	884

TABLE 32.—Month of Registration of Children aged under One Year dying from Selected Causes in Scotland in 1932.

CAUSES OF DEATH.	Total.	MONTH OF REGISTRATION OF DEATH.											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Measles - - - - -	261	38	44	66	44	37	21	3	4	-	1	-	3
Whooping-cough - - - -	212	10	20	21	25	27	19	11	18	10	7	12	32
Diphtheria - - - - -	28	7	2	5	2	1	1	-	1	-	3	4	2
Erysipelas - - - - -	26	3	1	2	1	6	1	1	1	2	1	5	2
Cerebro-spinal fever - - -	90	6	12	8	7	10	8	3	7	4	11	5	9
Tubercular meningitis - - -	85	9	12	12	11	7	4	4	6	5	5	4	6
Abdominal tuberculosis - - -	14	1	2	2	1	1	2	-	-	1	2	1	1
Other tuberculous diseases - -	38	4	3	4	3	3	5	6	2	3	-	2	3
Syphilis - - - - -	28	4	4	4	2	-	2	4	1	4	-	-	3
Convulsions - - - - -	200	19	22	18	16	24	12	17	8	10	13	20	21
Bronchitis - - - - -	349	34	56	55	26	27	19	17	11	3	21	31	49
Pneumonia (all forms) - - -	1,599	120	274	315	150	99	63	58	50	55	66	119	230
Other respiratory diseases - -	60	4	10	4	6	7	7	2	3	1	1	1	14
Diarrhoea - - - - -	756	56	67	49	50	69	61	55	98	75	74	53	49
Other digestive diseases - - -	112	7	7	14	12	15	9	5	10	5	10	9	9
Congenital malformations - - -	529	48	44	58	56	45	34	42	44	40	37	40	41
Congenital debility - - - -	813	73	62	84	105	84	67	51	53	49	53	61	71
Premature birth - - - - -	1,593	136	153	163	142	145	115	119	109	107	116	130	158
Injury at birth - - - - -	199	17	12	18	22	26	17	15	22	8	14	16	12
Other infantile diseases - - -	272	23	22	23	23	21	11	22	26	22	23	25	26
Accidental mechanical suffocation -	44	2	6	3	4	7	1	1	4	2	3	7	4
All other causes - - - - -	532	52	62	75	55	47	26	24	30	22	35	54	50
Total - - - - -	7,840	673	897	1003	763	708	505	460	508	428	501	599	795

TABLE 33.—Births, Deaths under one year by age-periods, and Death-rates per 1000 Births in Scotland—1932.

DEATHS—AGE.																					
Number of Births.	Under 1 Day.		1-6 Days.		1 Week.		2 Weeks.		3 and 4 Weeks.		1-2 Months.		3-5 Months.		6-8 Months.		9-11 Months.		Under 1 Year (Total).		
	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	
Scotland	91,000	1,107	12.2	1,059	11.6	414	4.4	377	4.1	328	3.6	1,263	13.9	1,401	15.4	1,007	11.1	884	9.7	7,840	86.2
Large Burghs	51,234	638	12.5	566	11.0	241	4.7	213	4.3	180	3.5	824	16.1	988	19.3	684	13.4	620	12.1	4,959	96.8
Other Districts	39,766	469	11.8	493	12.4	173	4.4	159	4.0	148	3.7	439	11.0	413	10.4	323	8.1	264	6.6	2,881	72.4
ABERDEEN COUNTY	6,004	79	13.2	63	10.5	21	3.5	26	4.3	24	4.0	89	14.8	81	13.5	45	7.5	49	8.2	477	79.4
Aberdeen Burgh (incl. Kincardine port.)	3,188	43	13.5	38	11.9	12	3.8	21	6.6	10	3.1	53	16.6	46	14.4	36	11.3	37	11.6	296	92.8
Remainder of County	3,094	39	12.6	29	9.4	11	3.6	8	2.6	16	5.2	39	12.6	40	12.9	13	4.2	13	4.2	208	67.2
ANGUS COUNTY	4,716	53	11.2	59	12.5	21	4.5	10	2.1	14	3.0	43	9.1	49	10.4	34	7.2	37	7.8	320	67.9
Arbroath Burgh	275	3	10.9	8	29.1	1	3.6	4	14.5	4	14.5	20	72.7
Dundee Burgh	3,276	38	11.6	37	11.3	15	4.6	8	2.4	7	2.1	28	8.5	40	12.2	31	9.5	32	9.8	236	72.0
Remainder of County	1,165	12	10.3	14	12.0	5	4.3	2	1.7	7	6.0	11	9.4	5	4.3	3	2.6	5	4.3	64	54.9
ARGYLL COUNTY	859	8	9.3	12	14.0	3	3.5	5	5.8	2	2.3	8	9.3	5	5.8	4	4.7	5	5.8	52	60.5
AYR COUNTY	5,522	71	12.9	67	12.1	26	4.7	31	5.6	18	3.3	54	9.8	64	11.6	43	7.8	34	6.2	408	74.2
Ayr Burgh	720	14	19.4	9	12.5	5	6.9	1	1.4	10	13.9	7	9.7	4	5.6	9	12.5	59	81.9
Kilmarnock Burgh	748	9	12.0	9	12.0	5	6.7	3	4.0	3	4.0	10	13.4	15	20.1	6	8.0	3	4.0	63	84.2
Remainder of County	4,054	48	11.8	49	12.1	16	3.9	28	6.9	14	3.5	34	8.4	42	10.4	33	8.1	22	5.4	236	70.5
BANFF COUNTY	1,079	11	10.2	11	10.2	4	3.7	6	5.6	4	3.7	17	15.8	10	9.3	14	13.0	3	2.8	80	74.1
BERWICK COUNTY	342	2	5.8	9	26.3	3	8.8	1	2.9	3	8.8	1	2.9	1	2.9	20	58.5
BUTE COUNTY	220	2	9.1	3	13.6	1	4.5	3	13.6	1	4.5	1	4.5	11	50.0
CAITHNESS COUNTY	467	5	10.7	9	19.3	4	8.6	2	4.3	5	10.7	5	10.7	1	2.1	31	66.4
CLACKMANNAN COUNTY	536	5	9.3	4	7.5	1	1.9	2	3.7	2	3.7	8	14.9	4	7.5	3	5.6	8	14.9	37	69.0
DUMBERTON COUNTY	2,741	40	14.6	36	13.1	16	5.8	15	5.5	7	2.6	21	7.7	35	12.8	32	11.7	23	8.4	225	82.1
Clydebank Burgh	967	16	16.5	9	9.3	7	7.2	5	5.2	1	1.0	5	5.2	12	12.4	14	14.5	5	5.2	74	76.5
Dumbarton Burgh	443	5	11.3	8	18.1	4	9.0	5	11.3	5	11.3	5	11.3	3	6.8	3	6.8	38	85.8
Remainder of County	1,331	19	14.3	19	14.3	5	3.8	5	3.8	6	4.5	11	8.3	18	13.5	15	11.3	15	11.3	113	84.9
DUMFRIES COUNTY	1,457	14	9.6	20	13.7	7	4.8	5	3.4	6	4.1	13	8.9	12	8.2	7	4.8	5	3.4	89	61.1
Dumfries Burgh	418	5	12.0	3	7.2	1	2.4	1	2.4	2	4.8	7	16.7	5	12.0	1	2.4	2	4.8	27	64.6
Remainder of County	1,039	9	8.7	17	16.4	6	5.8	4	3.8	4	3.8	6	5.8	7	6.7	6	5.8	3	2.9	62	59.7
EAST LOTHIAN COUNTY	864	15	17.4	13	15.0	4	4.6	2	2.3	12	13.9	3	3.5	5	5.8	12	13.9	66	76.4
FIFE COUNTY	4,816	50	10.4	60	12.5	24	5.0	20	4.2	20	4.2	57	11.8	49	10.2	45	9.3	37	7.7	382	75.2
Dunfermline Burgh	550	1	1.8	7	12.7	4	7.3	1	1.8	3	5.5	3	5.5	6	10.9	2	3.6	27	49.1
Kirkcaldy Burgh	743	11	14.8	6	8.1	2	2.7	7	9.4	5	6.7	8	10.8	4	5.4	5	6.7	5	6.7	53	71.3
Remainder of County	3,523	38	10.3	47	13.3	18	5.1	13	3.7	14	4.0	46	13.1	42	11.9	34	9.7	30	8.5	282	80.0
INVERNESS COUNTY	1,365	19	13.9	15	11.0	6	4.4	5	3.7	17	12.5	10	7.3	4	2.9	4	2.9	80	58.6
Inverness Burgh	415	7	16.9	3	7.2	2	4.8	6	14.5	6	14.5	1	2.4	2	4.8	27	65.1
Remainder of County	950	12	12.6	12	12.6	4	4.2	5	5.3	11	11.6	4	4.2	3	3.2	2	2.1	53	55.8

(u)	(h)	(e)	(d)	(c)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
KINCARDINE COUNTY	759	6	6.6	6	7.9	5	6.6	4	5.3	7	9.2	8	10.5	11	14.6	4	5.3	3	4.0	53	69.8
Aberdeen Burgh (part)*	278	4	..	4	..	3	..	3	2.1	2	..	5	..	5	..	4	..	1	..	27	54.1
Remainder of County	481	2	4.2	2	4.2	2	6.2	1	..	5	10.4	5	10.4	6	12.5	2	4.2	26	..
KINROSS COUNTY	115	..	17.4	1	8.7	2	17.4	1	8.7	6	52.2
KIRKCUDBRIGHT COUNTY	340	6	5.6	1	11.1	3	5.6	1	1.9	3	5.6	3	5.6	6	11.1	2	3.7	3	5.6	30	55.6
IANARK COUNTY	33,325	419	12.6	349	10.5	160	4.8	158	4.7	130	3.9	606	18.2	753	22.6	514	15.4	443	13.3	3532	106.0
Airdrie Burgh	574	5	8.7	6	10.5	3	5.2	3	5.2	3	5.2	3	5.2	12	20.9	3	5.2	6	8.7	43	74.9
Coatbridge Burgh	1,046	23	22.0	8	7.6	7	7.6	5	4.8	4	3.8	18	17.2	25	23.9	18	17.2	16	15.3	125	119.5
Glasgow Burgh	22,732	271	11.9	232	10.2	106	4.7	117	5.1	87	3.8	459	20.2	590	26.0	361	15.9	326	14.3	2549	112.1
Hamilton Burgh	880	9	10.2	8	9.1	8	9.1	3	3.4	4	4.5	13	14.8	12	13.6	12	13.6	17	19.3	86	97.7
Motherwell and Wishaw Burgh	1,366	17	12.4	15	11.0	8	5.9	3	2.2	3	2.2	21	15.4	19	13.9	27	19.8	16	11.7	129	94.4
Rutherglen Burgh	391	4	10.2	4	10.2	1	2.6	1	2.6	2	5.1	2	5.1	2	5.1	6	15.3	4	10.2	26	66.5
Remainder of County	6,336	90	14.2	76	12.0	26	4.1	26	4.1	27	4.3	90	14.2	93	14.7	87	13.7	59	9.3	574	90.6
MIDLOTHIAN COUNTY	8,630	110	12.7	122	14.1	29	3.4	16	1.9	32	3.7	89	10.3	105	12.1	77	8.9	66	7.6	646	74.9
Edinburgh Burgh	6,960	86	12.4	90	12.9	18	2.6	12	1.7	25	3.6	70	10.1	88	12.6	62	8.9	56	8.0	507	72.8
Remainder of County	1,670	24	14.4	32	19.2	11	6.6	4	2.4	7	4.2	19	11.4	17	10.2	15	9.0	10	6.0	139	83.2
MORAY COUNTY	776	9	11.6	10	12.9	7	9.0	4	5.2	3	3.9	4	5.2	7	9.0	4	5.2	6	7.7	54	69.6
NAIRN COUNTY	163	2	12.3	1	6.1	1	6.1	2	12.3	2	12.3	8	49.1
ORKNEY COUNTY	300	2	6.7	2	6.7	1	3.3	2	6.7	3	10.0	2	6.7	2	6.7	14	46.7
PEEBLES COUNTY	190	3	15.8	2	10.5	2	10.5	1	5.3	1	5.3	9	47.4
PERTH COUNTY	1,724	13	7.5	26	15.1	11	6.4	4	2.3	3	1.7	21	12.2	16	9.3	16	9.3	6	3.5	116	67.3
Perth Burgh	528	2	3.8	11	20.8	5	9.5	2	3.8	1	1.9	7	13.3	5	9.5	6	11.4	3	5.7	42	79.5
Remainder of County	1,196	11	9.2	15	12.5	6	5.0	2	1.7	2	1.7	14	11.7	11	9.2	10	8.4	3	2.5	74	61.9
RENFREW COUNTY	5,503	69	12.5	51	9.3	23	4.2	32	5.8	23	4.2	92	16.7	90	16.4	86	15.6	71	12.9	537	97.6
Greenock Burgh	1,703	25	14.7	19	11.2	7	4.1	7	4.1	8	4.7	31	18.2	38	22.3	33	19.4	38	22.3	206	121.0
Paisley Burgh	1,650	20	12.1	12	7.3	9	5.5	9	5.5	5	3.0	33	20.0	31	18.8	29	17.6	25	15.2	173	104.8
Port Glasgow Burgh	508	5	9.8	8	15.7	2	3.9	2	3.9	10	19.7	5	9.8	8	15.7	2	8.9	42	82.7
Remainder of County	1,642	19	11.6	12	7.3	7	4.3	14	8.5	8	4.9	18	11.0	16	9.7	16	9.7	6	3.7	116	70.6
ROSS AND CROMARTY COUNTY	924	8	8.7	9	9.7	2	2.2	4	4.3	1	1.1	6	6.5	7	7.6	5	5.4	2	2.2	44	47.6
ROXBURGH COUNTY	679	7	10.3	6	8.8	3	4.4	1	1.5	6	8.8	2	2.9	2	2.9	4	5.9	31	45.7
SELKIRK COUNTY	296	3	10.1	6	20.3	1	3.4	1	3.4	1	3.4	5	16.9	1	3.4	1	3.4	19	64.2
STIRLING COUNTY	3,313	36	10.9	48	14.5	25	7.5	15	4.5	17	5.1	43	13.0	36	10.9	32	9.7	39	11.8	291	87.8
Falkirk Burgh	702	14	19.9	8	11.4	2	11.4	2	2.8	6	8.5	8	11.4	8	11.4	8	11.4	7	10.0	69	98.3
Stirling Burgh	451	6	11.1	8	17.7	2	4.4	2	4.4	10	22.2	6	13.3	4	8.9	5	11.1	42	93.1
Remainder of County	2,160	17	7.9	32	14.8	15	6.9	11	5.1	11	5.1	25	11.6	22	10.2	20	9.3	27	12.5	180	83.3
SUTHERLAND COUNTY	223	4	17.9	5	22.4	1	4.5	1	4.5	3	13.5	2	9.0	1	4.5	17	76.2
WEST LOTHIAN COUNTY	1,680	29	17.3	17	10.1	1	0.6	8	4.8	2	1.2	18	10.7	17	10.1	15	8.9	14	8.3	121	72.0
WIGTOWN COUNTY	599	8	13.4	11	18.4	2	3.3	2	3.3	1	1.7	11	18.4	3	5.0	5	8.8	5	8.8	48	80.1
ZETLAND COUNTY	273	1	3.7	2	7.3	2	7.3	1	3.7	6	22.0

* For rates see under Aberdeen County.

TABLE 34.—Meteorology of Scotland for 1932 ; also the Number of Births, Deaths, Deaths under 1, and Marriages registered during each Month of the Year 1932.

	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.	
Mean Barometer (inch)	29·877	30·537	29·826	29·649	29·866	30·048	29·772	30·041	29·763	29·565	29·928	29·833	29·892	
Mean of Max. Temp.	48°·4	45°·7	46°·7	49°·4	55°·8	63°·8	64°·9	65°·6	59°·5	51°·2	46°·8	46°·0	53°·7	
„ „ Min. „ .	38°·1	35°·1	36°·3	36°·0	42°·9	47°·6	52°·7	52°·4	47°·2	40°·8	37°·4	38°·5	42°·1	
Mean Temperature.	43°·2	40°·4	41°·5	42°·7	49°·3	55°·7	58°·8	59°·0	53°·3	46°·0	42°·1	42°·3	47°·9	
Absolute Maximum .	61°	58°	60°	62°	73°	80°	83°	82°	76°	60°	59°	60°	83°	
Absolute Minimum .	17°	15°	11°	19°	21°	27°	34°	28°	22°	22°	21°	12°	11°	
Rainfall (Normal 100)	150	12	101	160	108	49	121	54	137	169	86	112	106	
Births	7611	7384	8074	8091	8280	7874	7516	7463	7054	7321	6921	7411	91000	
Deaths	5606	6487	7541	6041	5525	4841	4379	4488	4325	4808	5242	6762	66045	
Deaths under 1 . .	673	897	1003	763	708	505	460	508	428	501	599	795	7840	
Marriages	3450	2094	2147	2627	1434	3821	3785	2513	3045	2737	2179	3346	33178	
Rates per 1000 of Estimated Population.	{ Births . Deaths . *Infantile Mortality Marriages }	18·4	19·1	19·5	20·2	20·0	19·7	18·2	18·1	17·6	17·7	17·3	17·9	18·6
		13·6	16·8	18·2	15·1	13·4	12·1	10·6	10·9	10·8	11·6	13·1	16·4	13·5
		88	121	124	94	86	64	61	68	61	68	87	107	86
		8·3	5·4	5·2	6·6	3·5	9·6	9·2	6·1	7·6	6·6	5·4	8·1	6·8

* Rate per 1000 births.

TABLE 35.—Deaths, Temperature, and Rainfall in Sixteen Large Burghs of Scotland during each Week of 1932.

No. of Week.	Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches
				Maxi-mum.	Mini-mum.	Mean.						Maxi-mum.	Mini-mum.	Mean.	
1	January 9	710	14·9	55·7	27·0	43·1	1·34	27	July 9	549	11·5	78·0	43·6	59·9	0·61
2	16	724	15·2	55·0	26·0	43·0	1·49	28	16	497	10·4	83·0	43·0	58·6	0·29
3	23	704	14·8	57·0	29·0	46·2	0·60	29	23	578	12·1	77·5	42·0	57·9	0·43
4	30	623	13·1	49·0	22·0	40·4	0·06	30	30	489	10·3	74·0	42·0	58·1	1·13
5	February 6	721	15·1	58·0	25·0	43·5	0·02	31	August 6	511	10·7	72·7	43·0	59·0	0·49
6	13	713	15·0	50·0	27·0	38·3	0·06	32	13	536	11·3	78·0	51·0	62·9	0·69
7	20	847	17·8	53·2	21·0	38·5	0·01	33	20	484	10·2	74·2	46·0	60·1	0·07
8	27	911	19·1	53·8	23·2	42·5	0·04	34	27	489	10·3	73·2	33·0	55·2	0·07
9	March 5	900	18·9	49·0	25·0	38·3	0·23	35	September 3	551	11·6	69·0	41·0	58·0	1·10
10	12	943	19·8	51·0	23·0	36·3	0·40	36	10	480	10·1	68·0	41·0	55·3	1·46
11	19	935	19·6	59·0	30·0	43·4	0·05	37	17	518	10·9	79·0	38·0	58·1	0·33
12	26	801	16·8	53·8	36·0	44·5	1·15	38	24	513	10·8	63·0	30·0	48·2	0·21
13	April 2	799	16·8	56·0	26·0	42·5	1·17	39	October 1	497	10·4	63·0	29·0	48·0	0·52
14	9	768	16·1	56·0	28·0	41·6	1·07	40	8	573	12·0	58·3	29·0	48·6	1·76
15	16	740	15·5	54·0	27·0	42·2	0·54	41	15	573	12·0	59·0	32·0	47·4	1·30
16	23	701	14·7	55·7	28·0	43·1	0·55	42	22	554	11·6	56·0	31·0	46·7	1·91
17	30	692	14·5	59·7	29·0	45·4	0·65	43	29	540	11·3	54·1	27·0	42·1	1·39
18	May 7	651	13·7	63·1	31·0	45·1	0·18	44	November 5	591	12·4	57·0	31·0	45·5	0·75
19	14	667	14·0	64·0	28·0	47·2	1·06	45	12	653	13·7	51·0	24·0	39·2	0·04
20	21	683	14·3	68·2	40·9	53·4	1·13	46	19	696	14·6	49·4	29·0	42·0	0·19
21	28	580	12·2	68·0	36·0	49·7	0·47	47	26	684	14·4	54·0	26·0	41·1	1·37
22	June 4	577	12·1	75·0	36·0	52·6	0·09	48	December 3	633	13·3	52·0	31·0	41·4	1·69
23	11	622	13·1	73·0	37·0	53·7	0·02	49	10	739	15·5	44·2	20·0	36·2	0·13
24	18	585	12·3	79·6	41·0	57·0	0·00	50	17	797	16·7	58·0	33·0	43·9	2·47
25	25	562	11·8	74·1	36·0	56·7	0·03	51	24	1004	21·1	56·0	37·0	46·1	2·05
26	July 2	566	11·9	72·8	46·7	58·8	1·21	52	31	984	20·7	52·0	24·0	43·2	0·28

This Table is compiled from Weekly Returns for 1932. Deaths and Death-rates have been provisionally corrected by allocation to place of usual residence.

TABLE 36.—VACCINATIONS in SCOTLAND.

Year.	Total Births Registered.	Number Surviving at Six Months.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declaration of Conscientious Objection.	Vaccination Postponed.	Removed from District before Vaccination, or otherwise unaccounted for.
				From previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox				
NUMBERS.										
1921	123,216	113,499	70,497	393	1,276	0	9,717	34,098	3,049	4,186
1922	115,085	106,917	66,047	351	979	4	8,168	33,224	2,613	3,699
1923	111,916	104,305	64,340	319	831	0	7,611	32,451	2,615	3,749
1924	106,901	99,077	62,096	286	887	0	7,824	29,568	2,619	3,621
1925	104,155	96,721	58,694	305	800	0	7,434	31,274	2,457	3,191
1926	102,457	95,512	57,741	332	1,063	0	6,945	30,804	2,338	3,234
1927	96,653	89,860	54,290	264	1,030	0	6,793	28,523	2,534	3,219
1928	96,869	90,221	52,209	239	1,295	0	6,648	30,596	2,370	3,512
1929	92,860	86,677	47,201	276	2,173	0	6,183	31,309	2,169	3,549
1930	94,571	83,329	47,571	225	1,325	0	6,242	34,079	1,918	3,211
1931	92,188	86,328	44,333	254	1,677	0	5,860	35,415	1,746	2,903
RATE PER CENT. OF TOTAL BIRTHS.										
1921	100·00	—	57·21	0·32	1·04	0·00	7·89	27·67	2·47	3·40
1922	100·00	—	57·39	0·31	0·85	0·00	7·10	28·87	2·27	3·21
1923	100·00	—	57·49	0·28	0·74	0·00	6·80	29·00	2·34	3·35
1924	100·00	—	58·08	0·27	0·83	0·00	7·32	27·66	2·45	3·39
1925	100·00	—	56·35	0·29	0·77	0·00	7·14	30·03	2·26	3·06
1926	100·00	—	56·36	0·32	1·04	0·00	6·78	30·06	2·28	3·16
1927	100·00	—	56·17	0·27	1·07	0·00	7·03	29·51	2·62	3·33
1928	100·00	—	53·90	0·25	1·34	0·00	6·86	31·58	2·45	3·62
1929	100·00	—	50·83	0·30	2·34	0·00	6·66	33·72	2·33	3·82
1930	100·00	—	50·30	0·24	1·40	0·00	6·60	36·03	2·03	3·40
1931	100·00	—	48·09	0·27	1·82	0·00	6·36	38·42	1·89	3·15
RATE PER CENT. OF CHILDREN SURVIVING AT SIX MONTHS.										
1864-1873	—	100·00	96·19	0·22	0·28	0·05	—	—	0·77	2·49
1874-1883	—	100·00	96·12	0·29	0·16	0·01	—	—	1·21	2·21
1884-1893	—	100·00	94·72	0·25	0·24	0·00	—	—	2·13	2·66
1894-1903	—	100·00	93·84	0·32	0·47	0·00	—	—	2·36	3·01
1904-1913	—	100·00	76·24	0·57	0·58	0·00	—	14·88	2·69	5·04
1914-1923	—	100·00	59·94	0·33	0·67	0·00	—	32·44	2·46	4·16
1921	—	100·00	62·11	0·35	1·12	0·00	—	30·04	2·69	3·69
1922	—	100·00	61·77	0·33	0·92	0·00	—	31·08	2·44	3·46
1923	—	100·00	61·68	0·31	0·80	0·00	—	31·11	2·51	3·59
1924	—	100·00	62·67	0·29	0·90	0·00	—	29·84	2·64	3·66
1925	—	100·00	60·68	0·32	0·83	0·00	—	32·33	2·54	3·30
1926	—	100·00	60·45	0·35	1·11	0·00	—	32·25	2·45	3·39
1927	—	100·00	60·42	0·29	1·15	0·00	—	31·74	2·82	3·58
1928	—	100·00	57·87	0·26	1·44	0·00	—	33·91	2·63	3·89
1929	—	100·00	54·46	0·32	2·51	0·00	—	36·12	2·50	4·09
1930	—	100·00	53·86	0·25	1·50	0·00	—	33·58	2·17	3·64
1931	—	100·00	51·36	0·30	1·94	0·00	—	41·02	2·02	3·36

TABLE 37.—Deaths from Small-pox in Scotland, 1855-1931, with Vaccination Particulars, 1864-1931.

State of Vaccination of Children whose Births were Registered during the Years 1864 to 1931; Percentages (excluding those who Died before Vaccination).						Deaths from Small-pox, 1855 to 1931.					Deaths from Cow-pox and Effects of Vaccination, 1855-1931.
Year.	Successfully Vaccinated.*	Vaccination Postponed.†	Insusceptible of Vaccination.	Statutory Declarations of Conscientious Objection.	Unaccounted for.	Total (including Age Not Stated).	0-4 Years.	5-24 Years.	25-64 Years.	65 Years and upwards.	
Average 1855-1863	979	690	183	102	3	..
1864-1873	96·4	0·8	0·3	..	2·5	763	259	282	216	6	..
1874-1883	96·4	1·2	0·2	..	2·2	145	33	64	47	1	..
1884-1893	95·0	2·1	0·2	..	2·7	18	2	5	11	..	3
1894-1903	94·1	2·4	0·5	..	3·0	64	9	10	44	1	1
1904-1913	76·4	2·7	0·6	19·1	5·1	22	4	2	15	1	1
1914-1923	59·9	2·5	0·7	32·8	4·2	18	3	4	10	1	1
1920	70·5	2·5	0·8	22·3	3·9	152	25	35	81	11	..
1921	62·5	2·7	1·1	30·0	3·7	24	2	6	16	..	1
1922	62·1	2·4	0·9	31·1	3·5	2
1923	62·0	2·5	0·8	31·1	3·6	3
1924	63·0	2·6	0·9	29·8	3·7	3
1925	61·0	2·6	0·8	32·3	3·3
1926	60·8	2·4	1·1	32·3	3·4
1927	60·7	2·8	1·2	31·7	3·6	2
1928	58·1	2·6	1·5	33·9	3·9	1
1929	54·8	2·5	2·5	36·1	4·1
1930	54·1	2·2	1·5	38·6	3·6	2	..	1	1	..	1
1931	51·7	2·0	1·9	41·0	3·4	1

* Including such as were certified as Insusceptible of Vaccination "on the ground of previous successful vaccination," the children having been vaccinated by persons unauthorised to grant certificates.
† At the end of the year following that of registration of birth.

GENERAL REGISTRATION SUMMARY.

GENERAL REGISTRATION SUMMARY.

1. EVENTS REGISTERED IN 1932. 2. VACCINATIONS OF CHILDREN WHOSE BIRTHS WERE REGISTERED IN 1931.

(Figures in this Table show actual numbers as **Registered**, and are not "Corrected for Transfers.")

No.	COUNTIES AND LARGE BURGHS.	POPULATION (Enumerated at Census of)		REGISTERED BIRTHS, DEATHS AND MARRIAGES, 1932.				VACCINATIONS, 1931.							Total Births, 1931. (Not corrected for Transfers.)
		1931	1921	Births.		Deaths.		Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declara- tions of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccin- ation, or otherwise.	
				Total.	Illeg- itimate.	Total.	From Uncer- tified Causes.	Marr- riages.	On the ground of previous successful vaccination.	On the ground of Constitu- tional Insusceptibility.					
	SCOTLAND . . .	4,842,980	4,882,497	91,019	6459	66,045	303	33,178	254	1677	5860	35,415	1746	2903	92,188
	COUNTIES.														
1	Zetland . . .	21,421	25,520	269	24	353	23	113	9	3	8	229	1	3	253
2	Orkney . . .	22,077	24,111	298	17	311	2	111	67	3	11	227	3	2	313
3	Caithness . . .	25,656	28,285	471	54	384	1	127	140	4	36	254	14	20	468
4	Sutherland . . .	16,101	17,802	211	19	264	21	49	96	5	3	102	7	16	229
5	Ross and Cromarty . . .	62,799	70,818	897	56	858	106	234	445	18	44	274	52	128	962
6	Inverness . . .	82,108	82,455	1,336	121	1,297	112	475	609	8	61	458	56	125	1,322
7	Nairn . . .	8,294	8,790	162	16	134	...	49	107	2	10	14	3	3	139
8	Moray . . .	40,806	41,558	782	113	522	...	214	526	7	41	107	6	16	709
9	Banff . . .	54,907	57,298	1,058	123	651	1	292	484	4	61	487	23	34	1,093
10	Aberdeen . . .	300,436	301,016	6,073	704	4,108	2	2,248	4,327	43	392	888	100	112	5,897
11	Kincardine . . .	39,865	41,779	721	70	420	...	189	589	6	46	93	15	15	772
12	Angus . . .	270,190	271,052	4,762	387	3,838	3	1,825	1,839	79	270	2,598	40	55	4,882
13	Perth . . .	120,793	125,503	1,691	139	1,636	2	711	1,300	43	102	299	29	40	1,814
14	Fife . . .	276,368	292,925	4,725	264	3,089	3	1,814	1,675	105	269	2,609	84	156	4,912
15	Kinross . . .	7,454	7,963	101	7	139	..	42	58	7	5	24	3	4	101
16	Clackmannan . . .	31,948	32,542	517	25	354	...	159	233	4	31	251	6	7	532
17	Stirling . . .	166,447	161,721	3,272	169	2,171	...	1,074	1,298	44	193	1,581	38	63	3,235
18	Dumbarton . . .	147,744	150,570	2,540	99	1,549	...	797	738	23	129	1,545	18	107	2,563
19	Argyll . . .	63,050	76,862	803	95	947	13	295	485	18	40	208	36	22	811
20	Bute . . .	18,823	33,711	209	11	267	...	77	129	5	10	53	6	8	211

21	Renfrew	288,586	286,684	5,339	234	3,817	5	1,571	2,048	8	57	...	388	2,919	189	67	5,676
22	Ayr	285,217	299,273	5,495	369	3,557	...	1,751	2,306	10	73	...	321	2,458	129	159	5,456
23	Lanark	1,586,047	1,551,953	33,858	2120	22,960	1	12,263	15,675	93	833	...	2593	13,098	646	1299	34,237
24	West Lothian	81,431	83,960	1,573	75	778	1	460	603	1	17	...	82	828	18	36	1,585
25	Midlothian	526,296	506,377	9,051	708	7,763	5	4,443	5,420	37	203	...	487	2,637	146	299	9,229
26	East Lothian	47,338	47,487	780	37	537	...	279	501	4	10	...	29	228	20	21	813
27	Berwick	26,612	28,246	308	13	279	...	135	243	...	5	...	18	54	5	10	335
28	Peebles	15,051	15,332	185	6	168	...	70	131	...	2	...	12	25	8	3	181
29	Selkirk	22,608	22,607	298	22	276	...	115	151	...	3	...	11	109	3	1	278
30	Roxburgh	45,788	44,989	649	45	567	...	276	407	...	5	...	25	170	16	8	631
31	Dumfries	81,047	81,464	1,481	171	1,236	1	543	877	6	20	...	74	422	10	35	1,444
32	Kirkcudbright	30,341	31,061	511	56	404	1	190	425	1	6	...	21	70	7	2	532
33	Wigtown	29,331	30,783	593	90	411	...	187	392	...	12	...	37	96	9	27	573
LARGE BURGHS.																	
	Glasgow	1,088,524	1,051,589	23,493	1594	17,263	...	9,203	12,016	50	699	...	1920	7,528	342	1017	23,572
	Edinburgh	439,010	420,264	7,617	644	6,830	...	3,932	4,727	36	189	...	417	2,103	103	245	7,820
	Dundee	175,681	168,395	3,411	277	2,544	3	1,289	972	...	64	...	188	2,247	28	32	3,531
	Aberdeen	167,258	158,963	3,311	291	2,539	...	1,467	2,650	35	21	...	231	323	69	38	3,367
	Paisley	86,445	84,837	1,661	72	1,300	...	562	620	2	16	...	153	847	132	26	1,796
	Greenock	78,949	81,133	1,686	87	1,200	...	421	468	1	11	...	117	1,223	15	11	1,846
	Motherwell and Wishaw	64,710	68,869	1,370	71	702	...	396	413	...	16	...	84	777	86	20	1,396
	Clydebank	46,952	46,601	875	27	302	...	282	243	...	9	...	44	544	4	47	891
	Kirkcaldy	43,874	44,298	818	58	550	...	328	251	1	19	...	36	488	41	3	839
	Coatbridge	43,056	43,919	849	32	559	...	229	331	10	7	...	70	402	25	27	872
	Kilmarnock	38,100	35,969	813	63	534	...	277	274	...	11	...	39	448	26	1	799
	Hamilton	37,862	39,504	939	52	430	...	252	250	...	10	...	57	661	16	19	1,013
	Ayr	36,783	35,763	845	59	637	...	253	452	3	12	...	66	245	5	75	858
	Falkirk	36,566	34,419	794	31	551	...	280	198	...	2	...	40	484	8	6	788
	Dunfermline	35,058	39,899	655	39	472	...	314	316	12	10	...	46	328	12	12	736
	Perth	34,807	33,208	665	67	632	...	305	455	1	20	...	49	182	14	16	737
	Airdrie	25,954	25,459	765	34	304	...	169	323	19	4	...	51	369	13	11	790
	Rutherglen	25,157	24,744	306	2	231	...	207	153	...	16	...	24	165	11	3	372
	Dumfries	22,795	21,822	460	54	374	...	202	232	1	3	...	29	184	...	9	458
	Stirling	22,593	21,345	549	58	417	...	182	307	6	13	...	40	161	12	17	556
	Inverness	22,583	20,944	473	55	455	...	295	172	3	31	196	...	35	437
	Dumbarton	21,546	22,933	429	25	307	...	85	99	...	5	...	12	288	4	6	414
	Port Glasgow	19,581	21,023	491	29	218	...	130	178	1	6	...	30	242	10	7	474
	Arbroath	17,653	19,521	271	19	278	...	108	138	...	2	...	22	127	1	10	300
TOTAL (Large Burghs)		2,631,497	2,565,421	53,546	3740	39,629	5	21,168	26,238	181	1165	...	3796	20,562	977	1693	54,612

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1932.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																100 and over							
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-		75-	80-	85-	90-	95-		
	All Causes—Both Sexes	66045	7840	3386	1108	719	1149	1352	1439	1511	1741	1974	2491	3223	4303	5297	6415	7399	6840	4699	2241	728	173	17		
	Total Males	32743	4408	1778	597	350	563	696	685	693	864	1012	1283	1680	2268	2825	3392	3605	3126	1939	724	212	40	3		
	Total Females	33302	3432	1608	511	369	586	656	754	818	877	962	1208	1543	2035	2472	3023	3794	3714	2760	1517	516	133	14		
	I. INFECTIOUS AND PARASITIC DISEASES.																									
	TOTAL	{ M. F.	4327 4315	476 439	768 768	226 242	112 159	219 289	261 305	266 303	241 262	255 180	236 181	245 154	227 146	184 158	186 135	135 147	135 153	74 138	46 80	27 54	8 17	-	-	
1	Typhoid fever	{ M. F.	14 10	- -	1 -	- -	1 1	- -	3 2	3 -	3 -	1 3	- 3	1 -	2 -	- -	1 -	1 -	1 -	74 138	46 80	27 54	8 17	-	-	
2	Paratyphoid fevers	{ M. F.	5 3	1 -	- -	1 -	1 -	- -	- -	- -	1 -	- -	1 -	- -	- -	- -	1 -	1 -	1 -	- -	- -	- -	- -	- -	-	
3	Typhus fever	{ M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.1	Smallpox, vaccinated	{ M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	" not vaccinated	{ M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	" vaccination doubtful	{ M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7	Measles	{ M. F.	440 452	135 126	273 284	28 31	1 1	2 3	1 1	1 1	- -	- -	- -	1 1	- -	2 -	1 -	1 -	1 -	3126 1939	724	212	40	3		
8	Scarlet fever	{ M. F.	109 141	6 11	43 59	30 26	5 14	9 9	3 6	3 4	3 2	3 1	3 2	2 1	1 -	1 -	1 -	1 -	1 -	3714 2760	1517	516	133	14		
9	Whooping-cough	{ M. F.	206 253	100 112	102 133	3 7	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-		
10	Diphtheria	{ M. F.	174 194	16 12	81 79	52 71	16 16	2 2	1 2	2 2	1 3	1 -	1 1	1 1	1 1	1 1	1 1	1 1	1 1	- -	- -	- -	- -	-		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
	Influenza—	(M. F.)	(Total)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)	(M. F.)
11		768 956		40 34	17 17	17 17	17 17	17 17	17 17	17 17	17 17	17 17	17 17	17 17	17 17	17 17	17 17	17 17	17 17	17 17	17 17	17 17	17 17	17 17
a1	with pneumonia	358 375		23 8	16 7	5 5	7 5	14 13	14 10	14 10	14 10	14 10	14 10	14 10	14 10	14 10	14 10	14 10	14 10	14 10	14 10	14 10	14 10	14 10
2	bronchitis	101 125		5 7	2 2																			
3	other respiratory dis- eases	46 45		2 2			3 1	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2	1 2
b1	tuberculosis of respira- tory system	3 4																						
2	diseases or accidents of pregnancy, &c.	14																						
3	other cause	143 217		6 9	10 8	2 2	5 6	3 5	4 3	4 3	4 3	4 3	4 3	4 3	4 3	4 3	4 3	4 3	4 3	4 3	4 3	4 3	4 3	4 3
4	—sole cause	117 176		10 10	2 2	5 2	2 2	2 2	1 1	3 5	3 6	3 6	3 6	3 6	3 6	3 6	3 6	3 6	3 6	3 6	3 6	3 6	3 6	3 6
13	Dysentery	10 6		2 1	1 2	1 1																		
15	Erysipelas	88 80		12 14	1 4	1 1																		
16	Acute poliomyelitis	12 6		2 1	4 3	2 1	1 1																	
17	Lethargic encephalitis	36 43					3 1	2 1	3 6	3 6	3 6	3 6	3 6	3 6	3 6	3 6	3 6	3 6	3 6	3 6	3 6	3 6	3 6	3 6
18	Cerebro-spinal fever	139 90		58 32	25 29	12 6	4 5	11 7	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	4 2
22	Tetanus	8 3				2 2	1 1	1 1																

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1932—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.														100 and over							
			1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-		70-	75-	80-	85-	90-	95-	
I. INFECTIOUS AND PARASITIC DISEASES—continued.																								
	Tuberculosis— (Total)	{ M. F. }	71 66	193 146	77 86	61 102	173 245	225 262	223 248	198 220	195 135	167 113	155 81	137 72	93 69	82 52	51 39	35 19	7 13	2 1	—	—	—	—
23	Respiratory system	{ M. F. }	7 10	23 24	9 22	23 54	120 199	180 216	198 214	171 196	175 119	154 101	144 69	126 60	81 62	73 36	42 29	29 11	5 7	1 1	—	—	—	—
24	Central nervous system	{ M. F. }	44 41	113 73	44 40	15 25	18 15	10 13	3 4	5 1	4 3	1 2	1 2	—	—	—	—	1 —	—	—	—	—	—	—
25	Intestines and peritoneum	{ M. F. }	7 7	32 22	10 14	11 6	11 12	7 15	6 13	5 11	5 3	2 5	—	5 2	1 3	1 6	2 1	1 —	—	—	—	—	—	—
26	Vertebral column	{ M. F. }	1 —	1 3	1 3	2 2	8 3	5 3	7 7	8 5	4 4	1 3	4 1	1 1	2 —	1 2	2 2	2 3	—	—	—	—	—	—
27	Other bones and joints	{ M. F. }	1 1	1 1	1 1	2 1	2 2	6 —	1 3	2 2	—	2 1	2 2	1 1	3 —	2 1	—	1 3	2 2	—	—	—	—	—
28	Skin and sub-cutaneous tissues	{ M. F. }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 —	—	—	—	—	—	—	
29	Lymphatic system (bronchial and abdominal glands excepted)	{ M. F. }	11 10	2 1	3 1	—	—	1 —	—	—	—	1 1	—	—	1 —	—	—	1 1	1 —	—	—	—	—	
30	Genito-urinary system	{ M. F. }	24 19	—	1 —	2 1	1 1	2 4	3 2	1 1	5 2	3 2	—	—	2 2	1 1	3 1	—	—	—	—	—	—	
31	Other organs	{ M. F. }	2 5	—	—	1 —	—	—	—	—	—	—	—	1 1	—	—	—	—	—	—	—	—	—	
32.a	Disseminated—acute	{ M. F. }	52 55	23 19	5 2	2 7	5 6	3 8	1 2	1 1	—	1 2	—	—	2 —	2 —	1 —	—	1 —	—	—	—	—	
b	„ chronic (c)	{ M. F. }	56 36	3 1	3 3	3 6	8 6	11 3	4 3	5 3	2 1	2 1	3 1	3 3	2 1	2 3	2 —	1 —	—	1 —	—	—	—	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
34	Syphilis - - - - -	{ M. 75 F. 40	{ 15 13	- 1	- -	1 1	1 3	2 -	1 2	2 1	1 2	7 3	6 1	8 3	13 6	7 4	7 -	3 -	- -	- -	- -	1 -	- -	- -
35	Other venereal diseases - - - - -	{ M. 4 F. 3	{ 3 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	
36	Purulent infection—septicæmia - - - - -	{ M. 73 F. 57	{ 8 14	8 7	8 3	3 1	1 -	1 5	3 1	3 1	4 1	1 -	5 4	10 2	7 3	4 5	6 1	1 3	4 -	- -	1 -	1 -	- -	
38	Malaria - - - - -	{ M. 3 F. -	{ - -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	1 -	- -	- -	- -	1 -	- -	- -	- -	- -	
41	Hydatid cysts - - - - -	{ M. - F. -	{ - -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
43	Mycoses - - - - -	{ M. 4 F. 1	{ - -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	2 -	- -	- -	- -	- -	- -	- -	- -	
44*	Other infectious or parasitic diseases (4, 5, 12, 14, 18, 20, 21, 33, 37, 39, 40, 42)	{ M. 10 F. 3	{ 1 -	3 2	- -	- -	- -	- -	2 -	2 -	- -	- -	- -	- -	- -	1 -	1 -	1 -	1 -	- -	- -	- -	- -	
II. CANCER AND OTHER TUMOURS.																								
TOTAL - - - - -		{ M. 3535 F. 4250	{ 5 3	12 11	8 6	- 10	16 14	22 14	31 30	42 46	69 118	87 180	175 273	289 398	443 494	573 592	626 580	565 670	375 451	159 256	36 77	2 23	- 4	- -
Cancer—		{ M. 3448 F. 4050	{ 1 1	7 7	2 3	- 4	12 6	19 10	28 21	33 35	62 104	78 158	165 256	277 378	430 474	556 580	617 571	557 652	370 437	158 251	34 76	2 22	- 4	- -
45	Buccal cavity, Pharynx - - - - -	{ M. 312 F. 80	{ - -	1 -	- -	- -	1 -	- -	1 -	4 1	3 -	4 1	9 7	23 8	42 9	63 11	62 9	54 15	25 9	17 4	3 3	- 2	- 1	- -
46	Digestive organs, Peritoneum - - - - -	{ M. 2162 F. 2207	{ - -	1 -	- -	- 1	3 2	9 4	10 6	17 9	40 35	45 51	101 77	171 171	269 227	355 311	400 360	377 426	250 295	90 178	24 46	- 8	- -	- -
47	Respiratory organs - - - - -	{ M. 300 F. 157	{ - -	- -	2 -	- -	3 1	1 1	5 4	6 2	10 6	15 3	29 14	48 21	44 24	45 25	43 22	31 17	14 12	6 -	2 -	- 1	- -	- -
48	Uterus - - - - -	{ M. - F. 450	{ - -	- -	- -	- -	- -	1 -	1 -	11 -	28 -	48 -	49 -	51 -	63 -	60 -	51 -	53 -	20 -	10 -	3 -	- 1	- -	- -
49	Other female genital organs - - - - -	{ M. - F. 189	{ - -	- -	- -	- -	- -	2 -	6 -	5 -	6 -	13 -	16 -	25 -	25 -	28 -	23 -	23 -	12 -	4 -	1 -	- -	- -	- -

* For further particulars see Text Table J.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1932—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.														100 and over									
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-		
II. CANCER AND OTHER TUMOURS— <i>continued.</i>																										
Cancer— <i>continued.</i>																										
50	Breast - - - - - { M. F.	7 630	-	-	-	-	1	1	1	1	4	19	34	70	88	82	97	60	68	2	36	1	6	-	-	
51	Male genito-urinary organs - - { M. F.	334 -	-	3	2	-	1	2	5	3	4	-	6	10	14	38	45	61	59	53	22	5	1	-	-	
52	Skin - - - - - { M. F.	60 56	-	-	-	-	-	1	-	-	-	1	-	4	3	8	8	9	6	7	12	1	1	2	-	
53	Other or unspecified organs - - { M. F.	233 281	1	2	1	3	4	6	6	3	5	8	7	23	9	29	40	41	29	19	11	2	3	-	-	
55	Tumours, non-malignant, or of unde- termined nature (54)—																									
a1	Ovary - - - - - { M. F.	46	-	-	-	-	1	1	3	4	2	2	2	2	3	8	3	4	7	4	1	1	-	-	-	
2	Uterus - - - - - { M. F.	58	-	-	-	-	-	-	1	2	8	14	8	8	7	2	4	1	5	3	2	-	1	-	-	
b1	Brain - - - - - { M. F.	87 65	1	4	5	5	4	3	3	8	6	7	6	5	10	8	12	5	4	1	-	-	-	-	-	
2	Bladder - - - - - { M. F.	13 5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	3	4	-	1	-	-	-	
3	Others - - - - - { M. F.	27 26	3	1	1	1	-	1	1	1	1	2	-	3	1	4	4	2	1	4	1	-	-	-	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(y)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
	III. RHEUMATISM, DISEASES OF NUTRITION AND OTHER GENERAL DISEASES.																							
	TOTAL	(M. 409, F. 848)	10, 11	8, 12	11, 21	20, 13	13, 41	19, 24	12, 24	12, 29	18, 34	15, 31	21, 44	25, 52	24, 73	42, 97	49, 128	49, 109	33, 57	18, 39	10, 8	-	-	-
56	Rheumatic fever	(M. 85, F. 138)	-	2, 4	11, 15	17, 9	6, 26	6, 16	5, 6	6, 12	4, 9	4, 5	2, 7	7, 7	4, 2	4, 7	3, 5	2, 3	1, 1	1, 2	-	-	-	-
57.1	Chronic rheumatism	(M. 16, F. 24)	-	-	-	-	-	-	-	-	1, 1	2, 2	-	2, 2	1, 1	-	3, 1	2, 1	5, 5	3, 7	3, 3	-	-	-
2	Rheumatoid arthritis, Osteo-arthritis	(M. 28, F. 69)	-	-	-	1, 1	-	-	-	-	1, 2	2, 2	3, 3	1, 5	1, 5	4, 7	3, 12	3, 16	3, 6	4, 12	2, 1	-	-	-
58	Gout	(M. -, F. -)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	Diabetes mellitus	(M. 225, F. 441)	-	1, 3	-	1, 4	5, 6	10, 5	5, 11	4, 8	9, 9	4, 12	11, 13	13, 24	17, 53	31, 65	34, 91	42, 79	23, 37	10, 15	5, 7	-	-	-
60	Scurvy	(M. 1, F. 2)	-	-	-	-	-	-	-	1, 1	-	-	-	-	-	1, 1	1, 1	-	-	-	-	-	-	-
63	Rickets	(M. 5, F. 12)	3, 3	6, 6	2, 2	-	-	-	-	-	-	1, 1	-	-	1, 1	-	1, 1	-	-	-	-	-	-	-
65	Diseases of pituitary gland	(M. 2, F. 4)	-	-	-	-	1, 1	-	1, 1	-	-	-	-	1, 1	-	1, 1	1, 1	-	-	-	-	-	-	-
66.6	Exophthalmic goitre	(M. 14, F. 88)	-	-	-	-	1, 5	3, 3	1, 5	1, 5	2, 12	10, 10	16, 16	2, 10	7, 7	2, 7	1, 6	1, 1	1, 1	-	-	-	-	-
c	Myxo-dema, Cretinism	(M. 4, F. 30)	-	-	-	-	-	-	-	1, 1	1, 1	-	1, 1	1, 1	1, 2	1, 1	2, 9	7, 7	6, 6	2, 2	-	-	-	-
e	Other diseases of thyroid and para-thyroid, Tetany (a, d)	(M. 3, F. 11)	2, 2	4, 4	-	-	1, 1	-	-	2, 2	-	2, 2	-	1, 1	1, 1	2, 2	-	-	-	1, 1	-	-	-	-
67	Diseases of thymus	(M. 10, F. 6)	5, 5	1, 1	-	1, 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Diseases of adrenals	(M. 8, F. 14)	-	-	-	-	1, 1	-	1, 1	1, 1	1, 1	1, 1	3, 3	1, 2	1, 1	1, 1	-	-	1, 1	-	-	-	-	-
69*	Other general diseases (61, 62, 64)	(M. 8, F. 9)	2, 2	1, 1	2, 2	-	1, 1	-	-	-	-	2, 1	1, 1	-	1, 1	2, 2	1, 1	1, 1	-	-	-	-	-	-

* For further particulars see Text Table J.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1932—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																			100 and over			
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-		90-	95-	
70. <i>a</i>	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.	TOTAL	238 344	7 4	12 3	7 7	7 6	3 4	6 7	5 15	6 17	12 13	11 12	18 31	34 34	26 53	30 46	24 44	17 27	3 9	2 5	-	-	-	
		Purpura	20 14	1 1	1 1	-	-	-	-	-	2	-	-	-	1 1	-	2	-	-	-	-	-	-	-	-
		Hæmophilia	3 3	1 1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		Pernicious anæmia	108 209	-	-	1 1	2	-	-	1 10	1 1	1 7	4 7	2 8	10 22	17 19	18 36	20 33	17 34	12 22	3 7	2 4	-	-	-
		Other anæmias, Chlorosis	29 41	2	1	2	2	-	3	1 1	1 1	1 7	1 1	1 1	2 5	4 4	2 5	2 4	2 3	3 3	1 1	1	-	-	-
72. <i>a</i>	Leukæmia	43 42	-	3 3	6 2	1 1	3 4	2	1 3	2	1 3	4 2	3	2 2	3 2	5 7	5 7	3 4	1 1	-	-	-	-	-	
		33 21	-	-	4	1 1	2 1	1 1	1 2	1 2	3	1 1	1 1	2 1	9 7	3	1 2	2 1	1	-	-	-	-	-	
73	Diseases of Spleen	1 14	-	-	-	-	-	-	1	-	2	2	1	1	1	-	-	-	1	-	-	-	-	-	
74	Other diseases of blood and blood- forming organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
75	V. CHRONIC POISONINGS.	TOTAL	31 9	-	-	-	-	-	2	3	3	6	5	3 2	4 2	2 3	1 1	1	1	-	-	-	-	-	
		Alcoholism (acute or chronic)	27 9	-	-	-	-	-	2	2	2	6	3	3 2	4 2	2 3	1	1	1	-	-	-	-	-	-
		Chronic poisoning by other organic substances	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Occupational lead poisoning	3	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		Other chronic poisoning by mineral substances	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(<i>a</i>)		(<i>c</i>)	(<i>d</i>)	(<i>e</i>)	(<i>f</i>)	(<i>g</i>)	(<i>h</i>)	(<i>i</i>)	(<i>j</i>)	(<i>k</i>)	(<i>l</i>)	(<i>m</i>)	(<i>n</i>)	(<i>o</i>)	(<i>p</i>)	(<i>q</i>)	(<i>r</i>)	(<i>s</i>)	(<i>t</i>)	(<i>u</i>)	(<i>v</i>)	(<i>w</i>)	(<i>x</i>)	(<i>y</i>)	

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1932—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																100 and over					
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-		75-	80-	85-	90-	95
VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS—continued.																								
83	General paralysis of insane - { M. F.	97 53	-	-	-	-	2	1	3	6	8	16	12	18	17	8	5	1	1	1	-	-	-	-
84	Other forms of insanity - { M. F.	33 57	-	-	-	-	1	1	4	1	4	3	4	13	5	7	2	3	1	2	-	-	-	-
85	Epilepsy - { M. F.	85 86	2	5	4	7	4	8	7	7	5	11	6	3	3	4	4	4	2	4	1	1	-	-
86	Infantile convulsions (age under 5 yrs.) { M. F.	147 113	113	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87.a	Chorea - { M. F.	3 1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	1	5	2	-	-	-	-
b	Neuritis - { M. F.	10 16	-	-	-	-	-	1	-	1	1	-	1	1	3	1	1	2	1	-	-	-	-	-
c	Paralysis agitans - { M. F.	31 46	-	-	-	-	-	-	-	-	-	-	-	1	1	7	8	7	8	4	1	5	-	-
d	Disseminated sclerosis - { M. F.	65 63	-	-	-	-	-	1	-	2	5	3	9	11	8	6	7	7	4	1	1	-	-	-
e	Other diseases of nervous system - { M. F.	64 70	1	7	2	4	1	1	1	3	-	3	1	4	3	3	4	8	7	15	4	1	-	-
88	Diseases of eye and annexa - { M. F.	2 4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
89.a	Otitis, Diseases of ear - { M. F.	41 30	10	3	3	2	6	4	4	2	2	1	1	1	1	2	-	-	-	-	1	-	-	-
b	Mastoid disease - { M. F.	36 25	6	5	3	2	7	3	1	-	1	2	2	2	1	-	-	-	-	-	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b) VIII. DISEASES OF CIRCULATORY SYSTEM.	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
		M.	F.																						
	TOTAL	5518	5588	9	11	14	22	30	46	34	48	77	108	162	285	470	671	846	978	912	530	203	53	7	2
				3	8	26	37	44	40	54	72	94	118	178	256	375	516	684	921	971	693	366	107	21	4
90	Pericarditis	35	26	1	1	2	1	2	2	2	-	-	-	2	5	5	3	5	2	1	-	-	-	-	-
				-	2	4	3	2	-	-	-	-	-	2	4	-	3	4	1	1	-	-	-	-	-
91	Acute endocarditis	62	65	-	3	6	5	5	9	1	4	4	4	2	5	8	2	1	3	-	1	-	-	-	-
				1	3	3	6	6	6	8	6	2	4	3	6	4	1	2	1	2	-	-	-	-	-
92	Chronic endocarditis, Valvular disease	1319	1526	-	4	5	11	19	25	20	30	33	55	46	78	133	186	188	216	160	81	25	4	-	-
				-	-	13	22	26	26	33	49	54	60	75	102	114	153	196	214	210	121	50	4	4	-
93. ^a	Acute myocarditis	96	106	2	-	-	2	-	2	1	2	5	-	4	10	7	9	13	14	12	9	3	1	-	-
				-	-	3	-	2	1	3	1	2	7	3	7	8	13	18	9	12	13	3	1	-	-
b1	Fatty heart	101	146	-	-	-	-	-	1	-	-	-	2	6	3	15	15	20	20	11	8	-	-	-	-
				-	-	-	-	-	-	-	-	6	2	10	7	23	27	14	26	12	12	7	-	-	-
2	Cardiovascular degeneration	224	186	-	-	-	-	-	-	-	-	-	-	-	3	7	21	27	52	63	39	11	1	-	2
				-	-	-	-	-	-	-	-	-	-	-	2	6	10	19	29	47	37	23	9	-	-
3	Chronic myocarditis, Other myocardial disease	821	991	-	-	-	-	2	2	1	3	6	7	12	25	71	84	109	154	166	108	52	16	2	1
				-	-	-	-	2	-	1	7	5	13	21	25	50	79	120	171	222	157	85	28	4	1
c	Myocarditis not specified as acute or chronic	873	1035	-	-	1	1	2	3	4	4	8	9	21	34	58	99	149	162	186	85	42	3	1	1
				-	-	3	2	3	1	7	5	12	13	22	40	82	102	123	180	201	136	77	21	4	1
94	Diseases of coronary arteries, Angina pectoris	618	328	-	-	-	-	-	-	-	1	1	9	35	51	77	117	133	87	59	30	4	3	-	-
				-	-	-	-	-	-	-	-	1	3	8	16	25	54	59	72	45	30	11	4	-	-
95	Other diseases of heart	540	524	-	-	-	1	2	2	3	2	5	13	13	44	40	67	81	97	94	53	20	4	1	-
				-	-	-	3	2	4	2	1	6	10	21	28	37	40	73	101	87	67	31	11	-	-
96	Aneurysm (heart excepted)	90	43	-	-	-	-	-	-	1	-	2	3	15	12	15	20	9	8	3	1	1	-	-	-
				-	-	-	1	-	1	-	-	3	4	1	5	3	3	8	11	1	-	1	-	-	-
97	Arterio-sclerosis (coronary arteries excepted)	496	383	-	-	-	-	-	-	-	-	-	-	4	2	16	32	77	108	115	86	36	17	3	-
				-	-	-	-	-	-	-	-	-	1	2	1	8	14	25	65	84	96	61	21	5	-
98. ^a	Senile gangrene	135	111	-	-	-	-	-	-	-	-	-	-	-	-	-	4	22	41	33	24	8	3	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	26	34	19	12	6	2	-
b	Other gangrene	15	10	1	1	-	-	1	1	-	-	-	1	-	4	4	3	1	1	-	1	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	2	-	3	1	1	-	-	-	-	-	-	-

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1932—continued.

Internal Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages																	100 and over								
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-		80-	85-	90-	95-				
VII. DISEASES OF CIRCULATORY SYSTEM—continued.																												
99	Other diseases of arteries - - { M. F.	43 38	-	1	-	-	-	-	-	1	3	1	6	6	4	4	6	8	4	3	1	-	-	-	-			
100	Diseases of veins - - - { M. F.	26 49	-	-	-	-	-	-	1	1	1	2	2	6	7	2	4	3	7	2	1	1	-	-	-			
101	Diseases of lymphatic system - { M. F.	12 6	5	2	-	-	-	1	1	-	-	-	1	1	-	1	-	1	1	-	1	-	-	-	-			
102	Abnormalities of blood pressure - { M. F.	7 13	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	1	1	-	-	-	-			
103	Other diseases of circulatory system - { M. F.	5 2	-	1	-	1	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-			
VIII. DISEASES OF RESPIRATORY SYSTEM.																												
TOTAL - - { M. F.			5183 4633	1120 888	545 489	67 66	36 32	69 41	85 51	89 59	106 84	127 90	187 113	209 142	244 129	295 211	303 247	440 325	498 452	405 477	251 400	76 240	26 79	5 16	-	2		
104	Diseases of nasal fossæ and annexa - { M. F.	15 9	1	2	-	-	1	1	1	1	2	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-		
105.1	Laryngismus stridulus - - - { M. F.	4 3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Laryngitis (including croup) - - { M. F.	22 11	8 2	6 3	1 1	-	2	-	-	-	-	1	1	-	1	3	-	1	1	-	-	-	-	-	-	-		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(y)	(y)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
105.3	Other diseases of larynx - - -	M. 1 F. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
106	Bronchitis - - -	M. 1684 F. 1735	180 169	37 38	4 5	3 3	7 2	5 6	14 8	13 12	25 15	41 23	54 50	79 53	123 80	122 120	226 177	277 247	260 270	146 250	52 148	13 49	3 9	-
107	Broncho-pneumonia - - -	M. 1567 F. 1481	761 585	364 336	24 25	10 9	6 9	13 10	7 13	18 18	20 12	21 21	22 17	31 26	32 39	38 40	59 58	50 71	45 88	41 51	1 39	4 12	-	-
108	Lobar pneumonia - - -	M. 899 F. 522	45 25	44 43	19 16	12 13	33 16	52 21	44 23	51 30	59 32	71 34	62 48	76 21	80 37	71 36	64 35	63 37	32 29	12 17	7 6	1 3	1 -	-
109	Pneumonia (not otherwise defined) - - -	M. 533 F. 428	103 80	66 56	10 12	7 5	14 5	9 11	17 9	16 16	15 14	35 18	27 14	28 11	25 22	37 25	36 23	39 38	28 32	16 20	4 13	1 4	-	-
110	Pleurisy - - -	M. 114 F. 85	2 2	11 6	3 2	-	4 5	2 2	2 4	3 4	4 6	5 2	10 4	8 4	12 4	13 3	13 4	13 14	3 10	4 5	1 3	1 -	-	-
111.1	Congestion of Lungs - - -	M. 167 F. 248	16 20	12 4	4 2	3 -	1 1	-	1 -	-	-	1 5	5 2	3 4	3 10	5 13	18 16	24 29	26 42	27 49	11 29	6 11	1 5	-
2	Embolism, Thrombosis, Infarct - - -	M. 13 F. 17	-	-	-	-	-	2	-	-	-	1	1	3	1	2	-	2	2	-	-	-	-	-
112	Asthma - - -	M. 90 F. 59	-	-	1	-	1	-	-	1	1	4	15	6	8	11	13	20	5	4	4	-	-	-
113	Pulmonary emphysema - - -	M. 8 F. 4	1	-	-	-	1	-	-	-	-	-	1	1	-	-	1	2	-	1	-	-	-	-
114.1	Chronic interstitial pneumonia - - -	M. 43 F. 16	1	-	-	-	-	1	-	2	2	3	7	6	3	4	6	5	3	-	-	-	-	-
11	Gangrene of lung - - -	M. 11 F. 4	-	1	-	-	1	-	2	-	-	2	1	1	2	-	1	-	-	-	-	-	-	-
2	Other diseases of respiratory system - - -	M. 12 F. 10	-	1	1	-	-	-	1	1	1	-	1	1	3	-	2	-	-	-	-	-	-	-

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1932—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																							
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95-	100 and over		
IX. DISEASES OF DIGESTIVE SYSTEM.																										
115.1	Diseases of teeth and gums	{ M. F.	506 362	133 97	60 49	35 23	42 33	39 25	52 36	58 29	72 61	89 63	98 92	139 105	132 147	142 144	156 162	123 125	80 116	48 81	11 39	5 10	-	-		
2	Diseases of tonsils	{ M. F.	-	2 6	4 4	- 3	1 2	1 4	2 6	- 1	2 1	- 1	1 5	4 3	2 3	- 1	5 2	- 1	2 1	- 1	- 1	- 1	- 1	- 1		
3	Other diseases of buccal cavity or pharynx	{ M. F.	4 1	7 4	1 -	- -	1 1	1 2	2 1	- 1	1 -	1 1	1 2	- 3	2 4	1 -	6 4	- 2	2 1	2 1	- 2	- 1	- 1	- 1		
116	Diseases of œsophagus	{ M. F.	-	-	-	-	-	-	-	-	1 1	-	-	-	-	-	1 -	1 -	2 -	-	-	-	-	-		
117.a	Ulcer of stomach	{ M. F.	-	-	1 1	1 -	3 -	3 3	7 -	6 3	17 10	20 8	26 12	27 8	25 17	30 18	25 14	22 10	9 4	4 6	-	-	-	-		
b	Ulcer of duodenum	{ M. F.	-	-	-	-	3 -	7 -	7 -	7 -	16 1	23 4	22 3	33 5	22 7	29 8	24 5	13 3	12 3	3 4	1 -	-	-	-		
118	Other diseases of stomach	{ M. F.	20 12	8 4	2 1	- 3	2 -	- 1	1 -	1 -	2 2	3 1	2 2	1 5	3 10	3 12	7 13	11 14	4 13	7 5	2 4	2 2	-	-		
119	Diarrhoea and enteritis (under 2 years)	{ M. F.	429 327	46 48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
120.a	Diarrhoea and enteritis (over 2 years) - (a)	{ M. F.	- (d)	34 15 (e)	13 12 (f)	1 1 (g)	1 2 (h)	1 - (i)	2 3 (j)	6 3 (k)	5 5 (l)	- 4 (m)	5 5 (n)	3 6 (o)	4 6 (p)	5 8 (q)	9 12 (r)	16 11 (s)	12 11 (t)	7 17 (u)	2 12 (v)	- 4 (w)	- (x)	- (y)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
120.b	Ulceration of intestines	- { M. F.	-	-	1	-	1	1	2	2	1	5	3	3	6	3	2	-	2	1	-	-	-	-
121	Appendicitis	- { M. F.	-	14	29	31	21	18	16	21	16	20	10	26	20	18	19	6	4	2	-	-	-	-
122.a	Hernia	- { M. F.	17	6	-	-	3	1	1	2	2	4	4	3	6	17	9	17	12	11	2	1	-	-
b	Intestinal obstruction	- { M. F.	31	10	4	2	4	4	7	5	2	3	6	6	6	7	10	13	6	5	1	1	-	-
123	Other diseases of intestines	- { M. F.	1	-	2	-	-	-	-	1	-	2	4	5	4	2	5	4	1	-	1	-	-	-
124	Cirrhosis of liver	- { M. F.	-	-	1	-	1	-	1	3	-	4	8	17	18	16	16	13	2	4	-	-	-	-
125.1	Acute yellow atrophy of liver	- { M. F.	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
2	Other diseases of liver	- { M. F.	1	1	-	-	-	-	1	-	-	1	1	1	2	2	-	-	5	-	-	1	-	-
126	Biliary calculi	- { M. F.	-	-	-	-	-	-	-	-	1	1	1	9	3	2	4	3	1	-	1	-	-	-
127.1	Cholecystitis	- { M. F.	1	-	-	-	-	-	1	1	3	2	3	5	3	4	7	2	4	2	2	1	-	-
2	Other diseases of gall bladder and ducts	- { M. F.	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-
128	Diseases of pancreas	- { M. F.	1	-	-	-	-	-	1	-	1	-	1	2	4	3	2	1	2	-	-	-	-	-
129	Peritonitis without stated cause	- { M. F.	-	3	2	-	1	2	1	-	1	-	-	2	1	-	2	1	-	-	-	-	-	-

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1932—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																100 and over					
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-		75-	80-	85-	90-	95-
			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)		(t)	(u)	(v)	(w)	(x)
	X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM.																							
	TOTAL	{ M. 1509 F. 1177	18 21	13 14	14 5	5 10	21 17	17 26	16 38	22 48	32 48	52 74	48 74	74 98	124 111	176 116	235 142	246 147	211 95	122 62	50 21	7 9	1 -	
130	Acute nephritis	{ M. 114 F. 106	2 5	13 9	8 1	3 3	5 5	5 6	5 4	5 4	4 5	9 10	6 5	3 10	5 7	8 9	10 8	7 5	9 8	3 -	1 -	- -	- -	
131	Chronic nephritis	{ M. 606 F. 641	- -	- -	4 -	2 4	7 6	4 11	10 17	10 22	14 23	26 32	23 43	45 63	66 63	87 63	109 92	89 85	65 57	31 44	12 10	2 5	- 1	
132	Nephritis unspecified	{ M. 153 F. 184	- 1	1 1	- 1	1 2	3 2	2 4	1 4	2 9	8 8	7 12	5 9	11 12	23 20	23 23	20 22	22 31	17 12	6 5	1 4	- 2	- -	
133	Other diseases of kidney and annexa	{ M. 75 F. 102	11 14	4 4	2 3	1 1	3 -	1 3	- 4	3 4	3 2	3 7	5 4	4 6	7 11	4 9	9 9	10 6	3 3	1 3	1 3	- -	- -	
134	Calculi of urinary passages	{ M. 17 F. 10	- -	- -	- -	- -	- -	- -	- -	- -	2 -	4 1	3 3	- 1	2 -	3 2	1 -	1 2	1 1	- -	- -	- -	- -	
135	Diseases of bladder	{ M. 109 F. 66	1 1	- -	- -	- -	- -	1 1	1 1	1 3	- 3	1 -	3 3	3 1	3 4	7 7	14 7	22 13	21 9	24 9	6 3	1 2	- -	
136	Diseases of urethra, urinary abscess, &c.	{ M. 42 F. 1	- -	- -	- -	- -	- -	1 1	- -	- -	1 -	2 -	3 -	3 -	7 1	8 -	10 -	3 -	4 -	- -	- -	- -	- -	
137	Diseases of prostate	{ M. 384 F. -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	4 -	10 -	35 -	62 -	92 -	91 -	56 -	30 -	4 -	- -	
138	Diseases of male genital organs	{ M. 9 F. -	4 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	1 -	1 -	- -	- -	- -	1 -	- -	- -	- -	
139. a	Diseases of ovary, fallopian tube and parametrium	{ M. 31 F. -	- -	- -	- -	- -	2 2	2 1	4 2	4 2	3 4	5 6	3 3	1 3	3 2	1 -	- -	1 -	2 -	- -	- -	- -	- -	
b	Diseases of uterus	{ M. 31 F. -	- -	- -	- -	- -	2 2	1 -	2 -	2 -	4 -	6 1	3 1	3 1	2 -	2 -	3 -	- -	- -	1 -	- -	- -	- -	
c	Diseases of breast	{ M. - F. 4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	
d	Other diseases of female genital organs	{ M. - F. 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1932—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.														100 and over																																																	
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-																																										
151	XII. DISEASES OF SKIN AND CELLULAR TISSUE.	142 137	40 20	10 4	- 2	1 2	4 2	3 4	1 3	2 4	5 2	5 6	5 7	7 6	12 20	17 5	11 12	5 13	10 12	3 7	1 4	- 1	- 1	-																																										
																									TOTAL - { M. F.	22 13	- -	- -	- -	1 1	- -	6 2	4 -	3 2	- -	2 1	1 1	- -	- -	- -	- -	- -	- -	- -																						
																																													Carbuncle, Boil	85 83	26 15	8 4	- 2	1 2	3 2	3 3	- 3	1 2	4 2	4 3	6 -	6 14	5 8	4 5	2 7	1 2	- -	- -	- -	
																																																																		Cellulitis, Acute abscess - { M. F.
Other diseases of skin and its annexa { M. F.																																																																		
154	XIII. DISEASES OF BONES AND ORGANS OF LOCOMOTION.	94 40	9 4	11 4	19 5	13 7	4 1	3 1	2 -	4 2	2 2	1 2	3 -	2 2	4 2	8 -	4 2	2 3	1 3	2 -	- -	- -	- -	-																																										
																									TOTAL - { M. F.	59 23	4 2	9 4	16 5	13 6	4 1	2 -	1 -	3 -	1 1	- -	- -	2 1	1 -	1 -	- 2	1 1	- -	- -	- -	- -																				
																																															Acute infective osteomyelitis and periostitis - { M. F.	5 8	- -	1 -	- -	1 1	- -	- -	- 1	- -	- -	- 1	3 1	1 1	- -	- -	- -	- -	- -	- -
156	Diseases of joints and other organs of locomotion - { M. F.	30 9	5 2	1 -	1 -	- -	- -	- -	1 -	1 2	1 -	1 -	2 -	2 1	2 1	7 -	3 1	1 1	1 1	1 -	- -	- -	- -	- -																																										
157	XIV. CONGENITAL MALFORMATIONS.	345 238	315 214	18 12	3 2	2 3	4 4	2 2	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -																																											
																								Congenital malformations - { M. F.	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)																	

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1932—*continued.*

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																	100 and over				
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-		80-	85-	90-	95-
XVII. DEATHS FROM VIOLENCE— continued.																								
180	Conflagration - - - - - { M. F.	3 1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	
181	Accidental burns (conflagration ex- cepted) - - - - - { M. F.	131 150	9 7	70 45	3 11	2 9	2 13	5 6	8 4	6 -	5 4	3 3	2 5	3 4	-	2 1	2 3	4 9	2 9	3 9	-	-	-	
182	Accidental mechanical suffocation - { M. F.	31 34	17 27	-	-	1 -	1 -	1 -	1 -	-	2 -	2 -	1 -	-	1 1	2 2	1 1	1 -	-	1	-	-	-	
183	Accidental drowning - - - { M. F.	270 59	-	18 1	18 2	17 3	21 3	16 4	24 4	12 2	16 1	12 5	22 5	26 7	18 5	17 6	14 5	9 2	7 4	3 -	-	-	-	
184	Accidental injury by firearms - { M. F.	8 1	-	-	1 -	-	-	2 -	-	2 -	1 -	-	1 -	-	-	-	-	1 -	-	-	-	-	-	
186	Crushing, Falls, &c.—																							
1	Motor vehicles - - - - - { M. F.	476 172	-	26 31	75 34	29 15	41 9	66 5	34 4	26 4	14 2	23 2	20 7	18 8	20 12	26 7	19 13	20 11	11 6	6 1	2 1	-	-	
2	Other crushing accidents - - { M. F.	534 306	1 2	10 4	25 8	23 8	27 2	34 2	30 4	32 4	42 3	29 7	42 3	32 7	47 15	53 14	37 29	26 32	16 52	22 55	5 39	1 12	-	
189	Hunger, Thirst - - - - - { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
192	Weather agencies (190, 191)	10 2	-	-	-	1	-	-	-	-	-	-	1	1	2	2	1	-	1	1	-	-	-	-
193	Electricity (lightning excepted)	6 1	-	-	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
194	Other accidents (176, 185, 187, 188, 195)	29 17	2 9	2 1	2 -	1 -	1 1	8 -	2 -	2 1	-	1 -	1 -	1 -	1 -	4 1	1 3	-	-	1	-	-	-	-
196	Wounds of war	5	-	-	-	-	-	-	-	-	4	-	-	-	1	-	-	-	-	-	-	-	-	-
198	Execution (197)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVIII. ILL-DEFINED DISEASES.																								
199	TOTAL	607	26	7	4	4	3	5	4	7	20	20	38	33	62	88	95	83	65	31	10	2	-	-
		488	26	13	3	3	2	4	2	8	7	10	20	30	27	50	71	84	61	33	22	9	3	-
200.1	Sudden death, Syncope	66	1	-	-	1	-	2	-	1	1	2	9	7	4	7	12	7	8	3	1	-	-	-
		74	3	-	-	-	-	-	1	1	1	1	3	12	5	5	12	12	10	4	3	1	-	-
200.1	Heart failure	423	6	-	1	2	2	2	2	3	12	15	22	23	48	66	72	67	47	25	7	1	-	-
		294	6	1	1	2	1	2	1	5	4	6	13	14	15	36	47	65	37	17	13	6	2	-
2	Other ill-defined causes	93	12	7	3	1	-	1	-	2	3	2	6	3	8	14	11	7	8	3	2	-	-	-
		97	15	10	2	1	1	-	-	2	1	2	3	4	7	8	10	5	11	8	4	2	1	-
3	Cause not specified	25	7	-	-	-	1	-	2	1	4	1	1	-	2	1	-	2	2	-	1	-	-	-
		23	2	2	-	-	-	2	-	-	1	1	1	-	-	1	2	2	3	4	2	-	-	-

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1932.

INTERNATIONAL LONG LIST.		SCOTLAND.	Aberdeen B. (incl. Kinc. pt.).	Remn. of Abdrn. Co.	Arbroath B.	Dundee B.	Remn. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caitness Co.	Clackmannan Co.	Glydebank B.	Dumbarton B.	Remn. of Dumb. Co.	Dumfries B.	Remn. of Dumf. Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remn. of Inver. Co.	Aberdeen Co. (pt.).	Remn. of Kinc. Co.	Kinross Co.	Kirkcudbright Co.
All Causes		66,045	2,292	1,830	274	2,444	1,015	982	490	478	2,724	683	330	266	394	404	498	300	1,037	301	875	556	392	576	2,378	341	879	150	359	109	448
I. INFECTIOUS AND PARASITIC DISEASES.		8,642	238	180	14	272	80	99	69	53	325	70	29	22	25	46	72	35	128	42	74	87	30	65	294	34	108	18	28	7	43
1. Typhoid fever		24		2					1			1																			
2. Paratyphoid fevers		8																													
3. Typhus fever																															
6. 1. Small-pox, vaccinated																															
2. " not vaccinated																															
3. " vaccination doubtful																															
7. Measles		892	24	12	1	48	3	6	3	3	23	4		1		7	7	1	10		5	9	2	6	36	10	32	3			
8. Scarlet fever		250	1	2		8		4	1	2	6	1		1		1	4	2	13		2	1	1	2	6	4	13	2			
9. Whooping-cough		439	36	8		10	3	4	6	1	12	2	1			1	2	2	4		2	2	3	11	24	1	2				
10. Diphtheria		368	6	8		17	3		4	3	20	2				4	1	2	9		4	5	1	1	11	1	1				
11. Influenza—		1,724	17	27	2	24	20	20	23	21	121	13	10	4		5	8	5	29	8	15	18	2	19	54	1	10	32	3	5	6
a1. " with pneumonia		733	9	10		8	5	4	11	5	45	6	6	1		3	5	2	5	2	7	4	5	5	22	1	4	13	2		
2. " " bronchitis		226	1	3		3	2	2	2	5	19	5		2		1	1	2	7	1		2		2	2	1	1				
3. " " other resp. dis.		91		1		2	3			1	10	1							1						4	1	2				
b1. " " tuberc. of resp. system		7	1																												
2. " " dis. or accidents of preg., &c.		14																	1					1	1	1					
3. " " sole cause		360	4	7	2	9	5	5	6	4	25	2	3	1		1	1	3	8	4	7	4	2	4	11	1	3	8			
4. " " other cause		293	2	6		2	5	9	4	6	22	1	1	1					7	1	1	6		2	8	2	9	1			
13. Dysentery		16	2	1		2		2																							
15. Erysipelas		168	6	4	1	9	2	2	1		4		1	2		1	2		6				1	2	4		1				
16. Acute poliomyelitis		18		1		1	1	1			2	1	1			1		1	3	1	2	1	1	1	4						
17. Lethargic encephalitis		79	2	1		1	1	3			5	4						1	3	1					11						
18. Cerebro-spinal fever		229	4	2	2	5	2	1	2	2	1								3	3											
22. Tetanus		11																													
Tuberculosis—		4,123	124	104	8	138	36	55	25	18	127	38	15	13	19	26	48	20	48	30	44	42	17	21	128	18	61	9	21	2	21
Respiratory system		2,991	79	71	7	107	27	36	22	14	77	28	12	10	9	31	35	15	35	20	36	31	14	14	91	18	49	5	12		
Central nervous system		481	25	16	1	17	4	6	1	2	20	3	1	1	1	2	5	1	1	4	2	1	1	1	14	3	4	3	1		
Intestines and peritoneum		230	7	7		6	1	2	1	1	10	3	1	1	2	2	1	2	6	2	1	1	1	1	14	3	4	1			
Vertebral column		92	3	1		1		3			6	1				2	1	2	2	1	1	1	1	1	9	2	1				
Other bones and joints		53	1	1		2			1		4					1	1		2		2	1			4						
Skin and sub-cutaneous tissues		6	1											1							1										

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1932.

INTERNATIONAL LONG LIST.		Airdrie B.	Geatbridge B.	Glasgow B.	Hamilton B.	Motherwell and Wishaw B.	Rutherglen B.	Remr. of Lanark Co.	Edinburgh B.	Remr. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remr. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Remr. of Renfrew Co.	Ross and Cromarty Co.	Hoxburgh Co.	Seikirk Co.	Falkirk B.	Stirling B.	Remr. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.
All Causes		342	623	16,070	525	819	349	3,761	6,032	1,133	536	126	316	192	504	1,191	1,162	1,214	280	1,278	928	615	285	471	303	1,346	288	903	439	359
I. INFECTIOUS AND PARASITIC DISEASES.																														
1.	Typhoid fever			9				1	2							1				2						1				
2.	Paratyphoid fevers							1	1																					
3.	Typhus fever																													
6.	1. Small-pox, vaccinated																													
	2. " "																													
	3. " " vaccination doubtful																													
7.	Measles	10	20	189	12	34	6	87	88	19	1			1	2	5	72	32	12	8		1	9	2	3	18		24		
8.	Scarlet fever		7	99	2	3	2	26	8	3						3	10	5	4	7	7	5			7	7	1	1		
9.	Whooping-cough		3	128	4	23	3	28	52	10	4					5	5	12	1	3	3	6	1		1	9	9	9		
10.	Diphtheria		4	120	10	2	4	44	29	5	2				4	2	4	6	2	5					1	12		5		
11.	Influenza—	15	17	454	15	9	10	125	154	42	10		8	8	9	23	30	28	3	54	29	20	8	17	9	38	12	30	11	8
a 1.	with pneumonia	9	5	233	8	3	4	49	75	23	4		1	1	4	7	14	13		22	6	9	3	9	2	15	5	18	2	3
2.	" " bronchitis		4	64		2	1	16	14	7	1			2	4	3	6	5	1	3	3	2	1	1	3	8	2	3		
3.	" " other resp. dis.	1		13	1			10	4	2							1	2	1	8	4	1	2	1	1		1	4		
b 1.	" " tuberc. of resp. system			2					2																					
2.	" " dis. or accidents		1	2				2	3	1						1									1					
3.	" " of preg., &c.	7	3	77	3	2	2	28	38	3				4		2	5	5		12	6	7	2		2	10	2	2		
4.	" " sole cause	1	4	63	3	2	3	20	18	6	3		2	1	1	5	4	3	1	14	10	1		3	5	5	2	3	5	4
13.	Dysentery								1								2													
15.	Erysipelas	2	1	62	1	1	1	6	15	1	4		1			2	1	3		1	1	1	2			4				
16.	Acute poliomyelitis								1		1									2										
17.	Lethargic encephalitis		3	17		1		3	8	3	1	1				2	1	9		10	2	2	1			7		3	1	
18.	Cerebro-spinal fever	1	3	84	2	4		17	26	4							5													
22.	Tetanus			2				1																						
	Tuberculosis—																													
23.	Respiratory system	25	33	1,266	41	37	22	239	443	70	27	3	12	5	21	35	82	74	25	66	64	20	15	31	17	75	18	58	30	27
24.	Central nervous system	20	25	965	23	27	14	164	313	49	23	3	9	4	13	26	53	53	19	43	51	16	7	17	10	51	16	43	16	16
25.	Intestines and peritoneum	2	6	150	2	3	4	82	41	5	3		1		4	3	15	10	4	13	3	1	2	8	3	11	1	3	1	5
26.	Vertebral column	1	1	51	8	3	3	17	17	6			2	1	2	4	8	3	1	3	1		1	1	1	9	1	6	4	
27.	Other bones and joints		2	22	1	2	1	7	10	3							2	4	1	3	2		1		1	1		2	1	
28.	Skin and sub-cutaneous tissues			17				3	4		1					1	1			1										

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1932—continued.

INTERNATIONAL LONG LIST.		SCOTLAND.		Aberdeen B. (incl. Kinc. pt.).	Remn. of Aberrdn. Co.	Arbroath B.	Dundee B.	Remn. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Gaithness Co.	Clackmannann Co.	Glydebank B.	Dumfries B.	Remn. of Dumfries Co.	Dumfries B.	Remn. of Dumfries Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remn. of Inver. Co.	Aberdeen B. (Kinc. pt.).	Remn. of Kinc. Co.	Kinross Co.	Kirkcaldy B.		
I. INFECTIOUS AND PARASITIC DISEASES—continued.																																		
29.	Tuberculosis—continued.	21		1	1	.	.	.	1	.	.	1	.	.	.	1	1	
30.	Lymphatic system (bronch. and abdom. glands excepted)	43		.	4	.	.	1	1	.	.	.	1	1	
31.	Genito-urinary system	7		.	1	.	.	.	3	1	
32.	Other organs	107		4	.	.	.	2	1	.	.	7	2	1	1	2	.	.	3	.	2	1	.	1	.	1	.	.	.	1	.	.	.	
32.	Disseminated—acute	92		3	2	.	2	1	2	.	1	2	2	2	2	
32.	chronic (c)	115		9	2	.	4	.	.	1	1	2	2	.	1	
34.	Syphilis	7		1	.	.	.	5	3	1	2	1	3	.	1	
35.	Other venereal diseases	130		6	7	.	6	.	.	1	2	1	3	.	1	
36.	Purulent infection, septicæmia	3		
38.	Malaria		
41.	Hydatid cysts		
43.	Mycoses	5	
44.	Other infect. or parasit. dis. (4, 5, 12, 14, 19, 20, 21, 33, 37, 39, 40, 42)	13		1	.	.	1
II. CANCER AND OTHER TUMOURS.		7,785	285	220	50	311	143	124	56	68	314	92	52	33	49	37	68	45	120	38	110	65	60	72	295	50	105	18	55	15	70			
Cancer—		7,458	276	208	49	297	136	116	55	64	300	84	47	31	46	37	65	43	111	38	108	64	55	71	284	50	102	18	50	15	69			
45.	Buccal cavity, Pharynx.	392	13	11	4	16	8	10	5	3	18	3	2	2	4	1	3	5	3	1	5	5	3	4	17	2	5	2	3	8	4			
46.	Digestive organs, Peritoneum	4,369	151	115	27	172	84	68	26	35	172	56	30	20	25	21	39	23	77	27	67	35	37	41	157	34	62	8	28	8	40			
47.	Respiratory organs.	457	18	10	1	19	8	4	2	6	18	1	3	1	3	4	4	3	6	2	3	6	2	2	4	10	1	1	1	5	1	1		
48.	Uterus.	450	32	12	2	18	3	4	2	3	18	2	3	.	2	1	6	2	4	2	5	6	1	5	18	3	4	1	2	1	6			
49.	Other female genital organs	189	7	7	3	7	6	3	1	3	5	6	1	.	1	2	2	.	1	4	2	2	2	1	14	1	2	.	2	1	1	1		
50.	Breast.	687	25	20	6	20	10	6	5	7	25	2	5	5	5	3	3	2	6	3	15	6	6	2	7	3	7	1	3	3	7	2		
51.	Male genito-urinary organs.	334	9	13	1	14	6	8	5	1	13	4	1	1	4	1	1	2	2	1	4	3	1	2	17	.	11	1	1	1	4	2		
52.	Skin	116	1	5	2	7	3	3	4	.	7	9	1	1	1	1	1	4	.	.	4	4	1	1	7	7	1	1	1	1	1	2		
53.	Other or unspecified organs.	514	20	15	3	24	8	5	4	6	24	9	1	2	1	3	4	2	3	1	4	2	1	7	14	5	10	3	4	2	2			
55.	Tumours, non-malign., or of undeter. nature (54)—																																	
a 1.	Ovary	46	5	2		3	1	2	2		4	1	1		1				2		1				2				3					
2.	Uterus.	58	2	1	1	1	2	1	3		8	3	1	1	1		3		2		1				3		2		2					
b 1.	Brain	152	1	4		7	1	1			2	1	3	1					3		1													
2.	Bladder	18		2							2	1																						
3.	Others.	53	1	3		3		3				2																1						

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1932—continued.

INTERNATIONAL LONG LIST.		Scotland.	Aberdeen B. (incl. Kinc. pt.).	Remr. of Aberdeen Co.	Arbroath B.	Dundee B.	Remr. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Gaithness Co.	Black-mannan Co.	Glydebank B.	Dunbarton B.	Remr. of Dumb. Co.	Dumfries B.	Remr. of Dumf. Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remr. of Inver. Co.	Aberdeen B. (Kinc. Co. pt.).	Remr. of Kinc. Co.	Kinross Co.	Kirkcudbright Co.
VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.		9,023	407	284	53	337	153	135	55	78	388	104	54	43	62	63	71	45	154	54	159	95	54	91	345	51	98	28	51	16	84
78. <i>a</i> Cerebral abscess		41	3	1	1	2	1	1	1	1	3	4	1	1	1	2	1	1	1	2	3	4	1	2	3	2	1	1	1	1	1
79. <i>b</i> Other forms of encephalitis		64	10	6	6	3	1	3	3	5	9	3	1	1	1	1	2	5	9	9	4	2	1	2	3	1	1	1	1	1	1
80. <i>c</i> Tabes dorsalis (Locomotor ataxy)		289	2	1	1	4	1	1	1	1	9	3	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
81. <i>d</i> Progressive muscular atrophy		65	3	1	1	1	1	3	1	2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
82. <i>a</i> 1. Sub-acute combined sclerosis		9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
82. <i>b</i> 2. Myelitis of unstated origin		40	1	2	1	2	1	2	1	1	3	3	2	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
82. <i>c</i> 3. Other diseases of spinal cord		78	1	4	1	1	7	1	1	3	3	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
82. <i>d</i> 4. Cerebral hemorrhage, Apoplexy		4,996	254	177	24	170	85	74	29	36	204	64	23	23	31	44	41	31	92	35	96	50	29	57	178	28	47	19	23	9	41
83. <i>a</i> 1. Cerebral embolism		299	7	14	15	15	5	7	2	2	17	2	5	2	2	1	2	1	6	6	11	6	3	3	16	5	6	1	1	1	5
83. <i>b</i> 2. Cerebral thrombosis		1,207	78	34	14	75	26	17	6	12	39	16	10	4	8	5	9	1	12	3	12	18	3	19	58	7	7	3	15	2	18
83. <i>c</i> 3. Cerebral softening		138	1	3	1	1	2	2	2	3	8	1	4	1	1	2	2	2	4	1	3	1	3	2	19	5	1	1	1	1	1
83. <i>d</i> 4. Hemiplegia		512	9	12	1	24	1	8	2	7	26	3	3	7	3	2	2	2	10	3	11	1	3	2	3	2	5	1	6	1	2
83. <i>e</i> 2. Other paralyzes of unstated origin		58	1	1	2	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	2	2	2	1	3	2	1	1	1	1	2
84. General paralysis of insane		150	5	1	1	10	1	2	4	4	21	1	1	1	1	1	1	1	1	1	1	2	1	1	5	1	5	1	1	1	1
85. Other forms of insanity		90	1	1	1	1	2	3	1	2	10	1	1	1	4	1	1	1	1	3	9	3	1	1	7	2	2	1	1	1	1
86. Epilepsy		171	4	3	3	2	4	3	1	2	10	1	1	1	1	1	1	1	1	3	6	2	3	3	10	3	3	1	1	1	1
86. Infantile convulsions (age under 5 years)		260	11	10	3	10	1	2	1	3	9	4	1	1	1	1	6	1	3	3	6	2	1	1	17	3	3	1	1	1	1
87. <i>a</i> Chorea		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1
87. <i>b</i> Neuritis		26	7	3	2	2	2	1	1	1	1	1	1	1	2	1	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1
87. <i>c</i> Palalysis agitans		77	3	5	1	1	2	3	1	1	6	1	2	1	2	2	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1
87. <i>d</i> Disseminated sclerosis		128	3	1	1	1	5	3	1	1	8	2	2	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1
87. <i>e</i> Oth. diseases of nervous system		134	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
88. Diseases of eye and annexa		6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
89. <i>a</i> Otitis, Diseases of ear		71	6	4	1	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
89. <i>b</i> Mastoid disease		61	1	1	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
VII. DISEASES OF CIRCULATORY SYSTEM.		11,106	450	369	62	524	219	201	88	62	458	130	76	74	71	79	62	48	172	51	211	105	78	105	425	55	136	29	81	24	77
90. Pericarditis		61	1	1	1	4	3	1	1	3	6	1	1	1	1	1	2	1	2	2	2	1	2	1	6	1	1	1	1	1	1
91. Acute endocarditis		127	5	1	2	4	42	52	27	16	119	14	21	25	17	34	13	9	45	12	57	8	11	28	81	19	2	4	8	2	25
92. Chronic endocarditis, Valvular dis.		2,845	76	108	8	150	2	2	4	2	7	9	3	1	3	6	1	1	1	1	1	1	1	2	21	2	54	5	5	4	4
93. <i>a</i> Acute myocarditis		202	3	4	1	4	2	2	2	2	9	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1
93. <i>b</i> 1. Fatty heart		247	2	1	3	14	10	5	5	8	9	1	4	1	1	1	1	1	2	1	14	1	6	5	20	1	6	7	1	1	1
93. <i>b</i> 2. Cardiovascular degeneration		410	46	26	4	40	5	7	1	6	85	33	15	12	2	2	4	6	20	1	10	4	9	16	19	8	26	5	19	3	7
93. <i>c</i> 3. Chron. myocarditis, other myocardial disease		1,812	86	60	12	139	52	30	12	1	1	12	6	17	15	2	4	6	20	6	32	20	9	64	64	8	1	5	5	3	5
93. <i>c</i> Myocarditis not specified as acute or chronic		1,908	76	62	23	33	33	31	11	5	61	12	6	17	9	11	18	6	42	11	30	23	34	13	77	12	9	3	22	2	2

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1932—continued.

INTERNATIONAL LONG LIST.																													
VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.																													
78. <i>a</i>	51	61	1,812	56	108	43	469	824	146	74	30	49	41	83	209	154	143	30	198	134	122	44	58	39	187	33	123	70	48
Cerebral abscess			13	1			1	2				1		1			1						2		1		1		
Other forms of encephalitis			7	2	12		3	11				2			1		4		4				1		1		3	1	
79. Meningitis	1	3	61				25	21							1		8		4				1		1		6	3	
80. Tabes dorsalis (Locomotor ataxy)			11		1		1	5							1				1				1				8		
81. 1. Progressive muscular atrophy			10				1	10									2		2								1		
2. Sub-acute combined sclerosis	1		2					6																					
3. Myelitis of unstated origin			4				3	3																					
4. Other diseases of spinal cord			13	1			5	3									2												
82. <i>a</i> Cerebral haemorrhage, Apoplexy	28	80	1,002	32	74	26	297	414	75	31	10	19	24	29	123	88	86	20	122	72	67	17	31	24	110	20	59	42	29
<i>b</i> 1. Cerebral embolism	2	1	52	8		1	9	26	2	2	2	3	3	2	7	4	5	2	8	4	1	2	5	6	6	5	20	10	5
2. Cerebral thrombosis	10	1	192	2	6	3	37	150	33	15	5	11	9	20	28	12	12	2	22	13	16	17	4	5	19	5	2	10	5
3. Cerebral softening			62	1	1	2	6	6	2	1	4	5	1	3	1	9	1	2	15	5	2	3	1	3	7	2	6	2	3
<i>c</i> 1. Hemiplegia	1	8	107	4	1		20	63	11	5	1		1	11			8	2	1	6	4						1		
2. Other paralysees of unstated origin			9				4	4									2		1								1		
83. General paralysis of insane			49		1	2	4	18	3	2		1		1	3	2	3	1	1	4	1				2		1	1	
84. Other forms of insanity	1	1	15	1	2	1	4	4	1	1				1	7		1	1	2	5	3	1			3	1	1	2	
85. Epilepsy	2	1	41	5	1	2	9	20	8	1			1	2	4	1	1	1	6	3	3						3	1	
86. Infantile convulsions (age under 5 years)	3	6	61			1	18	16	5	2	2	3	1	2	7	10	6		3	3	2						1	2	
87. <i>a</i> Chorea					1			3		1																			
<i>b</i> Neuritis			4		1		1	11				1																	
<i>c</i> Paralysis agitans	1	2	9		1		8	11	2		3			3	2		2		1	2	1								
<i>d</i> Disseminated sclerosis			24	1	5	2	3	10	1	4	1	1		2	3	9	1	1	5	2	1						3	1	
<i>e</i> Other diseases of nervous system			26	1	2		1	10		2	1		1		1	9	1		3	11	2						1	1	
Diseases of eye and annexa							1	1		1									1	2									
88. <i>a</i> Otitis, Diseases of ear			16				2	9		1									1										
<i>b</i> Mastoid disease	1		22	2			7	6						1	1	2	1		1								2		
VII. DISEASES OF CIRCULATORY SYSTEM.																													
90. Pericarditis	59	86	2,162	67	120	54	493	1,114	202	114	30	66	44	98	253	125	234	37	213	130	140	64	76	57	226	60	138	77	74
Acute endocarditis	1	1	9	2	2		5	5	2	1		1	1	2		2	3			2				2	1	1	1	1	
Chronic endocarditis, Valvular dis.	1		36	1	1		4	12	2			26	8	21	68	1	49	6	56	1	2		2	14	59	26	38	2	29
91. Acute myocarditis	20	31	601	26	27	6	150	262	39	18	4					23	2	1	5	34	56	22	19	1	5	1	11	1	1
92. <i>a</i> Acute myocarditis	2		48	1	1	1	12	11	14			2		1	5	1	4	1	3		3		2	1	4	1	3	1	1
<i>b</i> 1. Fatty heart		3	39	3			14	21	10	2					15	1	9	3	3	4	1	7	1	1	6	4	11	3	1
2. Cardiovascular degeneration		3	48		1		12	43	12	13		5	5		42	1	33	6	31	19	26	13	13	29	6	22	22	6	9
3. Chronic myocarditis, other myocardial disease	5	4	358	5	13	10	56	180	40	24	12	6	8	17	42	9	70	8	44	20	11	5	26	7	54	2	16	15	
<i>c</i> Myocarditis not specified as acute or chronic	16	8	461	11	47	10	93	159	21	20	3	4	4	15	22	33													

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1932—continued.

INTERNATIONAL LONG LIST.		Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell and Wishaw B.	Rutherglen B.	Renf. of Lanark Co.	Edinburgh B.	Renf. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Renf. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Renf. of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Renf. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.		
IX. DISEASES OF DIGESTIVE SYSTEM.																																
115.	1. Diseases of teeth and gums	15	42	1,071	34	56	9	239	287	52	35	5	9	7	30	61	97	66	15	72	46	35	18	26	19	69	7	42	22	16		
	2. Diseases of tonsils	4	1	1	.	2	7	2	1	.	1	.	1	1	3	3	.	.	2	.	2	.	.	1		
	3. Other diseases of buccal cavity or pharynx	19	1	.	.	5	5	1	1	4	.	1	1	1		
116.	Diseases of oesophagus	1	3	71	1	5	.	14	30	6	2	.	3	.	2	13	13	6	.	9	6	2	3	1	4	2	4	1	.	.		
117. a	Ulcer of stomach	1	.	61	2	2	1	20	30	4	2	.	.	.	1	4	5	1	1	5	4	1	2	3	2	4	4	4	3	.	.	
117. b	Ulcer of duodenum	27	8	6	.	12	9	4	1	.	.	.	1	1	28	16	1	8	5	4	.	.	4	2	2	11	2	3	.	.
118.	Other diseases of stomach	1	.	434	8	13	2	44	30	5	4	.	.	.	8	2	28	16	1	1	2	4	.	.	4	2	2	11	3	.	.	
119.	Diarrhoea and enteritis (under 2 years)	4	15	434	8	13	.	44	30	5	4	.	.	.	8	2	28	16	1	1	2	4	.	.	4	2	2	11	3	.	.	
120. a	Diarrhoea and enteritis (over 2 years)	3	54	6	7	.	24	23	1	4	.	.	1	1	.	13	3	3	1	2	3	.	.	2	.	.	3	1	.	.	
120. b	Ulceration of intestines	1	9	7	2	1	2	2	11	6	9	3	1	3	1	1	1	15	1	2	2	1	5	1	1	2	.	3	1	.	.	
121.	Appendicitis	2	4	107	3	7	2	40	43	4	1	1	1	1	1	10	9	3	1	12	7	3	1	1	1	2	.	1	1	.	.	
122. a	Hernia	4	54	8	1	1	19	19	4	1	1	2	.	3	7	6	8	1	12	3	5	1	1	1	1	.	1	1	.	.	
122. b	Intestinal obstruction	4	62	.	3	1	12	19	4	2	.	.	.	3	7	6	5	1	16	3	3	1	1	1	1	.	1	1	.	.	
123.	Other diseases of intestines	12	2	5	1	4	9	1	2	.	.	.	2	4	4	1	.	2	2	2	1	1	1	1	.	1	1	.	.	
124.	Cirrhosis of liver	2	.	50	.	.	.	6	8	1	1	1	4	1	.	1	2	3	1	1	1	1	.	1	1	.	.	
125.	1. Acute yellow atrophy of liver	5	.	1	1	.	1	2	.	.	1	1	.	1	1	1	1	.	1	1	.	.	
125.	2. Other diseases of liver	1	6	.	1	1	2	3	.	.	.	1	.	1	.	2	3	.	5	4	3	1	1	1	1	.	1	1	.	.	
126.	Biliary calculi	1	3	23	1	1	.	15	10	2	3	1	1	2	1	1	1	3	4	1	2	3	1	1	1	1	.	1	1	.	.	
127.	1. Cholecystitis	2	3	36	3	1	.	13	13	4	2	3	.	3	.	1	2	
127.	2. Other diseases of gall bladder and ducts	3	.	.	.	8	3	1	1	.	.	.	1	
128.	Diseases of pancreas	1	.	11	2	1	.	1	9	3	1	.	.	.	1	2	2	.	.	2	3	1	1	.	.	.	
129.	Peritonitis without stated cause	10	2	.	.	2	5	3	1	1	
X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM.																																
130.	Acute nephritis	16	28	602	15	27	15	143	252	41	21	7	15	10	18	70	42	69	10	60	44	20	10	15	13	37	12	50	19	16		
131.	Chronic nephritis	6	42	4	5	4	16	20	5	2	.	1	2	3	4	8	6	2	8	3	2	1	5	1	1	.	
132.	Nephritis unspecified	8	9	254	4	7	7	67	127	15	9	3	6	5	7	31	19	84	5	26	15	14	7	9	5	13	8	26	11	1	.	
133.	Other diseases of kidney and annexa	4	5	115	1	6	2	24	26	8	.	.	2	1	1	6	7	13	.	7	8	1	1	2	2	2	.	9	1	1	.	

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1932—continued.

INTERNATIONAL LONG LIST.	SCOTLAND.	Aberdeen B. (incl. Kinc. pt.).	Remr. of Aberrdn. Co.	Arbroath B.	Dundee B.	Remr. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Gaithness Co.	Glackmannan Co.	Clydebank B.	Dumbar-ton B.	Remr. of Dumb. Co.	Dumfries B.	Remr. of Dumf. Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remr. of Inver. Co.	Aberdeen B. (Kinc. Co. pt.).	Remr. of Kinc. Co.	Kintross Co.	Kirkcudbright Co.		
XII. DISEASES OF SKIN AND CELLULAR TISSUE.	279	8	10	1	5	4	2	4	2	20	4	.	.	3	.	3	1	2	2	1	1	3	3	5	15	.	4	.	2	1	3	
151. Carbuncle, Boil	35	1	.	.	2	3	.	.	.	1	.	1	1	
152. Cellulitis, Acute abscess . .	168	3	5	1	3	2	2	3	.	11	.	.	.	1	.	1	1	.	2	1	1	2	2	.	2	.	.	.	1	1	3	
153. Oth. dis. of skin and its annexa	76	4	5	.	.	2	.	1	2	6	4	.	.	2	.	1	3	6	.	2	.	.	.	1	.	.
XIII. DISEASES OF BONES AND ORGANS OF LOCOMOTION.	134	7	2	1	2	2	1	.	1	4	2	.	.	2	2	.	.	.	2	.	1	1	1	3	8	.	2	.	2	1	3	
154. Acute infective osteomyelitis and periostitis	82	3	1	.	.	1	.	.	1	3	2	.	.	1	2	1	1	2	7	.	2	1	
155. Other diseases of bones . .	13	1	.	.	.	1	1	.	.	.	1	1	1	1	1	2	
156. Dis. of joints and other organs of locomotion	39	3	1	1	2	.	1	.	.	1	1	1	1	.	.	.	1	1	2	
XIV. CONGENITAL MALFORMATIONS.	583	20	17	.	17	4	5	10	8	29	6	4	1	2	4	4	4	4	11	1	8	8	1	6	24	3	6	5	5	.	2	
157. Congenital malformations . .																																
XV. DISEASES OF EARLY INFANCY.	2,877	111	100	14	90	41	26	22	29	133	34	12	4	17	12	31	19	44	12	27	28	13	26	122	11	25	11	14	3	16		
158. Congenital debility	813	20	26	2	24	21	8	5	7	45	9	3	1	8	5	4	8	13	3	8	5	4	12	46	2	7	2	8	.	5		
159. Premature birth	1,593	60	56	8	53	16	14	15	18	74	20	5	2	6	7	23	7	21	9	13	20	6	12	58	7	10	7	5	2	11		
160. Injury at birth	199	7	5	2	4	3	3	.	2	6	1	3	.	1	.	2	2	6	.	2	2	3	1	7	2	2		
161. Other diseases peculiar to early infancy	272	24	13	2	9	1	1	2	2	8	4	1	1	2	.	2	2	4	.	4	1	.	1	11	2	6	2	1	1	.		

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1932—continued.

INTERNATIONAL LONG LIST.	Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell and Wishaw B.	Rutherglen B.	Remr. of Lanark Co.	Edinburgh B.	Remr. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remr. of Perth Co.	(Greenock B.	Paisley B.	Port-Glasgow B.	Remr. of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Remr. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.
XII. DISEASES OF SKIN AND CELLULAR TISSUE.																													
151. Carbuncle, Boil	58	3	4	1	20	37	1	1	.	.	1	1	2	2	7	3	3	5	2	1	6	1	5	1	3	1	3
152. Cellulitis, Acute abscess	4	3	.	.	1	6	2	.	3	2	1	1	.	.
153. Oth. dis. of skin and its annexa	.	.	42	.	4	1	14	25	.	1	.	.	1	1	1	.	6	1	1	1	1	1	3	1	1
	.	.	12	.	.	.	5	6	1	1	.	1	3	.	2
XIII. DISEASES OF BONES AND ORGANS OF LOCOMOTION.																													
154. Acute infective osteomyelitis and periostitis	1	1	26	3	3	.	12	12	5	2	1	.	.	.	1	1	2	1	6	2	.	.	1	.	2	1	1	1	.
155. Other diseases of bones . . .	1	1	17	2	2	.	10	6	4	1	1	1	1	3	1	1	1	1	.
156. Dis. of joints and other organs of locomotion	.	.	2	1	1	.	2	1	1	.	1	.	.	.	1	.	1	.	3	1	.	.	1	.	1
	.	.	7	.	.	.	2	5	1	1	1
XIV. CONGENITAL MALFORMATIONS.																													
157. Congenital malformations . .	4	4	138	4	8	3	45	35	18	10	1	.	.	4	9	10	10	2	8	5	7	1	4	3	18	4	12	4	2
XV. DISEASES OF EARLY INFANCY.																													
158. Congenital debility	19	48	673	32	42	9	228	198	69	24	2	7	6	19	34	62	57	20	44	18	12	12	26	19	70	9	51	28	3
159. Premature birth	9	11	154	16	5	2	73	25	23	9	.	1	4	9	15	33	21	8	12	5	3	5	9	4	26	1	8	12	1
160. Injury at birth	8	31	396	15	30	6	119	130	35	10	1	3	2	7	16	26	30	10	28	7	7	4	15	11	31	8	35	13	1
161. Other diseases peculiar to early infancy	.	.	67	.	3	.	13	27	5	1	1	1	.	1	2	2	2	1	1	5	.	3	.	1
	2	6	56	1	4	1	23	16	6	4	.	2	.	2	1	1	4	2	4	6	2	3	1	3	8	.	5	.	1

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1932—continued.

INTERNATIONAL LONG LIST.																	SCOTLAND.	XVI. SENILITY.																														
																	2,934	60	88	8	97	95	78	28	15	153	26	16	7	28	37	6	10	62	11	45	18	19	32	99	16	111	1	17	6	24		
162. Senility, Senile dementia . . .																																																
XVII. DEATHS FROM VIOLENCE.																	2,811	105	89	7	102	43	39	18	24	123	24	13	2	19	14	15	6	56	9	37	27	20	22	119	19	45	13	13	1	21		
171. Suicide (163 to 170) . . .																	500	33	18	2	28	13	8	4	2	17	5	2	1	4	2	2	1	6	1	2	3	5	7	18	1	4	4	4	1	2		
175. Homicide (172, 173, 174) . . .																	25	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
177. Food poisoning . . .																	31	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
178. Accidental gaseous poisoning . . .																	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
179. Other acute accidental poisoning . . .																	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
180. Conflagration . . .																	281	7	8	2	13	3	4	2	3	12	2	1	1	2	2	3	1	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1
181. Accidental burns (conflagration excepted) . . .																	65	10	3	1	1	1	1	1	1	2	7	1	1	4	2	1	1	1	1	2	6	4	2	2	17	3	14	2	2	2	2	2
182. Accidental mechanical suffocation . . .																	329	10	13	1	10	4	9	1	1	12	7	2	2	4	2	3	1	6	1	2	6	4	2	2	17	3	14	2	2	2	2	2
184. Accidental injury by firearms . . .																	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
186. Crushing, Falls, &c.—																																																
1. Motor Vehicles . . .																	648	23	22	3	21	4	7	6	7	36	2	4	2	4	4	2	1	12	2	2	18	8	5	4	26	3	7	2	2	2	2	2
2. Other crushing accidents . . .																	840	28	16	3	22	16	9	4	10	38	7	3	2	5	4	4	3	22	1	10	11	9	7	44	9	14	3	4	4	4	4	4
189. Hunger, Thirst . . .																	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
192. Weather agencies (190, 191) . . .																	7	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
193. Electricity (lightning excepted) . . .																	46	1	3	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
194. Other accidents (176, 185, 187, 188, 195) . . .																	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
196. Wounds of war . . .																	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
198. Execution (197) . . .																	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
XVIII. ILL-DEFINED DISEASES.																	1,095	15	17	3	16	19	32	5	8	40	16	4	12	10	6	6	4	17	8	14	11	6	6	40	3	43	7	7	4	4	4	
199. Sudden death, Syncope . . .																	140	3	2	1	4	4	7	1	1	8	3	3	1	3	3	3	1	4	1	2	2	3	3	6	3	2	6	6	6	6	6	6
200. 1. Heart failure . . .																	717	11	10	2	10	14	18	4	8	28	12	3	6	9	3	3	3	11	6	10	6	5	3	28	3	9	6	6	6	6	6	6
2. Other ill-defined causes . . .																	190	1	2	1	2	1	4	1	1	2	1	1	1	1	1	1	1	2	1	1	1	1	1	3	8	14	1	1	1	1	1	1
3. Cause not specified . . .																	48	1	3	1	1	1	3	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1932—continued.

INTERNATIONAL LONG LIST.																															
XVI. SENILITY.																															
162.	Senility, Senile dementia . . .	17	19	448	21	25	20	151	211	46	31	6	36	10	26	75	35	28	13	61	112	18	22	16	20	82	45	28	35	65	
XVII. DEATHS FROM VIOLENCE.																															
171.	Suicide (163 to 170) . . .	1	2	123	6	4	2	21	67	10	2	2	2	1	5	7	6	8	.	6	4	5	4	4	4	1	8	.	3	4	.
175.	Homicide (172, 173, 174)	5	.	.	.	4	4	1	1	1	.	2	.	.
177.	Food poisoning
178.	Accidental gaseous poisoning	2	5	.	2	.	4	5	1	1	.	.	1	.	3
179.	Other acute accidental poisoning	1	2	.	.	.	1	2
180.	Conflagration	1	1
181.	Accidental burns (conflagration excepted)	4	86	4	5	2	31	12	1	2	1	.	1	1	6	4	7	1	8	2	5	1	3	1	5	4	2	.	2	
182.	Accidental mechanical suffocation	1	26	.	1	.	4	8	1	1	1	.	2	1	.	.	3	.	1	15	4	1	.	.	.	2	1	.	4	
183.	Accidental drowning . . .	4	8	52	.	2	2	16	12	5	4	.	1	2	1	14	.	2	1	10	5	6	1	.	.
184.	Accidental injury by firearms	1	1
186.	Crushing, Falls, &c.—
1.	Motor Vehicles . . .	4	5	138	5	12	6	43	82	6	4	.	1	3	5	9	12	10	4	19	6	6	2	3	6	13	.	11	.	2	
2.	Other crushing accidents . . .	4	4	172	10	16	2	56	84	34	7	3	2	3	5	11	13	12	6	11	11	4	2	5	3	22	1	11	6	9	
189.	Hunger, Thirst	1
192.	Weather agencies (190, 191)	1	2
193.	Electricity (lightning excepted)	3	1
194.	Other accidents (176, 185, 187, 188, 195) . . .	1	.	12	1	.	1	2	3	1	1	1	1	1
196.	Wounds of war	1	1	.	.	1
198.	Execution (197)
XVIII. ILL-DEFINED DISEASES.																															
199.	Sudden death, Syncope . . .	11	11	337	9	13	9	61	23	25	6	.	14	4	12	19	21	9	.	30	38	9	2	8	4	13	9	11	7	8	
200.	1. Heart failure . . .	2	2	40	2	1	.	5	2	1	3	4	3	1	.	6	3	3	5	1	2	5
	2. Other ill-defined causes . . .	5	5	245	6	11	7	31	12	20	5	.	12	4	8	11	9	7	.	19	17	9	2	3	4	7	3	10	5	3	
	3. Cause not specified . . .	4	4	51	1	1	2	25	9	3	1	.	1	.	1	3	8	1	.	5	12	1	.	1	1	1

CAUSES OF DEATH IN SCOTLAND (BOTH SEXES), BY MONTHS, IN 1932.

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
			5606	6487	7541	6041	5525	4841	4379	4488	4325	4808	5242	6762
	All Causes - - - -	66045												
	I. INFECTIOUS AND PARASITIC DISEASES.	8642	735	1018	1385	932	754	557	489	409	392	444	507	1020
1	Typhoid fever - - - -	24	1	4	-	-	1	3	4	1	2	1	4	3
2	Paratyphoid fevers - - - -	8	-	-	-	-	-	1	3	1	2	-	1	-
3	Typhus fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
6.1	Smallpox vaccinated - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
2	" not vaccinated - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
3	" vaccination doubtful - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Measles - - - -	892	141	178	236	144	102	48	19	14	3	3	-	4
8	Scarlet fever - - - -	250	26	30	29	25	19	9	13	11	17	17	26	28
9	Whooping-cough - - - -	459	24	49	48	49	44	34	24	26	23	14	37	87
10	Diphtheria - - - -	368	53	36	39	34	22	15	23	25	21	22	33	45
11	Influenza— (Total)	1724	73	239	497	187	80	40	16	14	24	47	55	452
a1	with pneumonia - - - -	733	22	112	212	80	30	15	5	3	5	15	23	211
2	" bronchitis - - - -	226	10	32	80	19	10	7	-	-	1	3	1	63
3	" other resp. dis. - - - -	91	4	12	24	12	4	-	3	-	4	3	3	22
b1	" tuberc. of resp. system - - - -	7	-	-	3	1	-	-	-	-	-	-	-	3
2	" dis. or acc. of preg., &c. - - - -	14	1	2	5	5	-	-	-	-	-	-	1	-
3	" other cause - - - -	360	24	43	86	43	21	9	2	6	13	18	16	79
4	sole cause - - - -	293	12	38	87	27	15	9	6	5	1	8	11	74
13	Dysentery - - - -	16	4	1	4	-	-	2	-	3	1	-	1	-
15	Erysipelas - - - -	168	16	12	28	22	20	9	8	9	8	14	14	8
16	Acute poliomyelitis - - - -	18	-	1	2	1	1	3	2	-	-	4	3	1
17	Lethargic encephalitis - - - -	79	2	8	12	9	3	5	5	6	4	10	5	10
18	Cerebro-spinal fever - - - -	229	20	28	26	26	27	15	17	11	13	14	13	19
22	Tetanus - - - -	11	-	1	-	-	-	3	1	2	2	-	1	1
	Tuberculosis— (Total)	4123	352	402	439	402	408	356	330	270	252	283	295	334
23	Respiratory system - - - -	2991	243	305	318	277	294	251	229	200	182	199	227	266
24	Central nervous system - - - -	481	44	45	61	53	59	49	39	24	29	26	24	28
25	Intestines and peritoneum - - - -	230	25	19	18	24	23	20	15	17	20	25	15	9
26	Vertebral column - - - -	92	7	10	9	10	7	8	8	9	1	6	7	10
27	Other bones and joints - - - -	53	3	4	4	6	4	5	4	5	5	7	3	3
28	Skin and sub-cutaneous tissues - - - -	6	1	-	-	-	-	2	1	-	2	-	-	-
29	Lymphatic system (bronch. and abdom. glands excepted) - - - -	21	6	1	2	-	1	-	4	1	2	2	2	-
30	Genito-urinary system - - - -	43	3	3	1	6	2	3	5	3	3	4	7	3
31	Other organs - - - -	7	-	1	-	-	1	-	2	2	-	-	1	-
32.a	Disseminated—acute - - - -	107	9	10	17	17	14	6	8	3	4	5	6	8
b	" —chronic (c)— - - - -	92	11	4	9	9	3	12	15	6	4	9	3	7
34	Syphilis - - - -	115	11	14	11	11	11	7	15	4	10	5	4	12
35	Other venereal diseases - - - -	7	1	-	1	1	1	1	1	-	1	-	-	-
36	Purulent infection, septicæmia - - - -	130	10	14	11	20	14	5	6	12	9	8	10	11
38	Malaria - - - -	3	-	-	1	-	-	-	-	-	-	1	1	-
41	Hydatid cysts - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
43	Mycoses - - - -	5	-	-	1	-	1	-	1	-	-	-	1	1
44	Other infect. or parasit. dis. (4, 5, 12, 14, 19, 20, 21, 33, 37, 39, 40, 42)	13	1	1	-	1	-	1	1	-	-	1	3	4
	II. CANCER AND OTHER TUMOURS.	7785	631	680	662	624	602	639	654	674	640	664	654	661
	Cancer— (Total)	7458	602	647	639	599	582	606	634	648	615	633	627	626
45	Buccal cavity, Pharynx - - - -	392	39	32	26	31	42	42	33	32	27	26	35	27
46	Digestive organs, Peritoneum - - - -	4369	351	390	384	362	324	342	363	381	361	382	356	373
47	Respiratory organs - - - -	457	24	40	30	33	42	49	44	32	39	44	43	37
48	Uterus - - - -	450	36	38	33	30	38	46	47	41	31	33	39	38
49	Other female genital organs - - - -	189	15	12	18	13	14	13	11	18	21	18	20	16
50	Breast - - - -	637	56	52	53	48	48	46	55	56	57	52	57	57
51	Male genito-urinary organs - - - -	334	28	36	40	33	27	19	24	31	20	25	24	27
52	Skin - - - -	116	9	7	17	8	8	6	9	15	8	9	6	14
53	Other or unspecified organs - - - -	514	44	40	38	41	39	43	48	42	51	44	47	37

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
II. CANCER AND OTHER TUMOURS—continued.														
55	Tumours, non-malignant, or of undetermined nature (54)—													
a1	Ovary - - - - -	46	3	1	5	3	1	6	1	5	2	9	4	6
2	Uterus - - - - -	58	6	8	6	3	4	9	2	4	5	3	2	6
b1	Brain - - - - -	152	15	10	9	13	11	14	13	15	13	10	15	14
2	Bladder - - - - -	18	1	2	-	4	1	1	-	-	3	2	2	2
3	Others - - - - -	53	4	12	3	2	3	3	4	2	2	7	4	7
III. RHEUMATISM, DISEASES OF NUTRITION, AND OTHER GENERAL DISEASES.														
		1257	90	127	132	106	126	94	94	96	87	96	101	118
56	Rheumatic fever - - - -	223	16	26	32	16	32	13	19	23	13	15	7	11
57.1	Chronic rheumatism - - -	40	3	4	4	2	4	1	2	5	3	4	4	4
2	Rheumatoid arthritis, Osteo-arthritis	97	6	12	5	15	11	8	7	6	7	7	8	5
58	Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
59	Diabetes mellitus - - - -	666	45	63	68	57	57	49	51	40	52	48	63	73
60	Scurvy - - - - -	3	-	-	-	-	1	-	1	-	1	-	-	-
63	Rickets - - - - -	17	-	1	3	2	4	2	2	-	-	1	1	1
65	Diseases of pituitary gland - -	6	2	-	-	1	-	1	1	-	-	-	1	-
66.b	Exophthalmic goitre - - -	102	11	9	8	6	10	10	3	5	8	10	10	12
c	Myxœdema, Cretinism - - -	34	-	3	5	1	3	6	2	1	-	5	3	5
e	Other diseases of thyroid and parathyroid, Tetany (a, d)	14	1	2	2	-	1	-	1	-	1	2	1	3
67	Diseases of thymus - - - -	16	4	3	2	-	1	1	1	-	-	1	2	1
68	Diseases of adrenals - - -	22	1	2	2	3	2	2	1	4	1	3	-	1
69	Other general diseases (61, 62, 64) -	17	1	2	1	3	-	1	3	2	1	-	1	2
IV. DISEASES OF THE BLOOD, AND BLOOD-FORMING ORGANS.														
		582	41	38	60	55	54	44	38	58	42	45	53	54
70.a	Purpura - - - - -	34	-	3	5	4	2	2	1	2	2	5	4	4
b	Hæmophilia - - - - -	6	-	-	1	-	1	1	-	1	1	1	-	-
71.a	Pernicious anæmia - - - -	317	20	18	35	29	27	21	24	34	28	25	31	25
b	Other anæmias, Chlorosis - -	70	7	7	6	7	7	8	4	5	2	4	6	7
72.a	Leukæmia - - - - -	85	10	4	8	8	11	3	4	9	4	4	8	12
b	Aleukæmia (Lymphadenoma) - -	54	3	2	4	6	5	6	4	6	4	5	3	6
73	Diseases of spleen - - - -	15	1	4	1	1	1	2	1	1	1	1	1	-
74	Other diseases of blood and blood-forming organs	1	-	-	-	-	-	1	-	-	-	-	-	-
V. CHRONIC POISONINGS.														
		40	6	3	1	6	2	1	1	6	5	3	1	5
75	Alcoholism (acute or chronic) -	36	6	3	1	4	2	1	1	6	5	3	-	4
76	Chronic poisoning by other organic substances	-	-	-	-	-	-	-	-	-	-	-	-	-
77.1	Occupational lead poisoning - -	3	-	-	-	2	-	-	-	-	-	-	1	-
2	Other chronic poisoning by mineral substances	1	-	-	-	-	-	-	-	-	-	-	-	1
VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.														
		9023	770	808	923	821	771	720	660	682	614	701	731	822
78.a	Cerebral abscess - - - - -	41	4	5	7	3	1	1	2	2	5	6	3	2
b	Other forms of encephalitis - -	64	3	4	5	7	6	11	5	4	7	5	4	3
79	Meningitis - - - - -	289	22	33	42	33	23	20	19	19	16	18	23	21
80	Tabes dorsalis (Locomotor ataxy) -	54	8	4	6	3	5	4	1	4	6	5	4	4
81.1	Progressive muscular atrophy - -	65	11	2	11	5	2	2	5	8	3	3	4	4
2	Sub-acute combined sclerosis - -	9	1	1	1	-	-	-	2	-	2	-	2	-
3	Myelitis of unstated origin - -	40	2	1	4	4	3	3	3	4	2	5	4	5

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS— <i>continued.</i>														
81.4	Other diseases of spinal cord -	73	10	8	9	7	7	8	5	5	3	1	3	7
82.a	Cerebral hæmorrhage, Apoplexy -	4996	424	444	518	475	430	399	343	363	339	393	396	472
b1	Cerebral embolism - - -	299	22	26	24	22	22	32	25	29	25	25	22	25
2	Cerebral thrombosis - - -	1207	91	123	120	116	110	89	99	96	68	87	104	104
3	Cerebral softening - - -	138	10	10	14	8	18	8	9	11	9	13	8	20
c1	Hemiplegia - - - -	512	37	39	50	48	37	38	47	41	45	39	41	50
2	Other paralyzes of unstated origin	58	7	6	4	5	7	3	5	3	3	4	7	4
83	General paralysis of insane - -	150	20	14	20	12	10	9	4	17	9	12	8	15
84	Other forms of insanity - - -	90	6	3	4	7	5	17	5	4	11	9	7	12
85	Epilepsy - - - - -	171	19	13	16	12	13	13	19	11	16	17	11	11
86	Infantile convulsions (age under 5)	260	26	26	22	19	29	16	23	17	16	13	25	28
87.a	Chorea - - - - -	4	-	1	-	1	-	-	-	1	-	-	1	-
b	Neuritis - - - - -	26	2	1	1	2	3	3	3	2	1	3	3	2
c	Paralysis agitans - - - -	77	9	9	6	4	8	4	4	8	7	7	7	4
d	Disseminated sclerosis - - -	128	9	13	14	9	8	9	10	11	5	12	16	12
e	Other diseases of nervous system -	134	11	11	15	6	11	19	13	14	4	9	12	9
88	Diseases of eye and annexa - -	6	-	-	-	1	1	1	-	-	-	2	1	-
89.a	Otitis, diseases of ear - - -	71	7	5	5	5	7	2	7	5	11	5	7	5
b	Mastoid disease - - - -	61	9	6	5	7	5	9	2	3	1	3	8	3
VII. DISEASES OF CIRCULATORY SYSTEM.														
		11106	932	1035	1037	1012	953	846	750	798	859	888	953	1043
90	Pericarditis - - - - -	61	8	6	6	7	3	5	3	4	5	6	6	2
91	Acute endocarditis - - - -	127	11	15	13	7	15	6	7	12	14	11	7	9
92	Chronic endocarditis, Valvular dis.	2845	276	265	287	278	221	216	201	177	218	221	226	259
93.a	Acute myocarditis - - - -	202	21	22	17	23	23	21	14	19	10	11	11	10
b1	Fatty heart - - - - -	247	33	19	24	24	20	24	13	21	19	10	20	20
2	Cardiovascular degeneration -	410	34	37	21	29	32	34	23	34	33	47	44	42
3	Chronic myocarditis, Other myo- cardial disease	1812	124	171	160	147	173	131	125	130	133	158	173	187
c	Myocard. not spec. as acute or chronic	1908	137	176	206	170	158	136	147	134	145	149	164	186
94	Diseases of coronary arteries, Angina pectoris	946	66	85	82	90	75	85	49	75	71	73	98	97
95	Other diseases of heart - - -	1064	90	96	115	86	96	81	71	80	87	74	85	103
96	Aneurysm (heart excepted) - -	133	10	19	12	10	14	7	5	7	14	11	14	10
97	Arterio-sclerosis (coron. art. except.)	879	77	81	59	87	80	71	55	80	70	75	69	75
98.a	Senile gangrene - - - - -	246	27	26	18	32	25	13	18	11	15	21	18	22
b	Other gangrene - - - - -	25	1	3	1	4	3	2	1	2	1	3	2	2
99	Other diseases of arteries - -	81	6	8	6	5	5	5	9	6	4	11	6	10
100	Diseases of veins - - - - -	75	4	5	6	10	7	6	4	2	16	4	6	5
101	Diseases of lymphatic system -	18	5	1	3	1	1	1	1	2	-	1	2	-
102	Abnormalities of blood pressure -	20	1	-	1	1	1	2	2	2	4	2	-	4
103	Other dis. of circulatory system -	7	1	-	-	1	1	-	2	-	-	-	2	-
VIII. DISEASES OF RESPIRATORY SYSTEM.														
		9816	813	1250	1650	920	724	569	393	380	399	570	736	1412
104	Diseases of nasal fossæ and annexa	24	2	6	2	1	2	1	1	3	-	1	1	4
105.1	Laryngismus stridulus - - -	7	-	1	-	1	2	1	-	-	1	-	1	-
2	Laryngitis (including croup) -	33	4	4	1	3	-	3	3	2	-	3	2	8
3	Other diseases of larynx - - -	2	-	1	-	-	-	-	1	-	-	-	-	-
106	Brouchitis - - - - -	3419	295	434	569	306	236	186	142	121	133	210	286	501
107	Broncho-pneumonia - - - -	3048	219	439	569	302	220	147	96	104	113	154	208	477
108	Lobar pneumonia - - - - -	1421	120	147	246	140	109	101	53	54	59	95	97	200
109	Pneumonia (not otherwise defined)	961	89	128	149	91	75	56	41	35	49	50	63	130
110	Pleurisy - - - - -	199	19	16	24	15	17	21	11	16	11	11	18	20
111.1	Congestion of lungs - - - -	415	40	40	60	39	43	32	24	27	17	24	26	43
2	Embolism, Thrombosis, Infarct -	30	2	2	2	2	2	5	1	4	3	4	1	2
112	Asthma - - - - -	149	13	18	17	13	8	11	12	10	6	8	19	14
113	Pulmonary emphysema - - -	12	2	2	2	-	-	1	1	1	-	-	2	1
114.a	Chronic interstitial pneumonia -	59	6	7	6	6	5	2	4	2	4	5	4	8
b1	Gangrene of lung - - - - -	15	-	3	2	1	2	-	2	-	-	2	2	1
2	Other dis. of respiratory system -	22	2	2	1	-	3	2	1	1	3	3	1	3

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
IX. DISEASES OF DIGESTIVE SYSTEM.		3819	325	307	328	303	349	311	282	341	325	327	320	301
115.1	Diseases of teeth and gums - -	17	-	-	1	1	-	1	3	3	1	4	2	1
2	Diseases of tonsils - - -	71	4	8	7	4	8	6	6	6	3	9	6	4
3	Other diseases of buccal cavity or pharynx	62	5	3	2	6	5	2	4	6	4	10	5	10
116	Diseases of œsophagus - - -	8	-	-	-	1	-	-	-	1	1	1	2	2
117.a	Ulcer of stomach - - -	343	37	38	27	25	30	27	27	30	24	19	32	27
b	Ulcer of duodenum - - -	265	29	14	27	18	22	18	25	20	22	18	28	24
118	Other diseases of stomach - -	185	17	11	21	23	16	25	9	10	14	16	13	10
119	Diarrhœa and enteritis (under 2 years)	850	63	72	59	55	77	71	60	110	87	83	59	54
120.a	Diarrhœa and enteritis (over 2 years)	263	21	18	24	25	24	18	28	22	23	17	20	23
b	Ulceration of intestines - -	55	3	8	3	2	5	7	6	6	7	4	3	1
121	Appendicitis - - -	509	49	37	58	39	42	45	34	38	39	40	41	47
122.a	Hernia - - -	224	21	25	17	18	24	13	17	13	22	18	19	17
b	Intestinal obstruction - -	245	20	19	24	16	15	20	19	16	21	25	20	30
123	Other diseases of intestines -	72	4	5	5	5	9	7	1	9	2	5	13	7
124	Cirrhosis of liver - - -	160	16	15	15	14	11	15	9	11	15	10	16	13
125.1	Acute yellow atrophy of liver -	13	1	1	1	-	1	1	1	-	1	4	1	1
2	Other diseases of liver - - -	31	1	1	3	4	2	2	1	2	10	2	2	1
126	Biliary calculi - - -	118	10	10	11	12	16	12	8	9	3	9	12	6
127.1	Cholecystitis - - -	205	17	11	10	24	30	15	16	16	17	19	18	12
2	Other diseases of gall bladder and ducts	15	1	3	1	2	1	-	1	-	1	4	-	1
128	Diseases of pancreas - - -	56	3	4	6	5	5	4	5	6	5	4	3	6
129	Peritonitis without stated cause -	52	3	4	6	4	6	2	2	7	3	6	5	4
X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM.		2686	256	237	250	204	204	228	188	200	181	238	241	259
130	Acute nephritis - - -	220	19	19	19	13	22	15	23	14	12	18	23	23
131	Chronic nephritis - - -	1247	125	126	134	119	103	104	65	93	70	105	95	108
132	Nephritis unspecified - - -	337	25	23	19	14	10	47	25	25	25	35	47	42
133	Other dis. of kidney and annexa -	177	14	10	17	12	17	8	9	16	18	13	16	27
134	Calculi of urinary passages - -	27	5	2	3	-	-	2	1	2	3	1	4	4
135	Diseases of bladder - - -	175	19	14	16	13	16	13	15	8	13	18	15	15
136	Dis. of urethra, urinary abscess, &c.	43	8	5	1	1	1	5	2	4	2	4	5	5
137	Diseases of prostate - - -	384	31	34	35	27	29	28	42	33	35	36	27	27
138	Diseases of male genital organs -	9	-	-	2	1	-	1	-	-	1	-	3	1
139.a	Diseases of ovary, fallopian tube and parametrium	31	6	1	1	1	3	3	4	2	1	4	3	2
b	Diseases of uterus - - -	31	4	2	3	3	3	2	2	2	1	3	3	3
c	Diseases of breast - - -	4	-	1	-	-	-	-	-	1	-	1	-	1
d	Other dis. of female genital organs	1	-	-	-	-	-	-	-	-	-	-	-	1
XI. DISEASES OF PREGNANCY AND CHILDBIRTH.		576	55	59	48	52	45	45	40	40	35	48	51	58
140	Post-abortion sepsis - - -	33	4	3	2	2	2	-	4	3	1	8	3	1
141	Abortion not returned as septic -	17	2	2	2	-	2	1	2	-	1	3	1	1
142	Ectopic gestation - - -	13	1	1	2	1	1	1	1	1	1	-	2	1
143	Other accidents of pregnancy -	4	-	-	1	1	-	-	-	-	-	1	-	1
144.a	Placenta prævia - - -	27	3	3	2	7	2	3	-	1	1	3	2	5
b1	Accidental hæmorrhage - - -	24	2	2	1	3	-	1	2	3	-	3	2	-
2	Other puerperal hæmorrhage - -	33	3	5	3	1	4	1	1	3	4	1	4	3
145	Puerperal sepsis - - -	210	20	20	22	19	20	19	15	10	8	10	21	26
146	Puerperal albuminuria, Convulsions	69	4	5	1	4	6	7	7	9	3	5	7	11
147.1	Uncontrollable vomiting - - -	30	4	3	2	2	1	-	2	2	4	6	2	2
2	Other toxæmias of pregnancy -	28	3	1	3	3	-	5	1	3	3	3	1	2
148	Puerperal phlegmasia alba dolens, Embolism	37	4	3	1	4	4	3	3	3	3	3	4	2
149	Other accidents of childbirth -	38	4	10	5	4	2	3	2	2	5	-	1	-
150	Other or unspecified conditions of the puerperal state	13	1	1	1	1	1	1	-	-	1	2	1	3

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
XII. DISEASES OF SKIN AND CELLULAR TISSUE.		279												
151	Carbuncle, Boil - - - -	35	4	2	4	3	3	1	5	6	1	1	4	1
152	Cellulitis, Acute abscess - -	163	15	12	18	22	16	13	17	7	8	14	13	13
153	Other dis. of skin and its annexa -	76	8	11	10	5	2	4	3	6	5	8	9	5
XIII. DISEASES OF BONES AND ORGANS OF LOCOMOTION.		134												
154	Acute infective osteomyelitis and periostitis	82	12	6	7	14	8	6	3	6	4	9	4	3
155	Other diseases of bones - - -	13	-	-	-	-	3	3	1	2	1	-	2	1
156	Diseases of joints and other organs of locomotion	39	5	1	2	3	3	3	4	2	4	3	5	4
XIV. CONGENITAL MALFORMATIONS.														
157	Congenital malformations - -	583	49	49	66	60	50	39	49	52	44	39	43	43
XV. DISEASES OF EARLY INFANCY.		2877	249	249	288	291	276	210	207	210	186	212	232	267
158	Congenital debility - - - -	813	73	62	84	105	84	67	51	53	49	53	61	71
159	Premature birth - - - -	1593	136	153	163	141	145	115	119	109	107	117	130	158
160	Injury at birth - - - -	199	17	12	18	22	26	17	15	22	8	14	16	12
161	Other dis. peculiar to early infancy	272	23	22	23	23	21	11	22	26	22	28	25	26
XVI. SENILITY.														
162	Senility, Senile dementia - -	2934	291	278	334	271	237	204	194	193	200	194	245	293
XVII. DEATHS FROM VIOLENCE.		2811	222	217	233	241	249	227	223	246	233	226	234	260
171	Suicide (163-170) - - - -	500	45	29	39	58	48	45	31	50	44	42	38	31
175	Homicide (172, 173, 174) - -	25	2	3	-	4	1	4	4	5	1	-	1	-
177	Food poisoning - - - -	2	-	-	-	-	1	1	-	-	-	-	-	-
178	Accidental gaseous poisoning -	31	2	2	5	4	3	1	-	-	1	2	5	6
179	Other acute accidental poisoning -	7	-	-	4	1	1	1	-	-	-	-	-	-
180	Conflagration - - - -	4	2	-	1	-	-	1	-	-	-	-	-	-
181	Accidental burns (conflagration excepted)	281	30	29	26	22	21	18	24	14	13	24	37	23
182	Accidental mechanical suffocation	65	4	7	3	7	7	3	1	7	6	5	9	6
183	Accidental drowning - - -	329	17	26	27	22	29	32	38	43	28	14	24	29
184	Accidental injury by firearms -	9	1	-	2	-	-	-	-	2	-	3	1	-
186	Crushing, Falls, etc.—													
1	Motor vehicles - - - -	648	44	38	46	50	52	45	58	58	67	53	58	79
2	Other crushing accidents - -	840	70	78	74	66	79	71	64	64	66	72	58	78
189	Hunger, Thirst - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
192	Weather agencies (190, 191) - -	12	1	1	-	-	1	2	-	-	1	2	1	3
193	Electricity (lightning excepted) -	7	1	-	-	1	1	1	1	1	1	-	-	-
194	Other accidents (176, 185, 187, 188, 195)	46	2	2	6	6	3	2	2	2	5	9	2	5
196	Wounds of war - - - -	5	1	2	-	-	2	-	-	-	-	-	-	-
198	Execution (197) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XVIII. ILL-DEFINED DISEASES.		1095	97	100	103	96	94	77	84	84	60	78	103	119
199	Sudden death, Syncope - -	140	9	9	10	10	12	13	13	11	9	11	18	15
200.1	Heart failure - - - -	717	61	69	63	67	64	53	57	60	41	44	68	70
2	Other ill-defined causes - -	190	22	16	23	17	15	7	11	8	7	22	15	27
3	Cause not specified - - -	48	5	6	7	2	3	4	3	5	3	1	2	7

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS
OF SCOTLAND, 1932.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos.	CAUSES OF DEATH.	ABERDEEN BURGH (including part in Kincardine Co.)													ABERDEEN COUNTY (excluding Aberdeen Burgh).												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . .	2,292	296	98	26	19	58	117	124	214	333	471	431	105	1,830	208	50	25	20	62	73	62	124	285	372	437	162
	Males . . .	1,078	170	51	16	10	28	53	55	109	174	216	177	19	870	104	24	9	10	33	35	29	62	118	195	199	52
	Females . . .	1,214	126	47	10	9	30	64	69	105	159	255	254	86	960	104	26	16	10	29	38	33	62	117	177	238	110
1	Typhoid fever (including typhoid) { M. { F.	1
4	Measles { M. { F.	15	7	3	1	3	3	2	2
5	Scarlet fever { M. { F.	1	.	1	2	.	1	.	1
6	Whooping-cough { M. { F.	19	13	6	7	1	3	2
7	Diphtheria { M. { F.	5	1	4	1	3	1	2	2	1
8	Influenza { M. { F.	9	.	.	.	1	.	.	2	3	1	1	1	1	14	.	1	.	1	1	.	.	2	2	4	3	3
14 (1)	Cerebro-spinal fever { M. { F.	3	.	1	.	.	2	2
14 (2)	Other epidemic diseases (2, 3, 9)* { M. { F.	4	1	.	1	3	1	1	1	1	1	5	1	1	2	.
10	Tuberculosis of respiratory system { M. { F.	44	.	1	.	1	2	11	13	11	5	.	2	.	34	1	1	1	1	3	10	5	9	1	2	1	1
11	Other tuberculous diseases { M. { F.	26	4	11	4	.	3	1	1	1	.	1	1	.	13	1	5	2	1	1	1	2
14 (3)	Other infectious and parasitic diseases (12, 13) { M. { F.	9	2	.	1	.	.	1	1	2	2	1	.	.	3	2	1	1	.	.	1	1	1	2	.	.	.
15	Cancer, malignant disease { M. { F.	126	1	1	.	.	2	4	4	16	42	31	26	1	92	1	3	1	8	29	32	16	2
18	Diabetes mellitus { M. { F.	6	1	1	1	1	2	2	.	.	7	1	.	.	.	2	.	8	1
20	Other general diseases, chronic poisonings (16, 17, 19) { M. { F.	8	1	.	2	.	1	1	1	1	5	2	4	.	26	.	1	2	.	2	2	.	2	6	4	5	2
22	Cerebral hæmorrhage, &c. { M. { F.	146	.	1	1	7	32	69	33	3	101	1	2	3	14	32	45	4
23	Other diseases of nervous system and sense organs (21) { M. { F.	33	12	4	1	.	1	1	4	3	2	3	2	.	22	5	1	.	1	4	2	2	1	1	3	2	.
(a)		26	5	2	1	1	1	2	8	2	3	.	2	2	22	8	3	.	.	1	2	2	1	1	2	2	(n)
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

[illegible]

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos. Short List.	CAUSES OF DEATH.	ARBROATH BURGH.											DUNDEE BURGH.														
		All Ages,	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes	274	20	7	2	3	3	7	15	22	53	75	51	16	2,444	236	131	37	23	77	102	145	198	404	569	415	107
	Males	136	13	6	1	1	1	3	9	10	26	34	26	8	1,162	135	66	15	9	42	46	78	98	218	277	155	23
	Females	138	7	1	2	2	3	4	6	12	27	41	25	8	1,282	101	65	22	14	35	56	67	100	186	292	260	84
1	Typhoid fever (including typhoid)																										
4	Measles	1		1											25	10	15										
5	Scarlet fever														23	3	19						1				
6	Whooping-cough														1	1	1										
7	Diphtheria														3	2	7										
8	Influenza	2													14	1	6	5	1								
14 (1)	Cerebro-spinal fever	2	1	1											2	1	1										3
14 (2)	Other epidemic diseases (2, 3, 9)*	1													3	2	1	1									
10	Tuberculosis of respiratory system	3							2				1		55		2	2	1	12	12	15	8	5	1		
11	Other tuberculous diseases	1		1											9	1	4	1	1	1		1					
14 (3)	Other infectious and parasitic diseases (12, 13)														12	1					1		3	4	2		
15	Cancer, malignant disease	23							2	3	7	6	4	1	129		1		1	1	4	4	13	38	48	19	1
18	Diabetes mellitus	2													16												8
20	Other general diseases, chronic poisonings (16, 17, 19)	6				1			1	2					19	1	1	2	1	3	1	1	2	2	4	1	
22	Cerebral hæmorrhage, &c.	18								4	4	7	7	2	127						1	5	11	26	49	31	4
23	Other diseases of nervous system and sense organs (21)	8	2	2				1	1		1	1	1		30	8	2	1	1	2		5	6	2	3		
(a)		4	1												21	4	3				3	1	3	5	2		(n)
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	32 26	1 2	1 2	4 4	4 6	11 9	8 5	2 2	4 2	11 9	8 5	4 2	216 228	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other circulatory diseases	{ M. F. }	8 1	1 1	1 1	1 1	1 1	2 1	1 1	1 1	1 1	2 1	1 1	1 1	44 36	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
26	Bronchitis	{ M. F. }	2 5	1 1	1 1	1 1	1 1	4 4	1 1	1 1	1 1	4 4	1 1	1 1	51 67	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
27	Pneumonia (all forms)	{ M. F. }	10 8	1 1	1 1	1 1	1 1	2 2	2 2	1 1	1 1	2 2	2 2	1 1	135 90	28 17	2 3	2 3	2 3	2 3	2 3	2 3	2 3	2 3	
28	Other respiratory diseases	{ M. F. }	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	18 29	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
32 (1)	Gastric and duodenal ulcer	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	11 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
29	Diarrhoea, &c. (all ages)	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	19 22	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	
30	Appendicitis	{ M. F. }	3 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	15 14	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
31 (1)	Cirrhosis of liver	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
31 (2)	Other diseases of liver, &c.	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
32 (2)	Other digestive diseases	{ M. F. }	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	18 15	3 3	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	
33	Acute and chronic nephritis	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	21 30	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
34	Other diseases of genito-urinary system	{ M. F. }	4 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	19 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
35	Puerperal sepsis	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	7 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
36	Other puerperal causes	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	8 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
37	Diseases of skin and locomotor system	{ M. F. }	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	4 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	9 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	58 49	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
39	Old age	{ M. F. }	4 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	26 71	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
40	Suicide	{ M. F. }	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	16 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
42	Other violence (41)	{ M. F. }	3 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	46 28	2 1	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	
43	Causes ill-defined or unknown	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	8 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos.	CAUSES OF DEATH.	ANGUS COUNTY (excluding large Burghs).													ARGYLL COUNTY.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . . .	1,015	64	19	11	11	36	30	33	90	149	241	237	94	982	52	19	9	6	30	32	44	71	130	284	267	88
	Males . . .	472	37	9	10	7	14	21	13	33	81	124	97	26	505	34	8	6	2	13	15	19	32	70	132	136	38
	Females . . .	543	27	10	1	4	22	9	20	57	68	117	140	68	477	18	11	3	4	17	17	25	39	60	102	131	50
1	Typhoid fever (including typhoid) . . .																										
4	Measles . . .	1		2							1				4	1	2	1	1								
5	Scarlet fever . . .														2		1	1		2							
6	Whooping-cough . . .	1	1												2	1	2										
7	Diphtheria . . .	3		1	1			1																			
8	Influenza . . .	10		1		1	2	2	1	1	3	2	2		9	1					2	1		2	3	1	2
14 (1)	Cerebro spinal fever . . .														1												
14 (2)	Other epidemic diseases (2, 3, 9)* . . .	3		1						1	1			1	3				1			1		1	1		
10	Tuberculosis of respiratory system . . .	11					5	5	4	1	5				15				1	3	3	2	2	1	2		
11	Other tuberculous diseases . . .	5	1	3	1		1				1				11	1	2	1		2	2			3	1		
14 (3)	Other infectious and parasitic diseases (12, 13) . . .	5	1		1	1	3				2				3									1	2	1	
15	Cancer, malignant disease . . .	61						1	1	3	16	26	14	2	52					1		4	10	22	11	2	3
18	Diabetes mellitus . . .	5								1	1	3	2		12							1		9	1	1	
20	Other general diseases, chronic poisonings (16, 17, 19) . . .	7			1			1	2		3	2	1		12			2				2	1	3	4	5	1
22	Cerebral hæmorrhage, &c. . .	56		1				1	1	2	10	21	19	2	52							3	6	23	17	3	7
23	Other diseases of nervous system and sense organs (21) . . .	15	1	1	1	1	1	1	1	1	3	5	1		8	1	2			1		1	4	1	1	2	
(a)		18	1									4	3		17					3		3	1	6	1		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	114	11	9	17	35	11	6	100	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
25	Other circulatory diseases	{ M. F. }	9	11	2	13	27	41	15	76	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
26	Bronchitis	{ M. F. }	14	21	1	2	8	5	1	16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
27	Pneumonia (all forms)	{ M. F. }	20	18	1	3	4	3	1	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
28	Other respiratory diseases	{ M. F. }	6	6	1	1	2	1	1	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	4	3	1	1	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Diarrhoea, &c. (all ages)	{ M. F. }	4	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30	Appendicitis	{ M. F. }	8	3	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (1)	Cirrhosis of liver	{ M. F. }	1	2	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (2)	Other diseases of liver, &c.	{ M. F. }	2	3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (2)	Other digestive diseases	{ M. F. }	9	12	1	1	2	1	2	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
33	Acute and chronic nephritis	{ M. F. }	21	14	1	2	6	4	3	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
34	Other diseases of genito-urinary system	{ M. F. }	9	1	1	1	2	5	1	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
35	Puerperal sepsis	{ M. F. }	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	{ M. F. }	3	3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system	{ M. F. }	2	4	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	29	16	1	2	1	1	1	17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
39	Old age	{ M. F. }	31	64	1	1	3	19	9	37	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
40	Suicide	{ M. F. }	8	5	1	1	2	2	33	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
42	Other violence (41)	{ M. F. }	17	13	1	1	4	1	1	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
43	Causes ill-defined or unknown	{ M. F. }	8	11	1	1	2	3	1	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos. Short List.	CAUSES OF DEATH.	AYR BURGH.														KILMARNOCK BURGH.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	All Causes—Both Sexes	490	59	21	6	2	15	21	35	51	80	95	87	18	478	63	26	6	3	21	11	27	48	68	99	92	14		
	Males	237	32	13	3	1	7	11	16	21	42	47	38	6	233	36	10	2	2	10	6	12	21	37	53	39	5		
	Females	253	27	8	3	1	8	10	19	30	38	48	49	12	245	27	16	4	1	11	5	15	27	31	46	53	9		
1	Typhoid fever (including Paratyphoid)	1	1		
4	Measles	2	1	2	1	1	2		
5	Scarlet fever	1	.	.	1	1	.	1	1		
6	Whooping-cough	2	3	1	1	.	1		
7	Diphtheria	2	.	1	1	1	.	1		
8	Influenza	4	.	1	.	.	.	1	4	1	4	2	3	1	6	1	2	1	2	3	5	.	.		
14(1)	Cerebro-spinal fever	1	1	.	.	.	1	2	.	1	.	1		
14(2)	Other epidemic diseases (2, 3, 9)*	1	1		
10	Tuberculosis of respiratory system	8	.	.	1	1	3	4	2	1	1	1	.	.	8	1	1	1	1	2	1	1	.		
11	Other tuberculous diseases	2	.	1	.	1	1	1	1	1	1		
14(3)	Other infectious and parasitic diseases (12, 13)	3	1	1	.	.	1	.	.	2	1	1	.	1	.	.		
15	Cancer, malignant disease	30	5	13	5	7	.	24	.	1	.	.	.	1	7	2	10	11	1	1		
18	Diabetes mellitus	1	1	1	2	2	.	1	2	3	1	.		
20	Other general diseases, chronic poisonings (16, 17, 19)	1	1	1	2	2	6	.	.	.	1	1	1	2	2	2	1	.	.		
22	Cerebral hæmorrhage, &c.	19	4	4	7	5	1	27	1	2	4	15	5	1		
23	Other diseases of nervous system and sense organs (21)	6	1	2	.	.	.	1	3	1	2	2	.	.	13	3	2	.	1	1	3	1	2	1	.	.	(a)		
		8	1	1	.	1	5	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)		

(a)	(b)	{ M. F. }	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	37 42	1	1	4	2	11 10	9 15	8 12	2	25 25	2	2	2	2	2	2	2	2	2	2	2	2	2	2
25	Other circulatory diseases	{ M. F. }	5 4	1	1	1	1	1	2	2	2	5 7	1	1	1	1	1	1	1	1	1	1	1	1	1	1
26	Bronchitis	{ M. F. }	18 10	2	1	6	3	3	3	3	3	13 19	3	3	3	3	3	3	3	3	3	3	3	3	3	3
27	Pneumonia (all forms)	{ M. F. }	19 19	5 4	1 3	3 2	1 1	1 1	1 2	4 3	1 2	22 13	3	3	3	3	3	3	3	3	3	3	3	3	3	3
28	Other respiratory diseases	{ M. F. }	2	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
32 (1)	Gastric and duodenal ulcer	{ M. F. }	3 4	1	1	2	1	2	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Diarrhoea, &c. (all ages)	{ M. F. }	4 6	3 3	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
30	Appendicitis	{ M. F. }	3 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (1)	Cirrhosis of liver	{ M. F. }	1 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (2)	Other diseases of liver, &c.	{ M. F. }	1 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (2)	Other digestive diseases	{ M. F. }	3	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
33	Acute and chronic nephritis	{ M. F. }	6 5	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	5 7	2	2	2	2	2	2	2	2	2	2	2	2	2	2
34	Other diseases of genito-urinary system	{ M. F. }	6	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
35	Puerperal sepsis	{ M. F. }	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	{ M. F. }	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system	{ M. F. }	1 3	1	1	1	1	1	1	1	1	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	20 12	20 12	1	1	1	1	1	1	1	20 17	20 17	20 17	20 17	20 17	20 17	20 17	20 17	20 17	20 17	20 17	20 17	20 17	20 17	20 17
39	Old age	{ M. F. }	10 18	10 18	1	1	1	1	1	1	1	5 6	5 6	5 6	5 6	5 6	5 6	5 6	5 6	5 6	5 6	5 6	5 6	5 6	5 6	5 6
40	Suicide	{ M. F. }	2 2	2	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
42	Other violence (41)	{ M. F. }	9 5	9 5	1	1	1	1	1	1	1	14 8	14 8	14 8	14 8	14 8	14 8	14 8	14 8	14 8	14 8	14 8	14 8	14 8	14 8	14 8
43	Causes ill-defined or unknown	{ M. F. }	4 1	4 1	1	1	1	1	1	1	1	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

CAUSES OF DEATH.		AYR COUNTY (excluding large Burghs).														BANFF COUNTY.													
International Nos. Short List.	All Causes—Both Sexes Males Females.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
			2,724	286	114	45	30	104	105	144	251	407	601	500		187	683	80	32	11	12	23	29	31	39	90	119	171	46
1	Typhoid fever (including typhoid)	1,306	151	71	21	13	66	45	60	126	185	310	209	49	309	45	17	4	4	8	9	19	20	40	61	65	17		
4	Measles	1,418	135	43	24	17	38	60	84	125	222	291	291	88	374	35	15	7	8	15	20	12	19	50	58	106	29		
5	Scarlet fever														2						1								
6	Whooping-cough														2														
7	Diphtheria														1														
8	Influenza														1														
14 (1)	Cerebro-spinal fever														2														
14 (2)	Other epidemic diseases (2, 3, 9) *														1														
10	Tuberculosis of respiratory system														8														
11	Other tuberculous diseases														20														
14 (3)	Other infectious and parasitic diseases (12, 13)														2														
15	Cancer, malignant disease														44														
18	Diabetes mellitus														40														
20	Other general diseases, chronic poisonings (16, 17, 19)														2														
22	Cerebral hæmorrhage, &c.														9														
23	Other diseases of nervous system and sense organs (21)														14														
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(v)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 190 203
25	Other circulatory diseases	{ M. F. } 33 32
26	Bronchitis	{ M. F. } 64 64
27	Pneumonia (all forms)	{ M. F. } 92 73
28	Other respiratory diseases	{ M. F. } 83 23
32 (1)	Gastric and duodenal ulcer	{ M. F. } 18 7
29	Diarrhea, &c. (all ages)	{ M. F. } 25 11
30	Appendicitis	{ M. F. } 13 10
31 (1)	Cirrhosis of liver	{ M. F. } 4 3
31 (2)	Other diseases of liver, &c.	{ M. F. } 3 20
32 (2)	Other digestive diseases	{ M. F. } 16 31
33	Acute and chronic nephritis	{ M. F. } 30 41
34	Other diseases of genito-urinary system	{ M. F. } 15 17
35	Puerperal sepsis	{ M. F. } 8 8
36	Other puerperal causes	{ M. F. } 19 12
37	Diseases of skin and locomotor system	{ M. F. } 12 12
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 81 81
39	Old age	{ M. F. } 52 101
40	Suicide	{ M. F. } 16 1
42	Other violence (41)	{ M. F. } 74 32
43	Causes ill-defined or unknown	{ M. F. } 26 14

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

CAUSES OF DEATH.			BERWICK COUNTY.													BUTE COUNTY.												
International Nos.	Short List.		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
		All Causes—Both Sexes . .	330	20	6	2	6	7	16	23	62	80	87	21	266	11	3	1	1	4	9	13	17	34	71	81	21	
		Males . .	161	12	5	2	3	4	6	12	36	43	43	8	119	4	3	1	1	3	4	6	13	16	25	36	8	
		Females . .	169	8	1	2	3	3	10	11	26	44	44	13	147	7	1	1	1	1	5	7	4	18	46	45	13	
1		Typhoid fever (including typhoid) { M. { F.
4		Measles { M. { F.	1	.	1
5		Scarlet fever { M. { F.	1	1
6		Whooping-cough { M. { F.	1	1
7		Diphtheria { M. { F.
8		Influenza { M. { F.	7	.	.	.	1	1	.	1	2	1	1	.	1	3	1	.	.	2	1	
14 (1)		Cerebro-spinal fever { M. { F.
14 (2)		Other epidemic diseases (2, 3, 9) * . . { M. { F.	2	1	.	1	.	2	1	.	.
10		Tuberculosis of respiratory system . . { M. { F.	5	.	.	.	1	2	1	1	1	1	.	.	6	4	.	.	.	1	2	1	2	1	1	.	.	.
11		Other tuberculous diseases { M. { F.	3	2	.	.	.	1	1	2	1	1	.	.
14 (3)		Other infectious and parasitic diseases (12, 13) { M. { F.	1	1	.	.	1
15		Cancer, malignant disease { M. { F.	16	1	2	7	4	4	.	10	21	1	2	4	3	.
18		Diabetes mellitus { M. { F.	2	1	.	1	.	2	1	1	1	.	.
20		Other general diseases, chronic poisonings (16, 17, 19) { M. { F.	7	1	2	4	1	3	.	3	7	1	1	.	1	2	1	1
22		Cerebral hæmorrhage, &c. { M. { F.	21	6	7	7	1	11	26	1	1	8	1	4	3	3
23		Other diseases of nervous system and sense organs (21) { M. { F.	8	1	1	.	.	1	1	2	.	1	1	.	1	5	1	.	1	1	2	1	.	(o)
(a)			(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	32 34	8 5	3	8 1	5 6	7 10	14 8	8 5	.	.	36 29	.	.	1
25	Other circulatory diseases	{ M. F. }	6 4	1	2 3	3	1	.	.	5 4
26	Bronchitis	{ M. F. }	5 11	1	.	1 1	2	1 7	2	.	.	8 5	.	.	2
27	Pneumonia (all forms)	{ M. F. }	6 6	1	.	.	.	1 1	2	.	1 1	1 2	1 2	.	.	.	11 5	1	1
28	Other respiratory diseases	{ M. F. }	2 3	1 1	1 2	1
32(1)	Gastric and duodenal ulcer	{ M. F. }	2	1	1	.	.	.	1
29	Diarrhea, &c. (all ages)	{ M. F. }	2 1	1	.	.	.	1 2
30	Appendicitis	{ M. F. }	1	4 1	.	.	1
31(1)	Cirrhosis of liver	{ M. F. }
31(2)	Other diseases of liver, &c.	{ M. F. }	1
32(2)	Other digestive diseases	{ M. F. }	1	1	.	.	.	1 2
33	Acute and chronic nephritis	{ M. F. }	6 5	2 3	2	2	.	.	.	5 3
34	Other diseases of genito-urinary system	{ M. F. }	4 3	1	1 2	1	1 1	.	.	2 4
35	Puerperal sepsis	{ M. F. }
36	Other puerperal causes	{ M. F. }	1	1
37	Diseases of skin and locomotor system	{ M. F. }
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	9 7	9	2 3
39	Old age	{ M. F. }	6 10	3	8 5	3 2	.	.	2 5
40	Suicide	{ M. F. }	2
42	Other violence (41)	{ M. F. }	6 5	1 1
43	Causes ill-defined or unknown	{ M. F. }	2 2	1 1	.	.	.	4 8

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS OF THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos. Short List.	CAUSES OF DEATH.	CAITHNESS COUNTY.														CLACKMANNAN COUNTY.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	All Causes—Both Sexes	394	31	9	1	1	6	16	18	17	39	93	118	45	404	37	16	8	4	4	20	22	31	40	88	87	31		
	Males	185	15	7	1	3	10	6	10	10	19	43	51	19	185	23	8	4	6	6	11	7	19	20	44	35	8		
	Females	209	16	2		3	8	10	8	7	20	50	67	26	219	14	8	4	4	14	9	15	12	20	44	52	23		
1	Typhoid fever (including Para-typhoid) { M. { F.																												
4	Measles { M. { F.														4	1	3												
5	Scarlet fever { M. { F.														3	1	2												
6	Whooping-cough { M. { F.	1	1												1														
7	Diphtheria { M. { F.														1	1													
8	Influenza { M. { F.	2						1					2		3										1		1		
14 (1)	Cerebro-spinal fever { M. { F.																												
14 (2)	Other epidemic diseases (2, 3, 9)* { M. { F.																												
10	Tuberculosis of respiratory system { M. { F.	4						1	1	2		1			9				1	2	5		1						
11	Other tuberculous diseases { M. { F.	5	1	3		1		1			1	1			1		1	2											
14 (3)	Other infectious and parasitic diseases (12, 13) { M. { F.	1								1																			
15	Cancer, malignant disease { M. { F.	21							1	2	5	5	8		16									8	6		2		
18	Diabetes mellitus { M. { F.	4													1														
20	Other general diseases, chronic poisonings (16, 17, 19) { M. { F.	2									1	1	2		4		1												
22	Cerebral hæmorrhage, &c. { M. { F.	25		1						1	3	8	10	3	21														
23	Other diseases of nervous system and sense organs (21) { M. { F.	10		1				1	2	1	2	2	1		3		1												
(a)		7							3		2	2	1		8		1												
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 31 30
25	Other circulatory diseases	{ M. F. } 4 6
26	Bronchitis	{ M. F. } 11 15	1 1
27	Pneumonia (all forms)	{ M. F. } 4 7	2
28	Other respiratory diseases	{ M. F. } 4 5
32 (1)	Gastric and duodenal ulcer	{ M. F. } 3
29	Diarrhoea, &c. (all ages)	{ M. F. } 2 3	2 3
30	Appendicitis	{ M. F. } 1 2	1
31 (1)	Cirrhosis of liver	{ M. F. } 1
31 (2)	Other diseases of liver, &c.	{ M. F. } 1 5
32 (2)	Other digestive diseases	{ M. F. } 2 3
33	Acute and chronic nephritis	{ M. F. } 6 7
34	Other diseases of genito-urinary system	{ M. F. } 8
35	Puerperal sepsis	{ M. F. } 1
36	Other puerperal causes	{ M. F. } 3
37	Diseases of skin and locomotor system	{ M. F. } 2 3	1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 9 10	9 10
39	Old age	{ M. F. } 8 20
40	Suicide	{ M. F. } 2 2
42	Other violence (41)	{ M. F. } 11 4	1
43	Causes ill-defined or unknown	{ M. F. } 4 6

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 22 30
25	Other circulatory diseases	{ M. F. } 9 1
26	Bronchitis	{ M. F. } 17 13	1 2	1 3	1 1	1 1	1 1	3 1	4 4	4 2	1 .
27	Pneumonia (all forms)	{ M. F. } 29 16	8 3	7 3	1 1	2 1	4 2	4 1	1 1	2 2	1 .
28	Other respiratory diseases	{ M. F. } 4 5	2 2	2 2
32 (1)	Gastric and duodenal ulcer	{ M. F. } 2 5	2 .	1
29	Diarrhoea, &c. (all ages)	{ M. F. } 4 1	3 1	1
30	Appendicitis	{ M. F. } 2 1	2
31 (1)	Cirrhosis of liver	{ M. F. } 1 2	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. } 1	1
32 (2)	Other digestive diseases	{ M. F. } 3 8	1 1	1 1	1 3
33	Acute and chronic nephritis	{ M. F. } 9 10	1	1 1	2 1	5 2	3
34	Other diseases of genito-urinary system	{ M. F. } 6	4 .	2
35	Puerperal sepsis	{ M. F. }
36	Other puerperal causes	{ M. F. } 3
37	Diseases of skin and locomotor system	{ M. F. } 2 1	1 1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 16 19	16 19
39	Old age	{ M. F. } 3 3	1 .	3 .	1 3
40	Suicide	{ M. F. } 2	1 .	1
42	Other violence (41)	{ M. F. } 6 7	2
43	Causes ill-defined or unknown	{ M. F. } 1 5	1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos.	CAUSES OF DEATH.	DUMBARTON COUNTY (excluding large Burghs).														DUMFRIES BURGH.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	All Causes—Both Sexes . .	1087	113	41	22	12	29	47	56	79	154	286	197	51	301	27	19	3	1	7	14	20	26	41	72	57	14		
	Males	524	61	21	16	4	16	19	25	50	77	125	92	18	154	19	10	1	1	5	10	8	15	25	37	21	3		
	Females	513	52	20	6	8	13	28	31	29	77	111	105	33	147	8	9	2	1	2	4	12	11	16	35	36	11		
1	Typhoid fever (including typhoid)																												
4	Measles	7	1	4	2																								
5	Scarlet fever	3	2	1																									
6	Whooping-cough	5	1	2	1	2			1																				
7	Diphtheria	8	1	4																									
8	Influenza	2	1	1											2	1	1												
14 (1)	Cerebro-spinal fever	2	1												1														
14 (2)	Other epidemic diseases (2, 3, 9) *	9	1						1	1	1	1		1	5														
10	Tuberculosis of respiratory system	20	1						3					4	3														
11	Other tuberculous diseases	1	1												1														
14 (3)	Other infectious and parasitic diseases (12, 13)	2	1												1														
15	Cancer, malignant disease	55							3	7	15	20	8	2	23														
18	Diabetes mellitus	56							6	7	14	18	7		15														
20	Other general diseases, chronic poisonings (16, 17, 19)	1							1	1	2	3	1		2														
22	Cerebral hæmorrhage, &c.	9	1						2						1														
23	Other diseases of nervous system and sense organs (21)	58								4	9	22	21	1	20														
(a)		66								5	10	23	25	3	25														
		21	4	4	1		1		4	1	2	2	2		4		3			1	1			2					
		9	1	1	1				1		2	2			5														
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	82 75	2 2	1 1	3 1	2 1	3 1	2 1	3 1	2 1	3 1	2 1	3 1	2 1	3 1	2 1	3 1	2 1	3 1	2 1	3 1	2 1	3 1	
25	Other circulatory diseases	{ M. F. }	10 5	2 1	1 1	2 1	1 1	2 1	1 1	2 1	1 1	2 1	1 1	2 1	1 1	2 1	1 1	2 1	1 1	2 1	1 1	2 1	1 1	2 1	
26	Bronchitis	{ M. F. }	25 18	3 1	1 1	2 1	1 1	2 1	1 1	2 1	1 1	2 1	1 1	2 1	1 1	2 1	1 1	2 1	1 1	2 1	1 1	2 1	1 1	2 1	
27	Pneumonia (all forms)	{ M. F. }	42 24	7 7	1 1	2 2	1 1	2 2	1 1	2 2	1 1	2 2	1 1	2 2	1 1	2 2	1 1	2 2	1 1	2 2	1 1	2 2	1 1	2 2	
28	Other respiratory diseases	{ M. F. }	7 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
32 (1)	Gastric and duodenal ulcer	{ M. F. }	8 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
29	Diarrhoea, &c. (all ages)	{ M. F. }	13 11	5 5	1 1	2 2	1 1	2 2	1 1	2 2	1 1	2 2	1 1	2 2	1 1	2 2	1 1	2 2	1 1	2 2	1 1	2 2	1 1	2 2	
30	Appendicitis	{ M. F. }	4 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
31 (1)	Cirrhosis of liver	{ M. F. }	1 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
31 (2)	Other diseases of liver, &c.	{ M. F. }	2 13	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
32 (2)	Other digestive diseases	{ M. F. }	11 13	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
33	Acute and chronic nephritis	{ M. F. }	15 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
34	Other diseases of genito-urinary system	{ M. F. }	6 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
35	Puerperal sepsis	{ M. F. }	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
36	Other puerperal causes	{ M. F. }	32 23	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
37	Diseases of skin and locomotor system	{ M. F. }	29 33	5 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	31 19	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
39	Old age	{ M. F. }	8 9	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
40	Suicide	{ M. F. }	31 19	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
42	Other violence (41)	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
43	Causes ill-defined or unknown	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos.	CAUSES OF DEATH.	DUMFRIES COUNTY (excluding Dumfries Burgh).												EAST LOTHIAN COUNTY.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . . .	875	62	21	10	8	32	29	41	78	127	217	192	63	556	66	17	8	8	21	29	26	54	79	117	105	26
	Males . . .	407	31	11	6	2	19	10	26	33	62	101	85	21	257	57	7	2	3	11	9	10	25	43	56	46	8
	Females . . .	468	31	10	4	1	13	19	15	45	65	116	107	42	299	29	10	6	5	10	20	16	29	36	61	59	18
1	Typhoid fever (including Para-typhoid) . . . {M. F.}
4	Measles . . . {M. F.}	4	1	2	1	2	2	2	2	
5	Scarlet fever . . . {M. F.}	1	1	
6	Whooping-cough . . . {M. F.}	1	1	2	2	
7	Diphtheria . . . {M. F.}	2	1	.	2	2	1	
8	Influenza . . . {M. F.}	7	1	1	1	1	1	1	2	.	8	1	.	.	2	2	1	.	.	.	2	1	
14 (1)	Cerebro-spinal fever . . . {M. F.}	3	.	1	.	1	.	.	1	
14 (2)	Other epidemic diseases (2, 3, 9)* . . . {M. F.}	1	1	1	.	.	3	1	.	.	1	.	.	1	1	.	1	.	
10	Tuberculosis of respiratory system . . . {M. F.}	15	4	3	6	2	1	1	.	.	10	.	.	3	2	3	7	1	2	1	.	1	
11	Other tuberculous diseases . . . {M. F.}	4	.	1	.	.	1	1	1	1	.	2	.	.	5	.	2	1	.	1	2	1	.	.	1	.	
14 (3)	Other infectious and parasitic diseases (12, 13) . . . {M. F.}	2	1	.	1	
15	Cancer, malignant disease . . . {M. F.}	41	.	.	1	.	1	2	2	6	8	15	7	2	29	1	1	5	7	10	5	
18	Diabetes mellitus . . . {M. F.}	2	1	1	2	2	.	.	5	.	.	.	1	1	1	1	2	3	1	1	
20	Other general diseases, chronic poisonings (16, 17, 19) . . . {M. F.}	5	1	.	1	1	1	2	1	3	3	1	4	.	2	.	.	.	1	1	1	1	4	1	4	.	
22	Cerebral hæmorrhage, &c. . . {M. F.}	63	1	2	15	23	19	3	33	1	1	2	9	13	7	
23	Other diseases of nervous system and sense organs (21) . . . {M. F.}	11	2	1	.	.	.	1	1	4	2	2	2	.	12	3	1	1	1	1	2	2	1	1	1	1	
(a)		16	5	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	93 95	1 3	2 2	5 6	17 18	33 29	6 9	29 33	2 6	1 4	8 6	1 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other circulatory diseases	{ M. F. }	9 14	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	{ M. F. }	12 23	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia (all forms)	{ M. F. }	26 19	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	3 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhoea, &c. (all ages)	{ M. F. }	4 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	5 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	5 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	11 19	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	9 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
36	Other puerperal causes	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
37	Diseases of skin and locomotor system	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	19 16	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	17 28	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Other violence (41)	{ M. F. }	19 16	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	11 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	40 31	1	1	1	2	1	1	1	5	13	14	2	37	1	1	2	1	1	1	1	1	1	1
25	Other circulatory diseases	{ M. F. }	4 3	1	1	1	1	1	1	1	1	1	1	1	10	1	1	1	1	1	1	1	1	1	1
26	Bronchitis	{ M. F. }	7 12	1	1	1	1	1	1	1	1	4	2	1	12	1	1	1	1	1	1	1	1	1	1
27	Pneumonia (all forms)	{ M. F. }	13 12	1	1	1	6	1	1	1	1	6	2	1	17	1	1	1	1	1	1	1	1	1	1
28	Other respiratory diseases	{ M. F. }	1 3	1	1	1	1	1	1	1	1	1	2	1	5	1	1	1	1	1	1	1	1	1	1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	3 1	1	1	1	1	1	1	1	1	2	1	1	7	1	1	1	1	1	1	1	1	1	1
29	Diarrhea, &c. (all ages)	{ M. F. }	3 3	1	1	1	1	1	1	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1
30	Appendicitis	{ M. F. }	3 3	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1
31 (1)	Cirrhosis of liver	{ M. F. }	1 3	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1
31 (2)	Other diseases of liver, &c.	{ M. F. }	9 2	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1
32 (2)	Other digestive diseases	{ M. F. }	11 3	1	1	1	1	1	1	1	1	1	1	1	13	1	1	1	1	1	1	1	1	1	1
33	Acute and chronic nephritis	{ M. F. }	6 5	1	1	1	1	1	1	1	1	1	1	1	7	1	1	1	1	1	1	1	1	1	1
34	Other diseases of genito-urinary system	{ M. F. }	1 1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1
35	Puerperal sepsis	{ M. F. }	1 1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	{ M. F. }	1 1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system	{ M. F. }	4 4	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	9 5	1	1	1	1	1	1	1	1	1	1	1	16	1	1	1	1	1	1	1	1	1	1
39	Old age	{ M. F. }	7 12	1	1	1	1	1	1	1	1	1	1	1	9	1	1	1	1	1	1	1	1	1	1
40	Suicide	{ M. F. }	4 1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1
42	Other violence (41)	{ M. F. }	13 2	1	1	1	1	1	1	1	1	1	1	1	11	1	1	1	1	1	1	1	1	1	1
43	Causes ill-defined or unknown	{ M. F. }	3 3	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos.	CAUSES OF DEATH.	FIFE COUNTY (excluding large Burghs).														INVERNESS BURGH.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	All Causes—Both Sexes	2,378	282	115	41	23	86	103	142	192	312	513	437	132	341	27	10	2	5	7	11	15	34	45	86	67	32		
	Males	1,170	160	65	21	14	45	51	71	92	162	255	196	88	170	13	8	1	3	3	5	10	17	19	48	28	15		
	Females	1,208	122	50	20	9	41	52	71	100	150	258	241	94	171	14	2	1	2	4	6	5	17	26	38	39	17		
1	Typhoid fever (including Para-typhoid)		
4	Measles	15	3	10	2		
5	Scarlet fever	3	.	1	1	3	1	.	1		
6	Whooping-cough	12	9	3	2	2		
7	Diphtheria	4	.	1	1	4		
8	Influenza	24	2	1	.	2	.	2	3	6	2	4	6	5	7	3	1	.	1	1	.	1	.	1	2	1			
14 1)	Cerebro-spinal fever	4	2	1	1	1		
14 (2)	Other epidemic diseases (2, 3, 9) *	2	1	2	1	.	1	2		
10	Tuberculosis of respiratory system	42	1	.	.	3	11	11	7	8	3	1	.	.	9	.	.	.	1	1	3	1	3	1	.	.	.		
11	Other tuberculous diseases	16	1	6	1	3	1	1	2	3	1	1	.	.	2	2	2		
14 (3)	Other infectious and parasitic diseases (12, 13)	7	2	2	1	.	1	2	1	1	3	1	.	.	3	1	1		
15	Cancer, malignant disease	118	2	6	7	17	33	33	20	8	20	1	3	3	11	11	5	.		
18	Diabetes mellitus	8	1	1	2	2	4	1	.	8	1	.	.	3	1	.	.		
20	Other general diseases, chronic poisonings (16, 17, 19)	23	3	3	2	.	3	2	1	7	11	6	3	.	2	1	.	.	1	.	.	1	1		
22	Cerebral hæmorrhage, &c.	123	1	1	2	8	18	49	39	5	15	1	4	3	11	6	8		
23	Other diseases of nervous system and sense organs (21)	34	9	6	1	1	2	1	3	4	3	4	2	.	4	1	1	1	2	2	1	1		
(a)		32	4	4	4	4	4	2	1	6	4	5	2	(o)	5	1	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	168 195	1 .	1 .	1 .	2 1	5 .	6 9	15 17	37 36	55 59	44 50	7 18	28 21	1 .	1 .	2 2	3 1	2 2	3 5	8 8	5 5		
25	Other circulatory diseases	{ M. F. }	31 31	1 1	1 .	4 1	8 8	13 13	4 8	4 2	2 1	1 3	1 1	
26	Bronchitis	{ M. F. }	54 47	4 6	1 2	.	1 .	1 .	3 .	2 1	8 5	21 8	9 19	4 6	12 8	2 1	1 .	2 .	2 .	2 .	2 .	4 2	3 1		
27	Pneumonia (all forms)	{ M. F. }	73 48	23 14	14 4	1 1	5 5	3 2	6 8	3 3	6 2	9 6	3 6	1 .	6 8	1 1	2 .	1 .	3 .	1 .	2 .	3 .	1 .		
28	Other respiratory diseases	{ M. F. }	18 13	2 .	.	.	1 1	2 .	3 2	1 .	1 2	4 4	4 2	1 1	1	1		
32 (1)	Gastric and duodenal ulcer	{ M. F. }	21 8	.	1	.	1 .	.	4 .	6 1	5 2	3 1	2 1	2 .	5 4	.	.	2 3	.	.	.	1 .	.		
29	Diarrhoea, &c. (all ages)	{ M. F. }	17 19	12 9	4 2	.	.	.	1 .	1 .	.	.	4 .	2 .	1 1	.	.	1	1 .	.		
30	Appendicitis	{ M. F. }	12 4	.	1 1	.	5 3	.	2 .	1 .	1 .	3 1	1 .	.	2 .	.	.	1		
31 (1)	Cirrhosis of liver	{ M. F. }	8 1	1 .	.	2 .	1 .	3 1	1 .	.	2 .	.	.	1		
31 (2)	Other diseases of liver, &c.	{ M. F. }	2 22	.	1	.	1 .	.	3 .	.	7 .	6 .	4 .	1 1	1 3	.	.	1 .	.	1 .	.	1 .	.		
32 (2)	Other digestive diseases	{ M. F. }	20 17	3 .	1 1	.	.	.	2 .	1 .	6 2	4 7	2 3	2 .	2 6	1 .	.	1 .	.	1 .	.	2 .	.		
33	Acute and chronic nephritis	{ M. F. }	31 29	1 .	1 .	1 .	1 .	1 .	4 4	2 3	7 4	10 10	6 4	1 .	8 5	.	.	1 .	.	1 .	3 3	1 .	1 .		
34	Other diseases of genito-urinary system	{ M. F. }	24 10	1 .	1 .	.	.	2 .	2 1	1 .	2 2	8 .	9 1	3 1	3 1	.	.	1 .	.	1 .	1 .	.	.		
35	Puerperal sepsis	{ M. F. }	7	5 .	.	2	1		
36	Other puerperal causes	{ M. F. }	10	2 .	5 .	3	5 .	.	.	1		
37	Diseases of skin and locomotor system	{ M. F. }	13 10	1 1	1 1	1 1	1 1	1 1	1 1	2 1	1 .	3 3	1 1		
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	84 62	83 60	1 1	8 6	7 6	1		
39	Old age	{ M. F. }	42 57	6 5	24 32	12 20	5 11	3 4		
40	Suicide	{ M. F. }	14 4	.	.	.	2 1	1 .	5 1	3 2	4	1 .	.	.	1		
42	Other violence (41)	{ M. F. }	81 20	6 3	6 2	2 1	18 1	12 .	10 .	8 1	8 1	5 3	6 3	2 .	12 6	1 .	1 .	3 .	2 .	3		
43	Causes ill-defined or unknown	{ M. F. }	22 18	.	.	1	.	.	.	2 3	6 2	11 3	8 6	3 .	3	1 .	.		

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos. Short List.	CAUSES OF DEATH.	INVERNESS COUNTY (excluding Inverness Burgh).													KINCARDINE COUNTY (excluding portion of Aberdeen Burgh).												
		All Ages.	-1	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	All Causes—Both Sexes	879	53	13	8	42	28	53	60	102	176	229	103	359	26	11	4	3	12	13	14	26	49	71	95	35	
	Males	462	32	7	7	35	14	32	31	51	101	105	40	179	14	4	3	2	5	11	5	13	29	36	42	15	
	Females	417	21	6	1	7	14	21	29	51	75	124	63	180	12	7	1	1	7	2	9	13	20	35	53	20	
1	Typhoid fever (including typhoid)	1	1	.	1	1	1	
4	Measles	1	1	
5	Scarlet fever	1	.	.	1	.	1	
6	Whooping-cough	1	2	1	.	1	
7	Diphtheria	1	.	.	1	1	
8	Influenza	12	.	.	1	1	.	1	3	2	4	10	1	4	1	1	1	.	
14 (1)	Cerebro-spinal fever	1	.	.	.	1	
14 (2)	Other epidemic diseases (2, 3, 9) *	1	1	
10	Tuberculosis of respiratory system	34	.	.	.	10	7	9	4	2	2	1	.	6	.	1	.	4	2	1	1	
11	Other tuberculous diseases	9	.	3	.	3	1	1	1	1	.	.	.	2	1	1	.	2	2	.	.	.	1	1	.	.	
14 (3)	Other infectious and parasitic diseases (12, 13)	1	1	.	.	1	
15	Cancer, malignant disease	51	3	10	22	13	2	24	1	.	2	5	7	6	1	.	
18	Diabetes mellitus	8	1	2	3	1	1	1	1	
20	Other general diseases, chronic poisonings (16, 17, 19)	6	.	1	.	1	.	1	2	1	3	2	.	6	1	1	1	2	1	1	1	1	
22	Cerebral hemorrhage, &c.	20	1	1	11	6	1	23	.	.	1	.	.	3	6	5	7	1	2	.	
23	Other diseases of nervous system and sense organs (21)	17	1	.	1	3	1	1	2	1	3	3	1	2	.	1	.	.	.	1	.	2	1	1	.	.	
(a)		14	2	.	1	1	1	1	3	3	3	3	3	3	(d)	(e)	(f)	(g)	(h)	(i)	(k)	(l)	(m)	(n)	(o)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. }	57 64	1 2	1 1	1 1	2 1	1 1	1 1	1 1	2 3	10 10	10 19	7 2
25	Other circulatory diseases	{ M. F. }	8 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 5	3 3	1 1
26	Bronchitis	{ M. F. }	13 18	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 2	2 2	2 4
27	Pneumonia (all forms)	{ M. F. }	17 12	1 3	1 1	1 1	1 1	1 1	1 1	1 1	2 2	2 2	3 3	1 1
28	Other respiratory diseases	{ M. F. }	11 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	14 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhea, &c. (all ages)	{ M. F. }	4 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. }	4 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	13 9	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	15 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	11 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
36	Other puerperal causes	{ M. F. }	4 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
37	Diseases of skin and locomotor system	{ M. F. }	21 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	50 61	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	4 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	31 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Other violence (41)	{ M. F. }	23 20	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	23 20	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and tetanic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos.	CAUSES OF DEATH.	KINROSS COUNTY.													KIRKCUDBRIGHT COUNTY.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes	109	6	3	2	.	1	4	3	9	12	28	30	11	448	30	14	7	4	11	13	16	26	68	116	118	25
	Males	49	4	1	.	1	.	.	2	6	6	11	15	3	214	17	6	2	3	5	3	9	8	38	58	57	8
	Females	60	2	2	2	.	.	4	1	3	6	17	15	8	234	13	8	5	1	6	10	7	18	30	58	61	17
1	Typhoid fever (including typhoid)
4	Measles	1	1	1	1	.	3
5	Scarlet fever	1	1
6	Whooping-cough	2
7	Diphtheria	1	.	1
8	Influenza	1	.	.	1	.	.	.	1	.	1	.	.	.	2	1	.
14 (1)	Cerebro-spinal fever	1	1	1	.	1	.	1	.	1
14 (2)	Other epidemic diseases (2, 3, 9)*	2	1	.
10	Tuberculosis of respiratory system	7	.	.	.	1	2	1	2	1	1	1	.	.
11	Other tuberculous diseases	1	.	1	1	1	.	1	.	.	.	1	.	1
14 (3)	Other infectious and parasitic diseases (12, 13)	1	1
15	Cancer, malignant disease	6	1	.	1	.	2	1	1	28	.	.	1	.	.	.	1	5	10	6	10	4
18	Diabetes mellitus	1	3	1
20	Other general diseases, chronic poisonings (16, 17, 19)	1	1	.	1	1	.	1	.	1	.	1	2	1	.
22	Cerebral hamorrhage, &c.	5	1	.	1	2	1	34	1	2	17	13	1
23	Other diseases of nervous system and sense organs (21)	1	1	3	1	1	1	1	.	.	1	2	.	.	1	.
(a)		2	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

24	Heartdisease	{ M. F. 8 11	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
25	Other circulatory diseases	{ M. F. 4 1	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
26	Bronchitis	{ M. F. 2 4	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
27	Pneumonia (all forms)	{ M. F. 1 4	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
28	Other respiratory diseases	{ M. F. 4 4	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
32 (1)	Gastric and duodenal ulcer	{ M. F.	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
29	Diarrhoea, &c. (all ages)	{ M. F. 2 .	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
30	Appendicitis	{ M. F.	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
31 (1)	Cirrhosis of liver	{ M. F.	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
31 (2)	Other diseases of liver, &c.	{ M. F.	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
32 (2)	Other digestive diseases	{ M. F.	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
33	Acute and chronic nephritis	{ M. F. 5 3	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
34	Other diseases of genito-urinary system	{ M. F. 3 .	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
35	Puerperal sepsis	{ M. F.	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
36	Other puerperal causes	{ M. F. 1 .	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
37	Diseases of skin and locomotor system	{ M. F. 1 1	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
38	Congenital debility, premature birth, malformation, &c.	{ M. F. 2 1	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
39	Old age	{ M. F. 1 5	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
40	Suicide	{ M. F.	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
42	Other violence (41)	{ M. F. 1 .	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)
43	Causes ill-defined or unknown	{ M. F.	(v)	(u)	(t)	(s)	(r)	(q)	(p)	(o)	(n)	(m)	(l)	(k)	(j)	(i)	(h)	(g)	(f)	(e)	(d)	(c)	(b)	(a)

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos. Short List.	CAUSES OF DEATH.	AIRDRIE BURGH.													COATBRIDGE BURGH.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . .	342	43	22	6	6	11	22	17	30	57	70	52	6	623	125	70	17	12	30	23	36	47	75	120	62	6
	Males . .	174	24	10	4	4	5	7	13	12	29	42	24	.	357	70	44	11	6	17	8	17	31	46	72	33	2
	Females . .	168	19	12	2	2	6	15	4	18	28	28	28	6	266	55	26	6	6	13	15	19	16	29	48	29	4
1	Typhoid fever (including Para-typhoid).	{ M. F. }
4	Measles	{ M. F. }	1	9	1	13	3	9	.	.	.	1
5	Scarlet fever	{ M. F. }	3	.	1	2
6	Whooping-cough	{ M. F. }	4	1	3	1
7	Diphtheria	{ M. F. }	2	1	1
8	Influenza	{ M. F. }	10	8	1	1	.	1	3	2	3	.	3	.	8	.	2	.	.	2	.	.	2	1	3	5	1
14 (1)	Cerebro-spinal fever	{ M. F. }	1	1	3	2	1
14 (2)	Other epidemic diseases (2, 3, 9)*	{ M. F. }	3	1	1	1	.	.	.	2	.	1	.	.	.	1
10	Tuberculosis of respiratory system.	{ M. F. }	9	11	.	2	2	3	2	3	1	1	.	.	14	.	.	.	2	5	2	4	2	1	.	.	.
11	Other tuberculous diseases	{ M. F. }	3	2	1	.	.	1	1	6	1	3	1	1	1	.	2	.	.	.	1	.
14 (3)	Other infectious and parasitic diseases (12, 13)	{ M. F. }	1	1
15	Cancer, malignant disease.	{ M. F. }	11	15	.	.	.	1	1	6	2	3	1	.	27	1	3	5	8	11	2	.
18	Diabetes mellitus	{ M. F. }	2	3	.	.	1	.	.	.	1	2	.	.	1	1	1	.
20	Other general diseases, chronic poisonings (16, 17, 19)	{ M. F. }	1	3	.	.	.	3	1	2	.	.	1	2	.
22	Cerebral hæmorrhage, &c.	{ M. F. }	22	19	.	.	.	1	1	.	3	8	5	2	20	1	.	2	3	9	6	.
23	Other diseases of nervous system and sense organs (21)	{ M. F. }	5	5	1	1	.	1	.	.	1	1	.	.	13	3	5	1	.	1	2	2	1	2	1	1	.
(a)			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(e)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F.	
25	Other circulatory diseases	{ M. F.	
26	Bronchitis	{ M. F.	
27	Pneumonia (all forms)	{ M. F.	
28	Other respiratory diseases	{ M. F.	
32(1)	Gastric and duodenal ulcer	{ M. F.	
29	Diarrhea, &c. (all ages)	{ M. F.	
30	Appendicitis	{ M. F.	
31(1)	Cirrhosis of liver	{ M. F.	
31(2)	Other diseases of liver, &c.	{ M. F.	
32(2)	Other digestive diseases	{ M. F.	
33	Acute and chronic nephritis	{ M. F.	
34	Other diseases of genito-urinary system	{ M. F.	
35	Puerperal sepsis	{ M. F.	
36	Other puerperal causes	{ M. F.	
37	Diseases of skin and locomotor system	{ M. F.	
38	Congenital debility, premature birth, malformation, &c.	{ M. F.	
39	Old Age	{ M. F.	
40	Suicide	{ M. F.	
42	Other violence (41)	{ M. F.	
43	Causes ill-defined or unknown	{ M. F.	

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos. Short List.	CAUSES OF DEATH.	GLASGOW BURGH.												HAMILTON BURGH.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes	16,070	2549	1048	301	212	734	868	1043	1552	2492	2885	2019	367	525	86	50	21	16	18	24	31	43	73	89	57	17
	Males	8,250	1432	557	169	107	347	393	547	863	1340	1497	898	100	269	56	24	12	7	8	12	12	26	31	49	26	6
	Females	7,820	1117	491	132	105	387	475	496	689	1152	1388	1121	267	256	30	26	9	9	10	12	19	17	42	40	31	11
1	Typhoid fever (including typhoid)	2	1	1	1	1	2	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4	Measles	94	36	57	1	1	1	1	1	1	1	1	1	1	5	1	4	1	1	1	1	1	1	1	1	1	1
5	Scarlet fever	38	1	13	10	3	3	5	2	2	1	1	1	1	2	1	1	2	1	1	1	1	1	1	1	1	1
6	Whooping-cough	59	25	34	1	1	1	1	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1
7	Diphtheria	68	8	33	18	4	2	1	1	1	1	1	1	1	5	1	3	3	1	1	1	1	1	1	1	1	1
8	Influenza	206	17	10	1	3	8	20	25	31	35	33	20	8	8	1	1	1	2	1	1	2	1	1	1	1	1
14(1)	Cerebro-spinal fever	47	23	9	2	1	3	2	1	4	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1
14(2)	Other epidemic diseases (2, 3, 9)*	36	9	1	1	1	2	1	9	12	7	5	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1
10	Tuberculosis of respiratory system	530	3	12	5	10	108	111	108	101	49	22	1	1	12	1	1	1	1	3	3	4	2	1	1	1	1
11	Other tuberculous diseases	161	12	48	22	15	32	22	10	5	3	2	1	1	10	1	4	1	2	1	1	1	1	1	1	1	1
14(3)	Other infectious and parasitic diseases (12, 13)	61	10	4	1	1	2	5	7	11	12	6	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1
15	Cancer, malignant disease	783	3	1	1	1	11	13	39	135	243	247	86	5	20	1	1	1	1	1	1	1	6	4	3	3	1
18	Diabetes mellitus	55	1	1	1	1	5	3	6	7	17	11	5	1	1	1	1	1	1	1	1	1	2	1	1	1	1
20	Other general diseases, chronic poisonings (16, 17, 19)	118	5	3	5	6	10	11	13	20	21	18	6	1	6	1	1	1	2	1	1	1	1	2	1	1	1
22	Cerebral hæmorrhage, &c.	668	1	1	1	1	4	8	11	57	160	251	155	20	20	1	1	1	1	1	1	1	2	7	3	5	1
23	Other diseases of nervous system and sense organs (21)	220	50	21	5	7	16	14	23	34	24	22	4	1	5	3	1	1	2	1	1	1	1	1	1	1	1
(a)		168	37	10	7	7	16	20	15	19	17	12	7	1	9	2	3	1	2	1	1	1	1	1	1	1	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 935 1002	1 .	6 1	5 9	19 18	22 41	49 70	97 112	233 189	276 283	198 224	20 38	3 28
25	Other circulatory diseases	{ M. F. } 129 96	1 1	2 .	.	.	1 2	.	11 6	27 9	50 34	34 29	3 14	2 .
26	Bronchitis	{ M. F. } 518 518	51 54	11 11	1 .	4 .	2 6	32 19	54 44	89 93	147 137	109 113	10 34	1 .
27	Pneumonia (all forms)	{ M. F. } 1,154 942	413 345	203 182	16 18	14 9	50 20	64 43	89 41	93 70	76 71	50 79	14 .	1 .
28	Other respiratory diseases	{ M. F. } 108 104	5 8	5 3	4 .	2 .	2 2	3 5	21 9	17 13	29 18	19 26	1 8	1 2
32 (1)	Gastric and duodenal ulcer	{ M. F. } 97 35	.	.	.	3 .	2 .	9 8	21 5	27 10	14 6	2 4	.	.
29	Diarrhoea, &c. (all ages)	{ M. F. } 281 214	236 171	18 19	5 2	1 .	1 1	4 2	4 4	4 3	7 5	1 5	1 .	.
30	Appendicitis	{ M. F. } 60 47	1 .	2 .	6 6	8 5	11 6	7 5	6 4	10 8	7 5	7 .	.	.
31 (1)	Cirrhosis of liver	{ M. F. } 34 16	1 .	.	.	1 .	1 .	1 .	12 4	3 .	7 5	2 .	1 .	.
31 (2)	Other diseases of liver, &c.	{ M. F. } 19 54	1 .	1 .	.	.	2 .	7 .	4 5	8 14	3 14	3 8	3 .	1 .
32 (2)	Other digestive diseases	{ M. F. } 116 98	20 8	12 5	5 1	1 1	2 4	7 6	13 17	17 19	17 19	10 11	2 .	.
33	Acute and chronic nephritis	{ M. F. } 208 203	1 .	3 .	6 .	1 1	10 9	20 26	30 28	60 57	47 38	22 21	1 .	2 .
34	Other diseases of genito-urinary system	{ M. F. } 131 60	9 10	1 2	1 1	2 .	2 .	5 8	9 6	23 13	47 11	32 4	4 .	1 .
35	Puerperal sepsis	{ M. F. } 82	23 .	23 .	39 20
36	Other puerperal causes	{ M. F. } 97	13 .	13 .	53 30	1
37	Diseases of skin and locomotor system { M. F. } 50 34	15 7	6 .	6 2	6 2	4 .	4 6	1 1	2 3	7 1	4 5	1 5	1 .	.
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 476 329	465 329	7 2	7 1	1 2	3 1	27 9	2 3
39	Old age	{ M. F. } 174 274	2 1	2 1	44 39	90 162	27 83	2 4
40	Suicide	{ M. F. } 87 36	.	.	.	1 7	14 5	15 6	25 11	25 2	6 6	1 .	6 .	2 8
42	Other violence (41)	{ M. F. } 324 177	11 18	33 23	45 13	21 7	28 10	30 5	18 13	49 26	40 26	19 25	2 4	2 1
43	Causes ill-defined or unknown	{ M. F. } 201 136	4 7	1 2	2 .	2 1	2 1	4 9	11 21	28 34	64 42	24 10	4 6	1 .

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos.	CAUSES OF DEATH.	MOTHERWELL AND WISHAW BURGH.												RUTHERGLEN BURGH.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . .	819	129	73	18	12	42	36	46	75	116	157	100	15	349	26	25	7	1	15	18	17	41	56	72	61	10
	Males	451	76	41	11	7	16	17	29	43	66	90	48	7	171	10	11	1	.	11	5	6	25	30	37	32	3
	Females	368	53	32	7	5	26	19	17	32	50	67	52	8	178	16	14	6	1	4	13	11	16	26	35	29	7
1	Typhoid fever (including Para-typhoid)
4	Measles	19	5	12	2	1	1	3	1
5	Scarlet fever	1	1	1	2	.	1	.	1
6	Whooping-cough	10	4	6	1	2	1
7	Diphtheria	1	.	1	1	1	3	1	2
8	Influenza	6	.	.	.	1	2	.	1	.	2	1	2	.	4	6	2	2	1	1	.	2	.
14 (1)	Cerebro-spinal fever	3	2	1	.	.	1
14 (2)	Other epidemic diseases (2, 3, 9)*	2	.	.	1	1	.	1	1	1	.	.
10	Tuberculosis of respiratory system	12	.	1	2	.	2	1	5	2	2	.	1	.	9	5	.	.	2	1	3	1	2	1	.	.	.
11	Other tuberculous diseases	6	1	1	1	.	2	1	5	3	2	.	2	.	1
14 (3)	Other infectious and parasitic diseases (12, 13)	2	1	.	.	.
15	Cancer, malignant disease	44	.	1	.	.	1	.	3	7	14	15	4	.	24	1	3	1	5	7	9	1	1
18	Diabetes mellitus	4	1	2	1	.	1	3	1	1
20	Other general diseases, chronic poisonings (16, 17, 19)	10	.	.	.	1	2	1	1	4	3	.	.	.	3	5	1	.	1	.	.	1	1	.	1	.	.
22	Cerebral hæmorrhage, &c.	35	1	2	4	18	9	2	13	21	1	3	1	2	3	7	6
23	Other diseases of nervous system and sense organs (21)	16	4	1	2	1	1	2	1	2	3	3	1	.	3	6	1	2	2	1	1	1	1	.	.	1	1
(a)		10	2	(d)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	58 48	1 3	1 2	1 1	1 2	1 3	1 1	6 4	7 4	12 12	21 11	8 12	1 2	26 16	1 2	1 1	4 2	6 4	9 5	7 2	1 1	1 1	1 1
25	Other circulatory diseases	{ M. F. }	10 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	3 2	2 2	1 1	7 5	7 5	1 1	1 1	1 1	1 1	2 2	3 2	1 1	1 1	1 1
26	Bronchitis	{ M. F. }	35 17	7 2	1 1	1 1	1 1	1 1	1 1	1 1	2 1	5 4	11 5	7 4	3 3	12 7	3 3	1 1	2 1	4 1	5 1	1 2	1 2	1 2	1 2
27	Pneumonia (all forms)	{ M. F. }	42 34	12 9	1 1	1 1	1 1	1 1	1 1	1 1	5 3	4 2	3 2	1 1	1 1	17 20	1 1	1 1	2 2	2 2	2 2	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	10 2	3 1	1 1	1 1	1 1	1 1	1 1	1 1	3 1	2 2	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	6 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhoea, &c. (all ages)	{ M. F. }	17 4	10 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 2	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	3 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	5 8	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	6 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	6 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	{ M. F. }	7 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
36	Other puerperal causes	{ M. F. }	5 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
37	Diseases of skin and locomotor system	{ M. F. }	5 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	(Congenital debility, premature birth, malformation, &c.	{ M. F. }	27 23	27 23	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	15 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	1 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Other violence (41)	{ M. F. }	27 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	9 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos. Short List.	CAUSES OF DEATH.	LANARK COUNTY (excluding large Burghs).													EDINBURGH BURGH.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
1	All Causes—Both Sexes	3,761	574	275	95	53	175	162	241	326	508	783	499	120	6,082	507	248	88	51	204	263	352	558	991	1378	1084	308
4	Males	1,907	317	138	53	25	90	84	139	167	270	365	215	44	2,893	289	111	48	25	98	129	174	279	560	664	442	74
5	Females	1,854	257	137	42	28	85	78	102	159	238	368	284	76	3,189	218	137	40	26	106	134	178	279	431	714	642	234
1	Typhoid fever (including typhoid)	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1
4	Measles	{ M. F. }	35	10	22	2	2	2	2	2	2	2	2	2	44	14	28	2	2	2	2	2	2	2	2	2	2
5	Scarlet fever	{ M. F. }	15	1	7	4	3	1	1	1	1	1	1	1	3	2	1	3	1	1	1	1	1	1	1	1	1
6	Whooping-cough	{ M. F. }	12	4	6	2	2	2	2	2	2	2	2	2	19	9	10	2	2	2	2	2	2	2	2	2	2
7	Diphtheria	{ M. F. }	19	1	10	3	4	1	1	1	1	1	1	1	13	1	5	5	2	2	2	2	2	2	2	2	2
8	Influenza	{ M. F. }	59	5	2	2	2	2	2	2	2	2	2	2	65	3	1	1	1	1	1	1	1	1	1	1	1
14(1)	Cerebro-spinal fever	{ M. F. }	11	5	2	2	2	2	2	2	2	2	2	2	22	9	3	2	2	2	2	2	2	2	2	2	2
14(2)	Other epidemic diseases (2, 8, 9)*	{ M. F. }	4	1	1	1	1	1	1	1	1	1	1	1	17	1	1	1	1	1	1	1	1	1	1	1	1
10	Tuberculosis of respiratory system	{ M. F. }	89	2	2	2	2	2	2	2	2	2	2	2	170	2	2	2	2	2	2	2	2	2	2	2	2
11	Other tuberculous diseases	{ M. F. }	40	6	9	5	2	2	2	2	2	2	2	2	47	11	10	4	2	2	2	2	2	2	2	2	2
14(3)	Other infectious and parasitic diseases (12, 13)	{ M. F. }	7	1	1	1	1	1	1	1	1	1	1	1	10	1	1	1	1	1	1	1	1	1	1	1	1
15	Cancer, malignant disease	{ M. F. }	162	2	2	2	2	2	2	2	2	2	2	2	390	2	2	2	2	2	2	2	2	2	2	2	2
18	Diabetes mellitus	{ M. F. }	11	2	2	2	2	2	2	2	2	2	2	2	19	2	2	2	2	2	2	2	2	2	2	2	2
20	Other general diseases, chronic poisonings (16, 17, 19)	{ M. F. }	40	4	1	2	2	2	2	2	2	2	2	2	59	1	3	3	6	6	6	6	6	6	6	6	6
22	Cerebral hæmorrhage, &c.	{ M. F. }	152	2	2	2	2	2	2	2	2	2	2	2	229	2	2	2	2	2	2	2	2	2	2	2	2
23	Other diseases of nervous system and sense organs (21)	{ M. F. }	56	14	7	4	2	2	2	2	2	2	2	2	83	10	7	3	4	4	4	4	4	4	4	4	4
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. } 235 200	
25	Other circulatory diseases	{ M. F. } 84 24	
26	Bronchitis	{ M. F. } 127 87	
27	Pneumonia (all forms)	{ M. F. } 190 125	
28	Other respiratory diseases	{ M. F. } 36 23	
32 (1)	Gastric and duodenal ulcer	{ M. F. } 28 6	
29	Diarrhoea, &c. (all ages)	{ M. F. } 35 35	
30	Appendicitis	{ M. F. } 24 16	
31 (1)	Cirrhosis of liver	{ M. F. } 4 2	
31 (2)	Other diseases of liver, &c.	{ M. F. } 6 24	
32 (3)	Other digestive diseases	{ M. F. } 24 35	
33	Acute and chronic nephritis	{ M. F. } 40 67	
34	Other diseases of genito-urinary system	{ M. F. } 24 12	
35	Puerperal sepsis	{ M. F. }	
36	Other puerperal causes	{ M. F. }	
37	Diseases of skin and locomotor system { M. F. } 18 14	
38	Congenital debility, premature birth, malformation, &c. { M. F. } 151 122	
39	Old age	{ M. F. } 68 88	
40	Suicide	{ M. F. } 12 9	
42	Other violence (41)	{ M. F. } 113 48	
43	Causes ill-defined or unknown	{ M. F. } 30 31	

* Including typhus fever, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos. Short List.	CAUSES OF DEATH.	MIDLOTHIAN COUNTY (excluding Edinburgh Burgh).													MORAY COUNTY.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . .	1,133	139	57	16	14	31	57	64	102	153	241	209	50	536	54	12	5	1	21	16	25	39	68	117	136	42
	Males	565	86	30	7	7	19	25	31	56	81	120	82	21	251	29	5	2	.	9	10	12	15	40	57	57	15
	Females	568	53	27	9	7	12	32	33	46	72	121	127	29	285	25	7	3	1	12	6	13	24	28	60	79	27
1	Typhoid fever (including Para-typhoid). {M. F.	1	1
4	Measles {M. F.	13 6	7 .	6 5	1	1	.	.	1
5	Scarlet fever {M. F.	1 1	.	.	1 .	.	1
6	Whooping-cough {M. F.	7 3	1 1	6 2	3 1	2 1	1
7	Diphtheria {M. F.	1 4	.	1 1	2 .	1	1 1	.	1 1
8	Influenza {M. F.	16 26	.	1 2	1 .	1 .	2 .	3 .	5 4	1 3	2 5	1 4	3 1	2	6 4	2	3 .	1 .	2 1	1
14 (1)	Cerebro-spinal fever {M. F.	2 2	1 .	2	1
14 (2)	Other epidemic diseases (2, 3, 9)* {M. F.	3 1	1	1 .	.	.	1	5 1	1 .	.	.	1 .	1 .	.	1 .	.
10	Tuberculosis of respiratory system. {M. F.	19 30	.	1 .	.	2 .	4 5	5 10	5 7	2 5	1 1	1 .	.	.	14 9	3 3	3 2	2 1	2 2	3 1	1 .	.	.
11	Other tuberculous diseases {M. F.	13 8	1 .	2 2	2 1	.	2 .	5 1	1 .	2 2	1 3	1 .	1 .	.	1	1
14 (3)	Other infectious and parasitic diseases (12, 13) {M. F.	1 .	.	1	1	1
15	Cancer, malignant disease {M. F.	60 72	1 .	3 5	12 12	16 16	19 26	9 13	.	17 48	2 .	5 .	6 .	9 6	5 18	2 10	1 1
18	Diabetes mellitus {M. F.	4 7	1 .	.	1 .	2 .	1 1	3 .	2 .	.	2 4	1	1 2	1 .	.	1
20	Other general diseases, chronic poisonings (16, 17, 19) {M. F.	7 11	.	.	.	2 .	.	1 .	2 .	2 1	2 1	4 2	1 2	.	1 6	1	1 .	.	.	3 .	2 .	.	.
22	Cerebral hæmorrhage, &c.. . . . {M. F.	60 63	1 .	1 .	.	6 5	13 12	22 21	16 20	3 3	26 29	1 .	.	1 2	9 12	11 13	4 2
23	Other diseases of nervous system and sense organs (21) {M. F.	14 9	3 1	2 .	1 .	1 .	.	2 .	2 1	2 .	1 .	4 2	1 .	.	12 7	1 .	1 2	1 .	.	3 .	1 .	1 .	1 .	3 .	1 .	2 1	1
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 78 91	1 2	3 4	1 2	7 5	12 14	28 17	22 36	4 10
25	Other circulatory diseases	{ M. F. } 18 15	1 2	1 2	1 1	3 .	6 3	5 7	2 1
26	Bronchitis	{ M. F. } 21 34	3 7	1 1	1 1	1 .	1 .	1 .	1 6	6 8	5 9	2 2
27	Pneumonia (all forms)	{ M. F. } 38 30	7 4	4 5	1 .	1 2	3 4	3 4	4 1	6 2	9 6	2 3	2 .
28	Other respiratory diseases	{ M. F. } 15 9	3 1	2 2	1	1 .	1 .	2 .	3 .	2 1	1 4	1 .
32 (1)	Gastric and duodenal ulcer	{ M. F. } 8 3	1 1	2 1	5
29	Diarrhoea, &c. (all ages)	{ M. F. } 3 3	3 2	1
30	Appendicitis	{ M. F. } 6	1	1 .	1	1
31 (1)	Cirrhosis of liver	{ M. F. } 1
31 (2)	Other diseases of liver, &c.	{ M. F. } 1 6
32 (2)	Other digestive diseases	{ M. F. } 7 15	3 1	1 1	1 .	2 .	2 4	1 3	3
33	Acute and chronic nephritis	{ M. F. } 9 14	1	2 .	2 .	2 .	3 4	4 4	1 1
34	Other diseases of genito-urinary system	{ M. F. } 12 6	2 1	2 .	2 .	1 .	3 1	2 1	1 .	4 .
35	Puerperal sepsis	{ M. F. }
36	Other puerperal causes	{ M. F. } 1	1 .	1
37	Diseases of skin and locomotor system	{ M. F. } 5 1	1 .	1	1	1	2
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 53 34	53 34
39	Old age	{ M. F. } 19 27	2 5	12 15	5 7
40	Suicide	{ M. F. } 8 2	2 .	1 .	1 .	2 .	1
42	Other violence (†)	{ M. F. } 32 16	1 1	2 3	5 1	3 1	3 1	8 .	3 .	3 1	1 6	1 .
43	Causes ill-defined or unknown	{ M. F. } 10 15	1	1 1	1 .	1 2	4 2	2 7	3

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
24	Heart disease	{ M. F. }	8 16	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other circulatory diseases	{ M. F. }	1 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia (all forms)	{ M. F. }	1 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32(1)	Gastric and duodenal ulcer	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhoea, &c. (all ages)	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31(1)	Cirrhosis of liver	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31(2)	Other diseases of liver, &c.	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32(2)	Other digestive diseases	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	4 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
36	Other puerperal causes	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
37	Diseases of skin and locomotor system	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	2 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Other violence (41)	{ M. F. }	3 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos. Short List.	CAUSES OF DEATH.		PEEBLES COUNTY.													PERTH BURGH.													
	All Ages.	Para- { F.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	192		9	3	3	.	7	4	7	16	24	45	58	16	504	42	13	9	2	13	6	17	32	41	86	114	99	36	
	92		4	3	2	.	4	1	2	6	15	25	26	4	235	25	6	7	.	6	11	19	22	46	59	38	4		
	100		5	.	1	.	3	3	5	10	9	20	32	12	269	17	7	2	2	7	11	13	22	40	55	61	32		
1	Typhoid fever (including typhoid)	{ F.
4	Measles	{ F.	1	1	2	1	1
5	Scarlet fever	{ F.	1	.	.	1
6	Whooping-cough	{ F.	2	2
7	Diphtheria	{ F.	3	1	.	3
8	Influenza	{ F.	4	1	.	.	1	.	2	2	3	1	1	2	.
14 (1)	Cerebro-spinal fever	{ F.
14 (2)	Other epidemic diseases (2, 3, 9)*	{ F.	2	1	1	.	.
10	Tuberculosis of respiratory system	{ F.	1	1	.	.	1	.	.	7	1	3	1	1	2	1
11	Other tuberculous diseases	{ F.	1	1	.	.	3	2	1	1	.	.	.	1
14 (3)	Other infectious and parasitic diseases (12, 13)	{ F.	1	1	.	.	.	4	1	2	1
15	Cancer, malignant disease	{ F.	7	.	.	.	1	.	1	.	1	4	2	.	29	1	2	2	10	11	4	1	1
18	Diabetes mellitus	{ F.	1	1	.	5
20	Other general diseases, chronic poisonings (16, 17, 19)	{ F.	2	8	.	.	1	.	1	4	.	2	1	.	9	.	.	.	1	2	1	3	2	2	2	1	1	.	.
22	Cerebral hæmorrhage, &c.	{ F.	15	22	1	3	2	7	4	2	33	1	2	7	14	9	8	1	8
23	Other diseases of nervous system and sense organs (21)	{ F.	1	3	1	.	.	1	.	8	1	.	1	.	1	.	2	3	3	1	1	2	.	1
(a)		(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. }	20 14	4 4	1	1	9 4	5 1	9 4	1 4
25	Other circulatory diseases	{ M. F. }	4 6	1 1	1	1	1 3	1 .	1 3	1 2
26	Bronchitis	{ M. F. }	1 1	1 1	.	1 1	.
27	Pneumonia (all forms)	{ M. F. }	8 4	.	.	.	1 1	1 .	1	1	1 1	4 .	2 .	1
28	Other respiratory diseases	{ M. F. }	2 2	1	.	2 .	2 .	2 .	.
32 (1)	Gastric and duodenal ulcer.	{ M. F. }
29	Diarrhoea, &c. (all ages)	{ M. F. }	1 .	.	1
30	Appendicitis	{ M. F. }	2 1	.	1	.	.	1
31 (1)	Cirrhosis of liver	{ M. F. }
31 (2)	Other diseases of liver, &c.	{ M. F. }	2
32 (2)	Other digestive diseases	{ M. F. }	1 .	1
33	Acute and chronic nephritis	{ M. F. }	6 2	2 1	1 1	.	2 .	1 .	2 .	1
34	Other diseases of genito-urinary system	{ M. F. }	2	1 .	.	.	1 .	2 1	1 1	.
35	Puerperal sepsis	{ M. F. }
36	Other puerperal causes	{ M. F. }	1	1
37	Diseases of skin and locomotor system	{ M. F. }	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	3 3 3	3 3 3
39	Old age	{ M. F. }	3 7	2 4	1 3	4 11	10
40	Suicide	{ M. F. }
42	Other violence (41)	{ M. F. }	8 3	.	2 1	.	2 .	1 .	1 .	1 .	2 .	2 .	1 .	2
43	Causes ill-defined or unknown	{ M. F. }	4	1	2	1	1	3	3

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos.	CAUSES OF DEATH.	PERTH COUNTY (excluding Perth Burgh).													GREENOCK BURGH.													
		All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.			
	All Causes—Both Sexes	1,191	74	23	14	6	31	41	46	91	155	288	303	119	1,162	206	150	37	16	42	56	72	95	131	215	107	35	
	Males	554	48	15	6	4	17	19	13	39	66	150	137	40	603	104	80	18	9	21	31	38	56	78	105	53	10	
	Females	637	26	8	8	2	14	22	33	52	89	138	166	79	559	102	70	19	7	21	25	34	39	53	110	54	25	
1	Typhoid fever (including typhoid)	1	1	1	.	.	.	1	
4	Measles	3	3	1	32	5	22	5	
5	Scarlet fever	3	1	1	1	1	1	5	1	.	2	1	
6	Whooping-cough	2	2	1	1	3	
7	Diphtheria	1	.	.	.	1	2	.	2	1	
8	Influenza	15	1	.	.	.	2	.	1	1	.	.	1	2	17	4	2	1	.	.	2	1	1	3	2	3	1	
14 (1)	Cerebro-spinal fever	3	.	2	1	.	.	1	
14 (2)	Other epidemic diseases (2, 3, 9)*	2	1	1	.	.	.	3	1	1	
10	Tuberculosis of respiratory system	7	4	8	1	3	2	1	3	.	23	1	1	1	2	8	9	5	4	3	.	.	.	
11	Other tuberculous diseases	4	1	1	1	.	1	1	.	.	.	1	.	.	18	3	4	3	1	3	4	1	1	
14 (3)	Other infectious and parasitic diseases (12, 13)	3	1	1	1	.	.	.	6	4	1	1	.	.	
15	Cancer, malignant disease	61	1	4	11	29	16	3	43	.	.	.	1	1	1	3	7	6	13	7	2	
18	Diabetes mellitus	3	1	1	.	5	1	.	3	1	.	1	.	1	2	.	.
20	Other general diseases, chronic poisonings (16, 17, 19)	8	.	.	1	2	1	2	3	5	4	1	1	1	10	.	1	1	.	2	2	1	1	2	3	.	1	
22	Cerebral hæmorrhage, &c.	70	.	1	.	.	1	.	2	2	9	22	23	10	63	.	1	.	1	1	.	.	7	7	21	11	1	
23	Other diseases of nervous system and sense organs (21)	19	5	2	1	1	3	1	3	2	3	3	2	.	21	5	4	.	1	1	1	3	2	4	1	1	.	
(a)		27	(c)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 107 101
25	Other circulatory diseases	{ M. F. } 26 19
26	Bronchitis	{ M. F. } 20 27
27	Pneumonia (all forms)	{ M. F. } 26 30	6 3	1 2	1 2
28	Other respiratory diseases	{ M. F. } 8 11	1 1
32(1)	Gastric and duodenal ulcer	{ M. F. } 10 7
29	Diarrhea, &c. (all ages)	{ M. F. } 1 2
30	Appendicitis	{ M. F. } 4 6
31(1)	Cirrhosis of liver	{ M. F. } 2 2
31(2)	Other diseases of liver, &c.	{ M. F. } 1 4
32(2)	Other digestive diseases	{ M. F. } 9 13
33	Acute and chronic nephritis	{ M. F. } 22 16
34	Other diseases of genito-urinary system	{ M. F. } 24 8
35	Puerperal sepsis	{ M. F. } . 3
36	Other puerperal causes	{ M. F. } . 4
37	Diseases of skin and locomotor system	{ M. F. } 2 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 27 16
39	Old age	{ M. F. } 29 46
40	Suicide	{ M. F. } 4 3
42	Other violence (41)	{ M. F. } 29 13
43	Causes ill-defined or unknown	{ M. F. } 8 11

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos. Short List.	CAUSES OF DEATH.	PAISLEY BURGH.														PORT GLASGOW BURGH.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	All Causes—Both Sexes	1,214	173	80	26	17	56	55	46	91	161	269	193	47	280	42	30	8	3	18	18	20	21	38	43	31	8		
	Males	632	96	51	13	7	33	27	29	53	87	131	87	18	149	24	11	5	1	7	7	8	14	20	27	17	4		
	Females	582	77	29	13	10	23	28	17	38	74	138	106	29	131	18	19	3	2	11	11	12	7	18	16	14	4		
1	Typhoid fever (including Paratyphoid)		
4	Measles	19	6	12	1	4	2	2	1		
5	Scarlet fever	4	.	2	2	1	.	1	.	.	1		
6	Whooping-cough	5	2	3	1	.	1		
7	Diphtheria	1	.	1	2	1	1	.	1		
8	Influenza	16	1	.	1	1	1	1	1	2	1	2	4	2	3	1	1	.	.	1		
14(1)	Cerebro-spinal fever	6	2	1	1	.	.	1	1		
14(2)	Other epidemic diseases (2, 3, 9) *	3	1	1	1	1	1		
10	Tuberculosis of respiratory system	34	.	1	1	1	12	6	4	4	5	1	.	.	8	.	.	.	1	4	3	1		
11	Other tuberculous diseases	16	1	6	1	1	2	2	1	.	2	1	.	.	4	.	2	2	.	1	1		
14(3)	Other infectious and parasitic diseases (12, 13)	1	1	.	.	.	1	1	1		
15	Cancer, malignant disease	68	2	2	5	20	31	7	1	8	1	2	3	1	3	3	1	1		
18	Diabetes mellitus	2	1	.	.	.	1	1	3	.	4	.	.	.	1	.	.	1	.	1	.	.	.		
20	Other general diseases, chronic poisonings (16, 17, 19)	16	2	2	.	1	1	3	3	2	3	5	2	.	3	1	.	.	.	1	.	.	.	1	2	.	.		
22	Cerebral hæmorrhage, &c.	46	4	8	18	15	1	14	1	.	3	7	4	.		
23	Other diseases of nervous system and sense organs (21)	17	3	2	2	1	1	1	2	1	5	1	.	.	4	2	1	1	1	1	.	.	(o)		
(a)		12	4	1	.	3	1	.	.	2	(n)		
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. 95 113
25	Other circulatory diseases	{ M. F. 17 9
26	Bronchitis	{ M. F. 26 30
27	Pneumonia (all forms)	{ M. F. 71 47
28	Other respiratory diseases	{ M. F. 9 11
82 (1)	Gastric and duodenal ulcer	{ M. F. 5 2
29	Diarrhoea, &c. (all ages)	{ M. F. 12 7
30	Appendicitis	{ M. F. 9 6
31 (1)	Cirrhosis of liver	{ M. F. 1
31 (2)	Other diseases of liver, &c.	{ M. F. 3 3
32 (2)	Other digestive diseases	{ M. F. 7 11
33	Acute and chronic nephritis	{ M. F. 28 25
34	Other diseases of genito-urinary system	{ M. F. 13 3
35	Puerperal sepsis	{ M. F. . 5
36	Other puerperal causes	{ M. F. . 5
37	Diseases of skin and locomotor system	{ M. F. 4 5
38	Congenital debility, premature birth, malformation, &c.	{ M. F. 37 30
39	Old age	{ M. F. 9 19
40	Suicide	{ M. F. 8
42	Other violence (41)	{ M. F. 21 13
43	Causes ill-defined or unknown	{ M. F. 3 6

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	86 95	1 1	2 1	3 1	6 3	4 14	2 2	1 1	24 19	29 28	17 20	5 4	61 52	1 2	4 4	10 4	26 19	17 11	3 11				
25	Other circulatory diseases	{ M. F. }	18 14									12 4	2 2	1 8	8 9				2 2	3 6	1 1				
26	Bronchitis	{ M. F. }	34 27				1 1	2 2	2 4	1 1	4 4	11 8	8 8	2 2	20 27				1 10	5 7	1 3				
27	Pneumonia (all forms)	{ M. F. }	43 30	5 5	1 1	1 1	4 1	2 1	4 4	6 2	5 5	5 2	2 2	1 1	15 32	1 3			1 5	1 6	4 7				
28	Other respiratory diseases	{ M. F. }	7 6				1 1	1 1	1 1	3 1	8 1	1 1	3 3		9 7	1 1			1 3	2 1	1 1				
32 (1)	Gastric and duodenal ulcer	{ M. F. }	11 3				2 1	1 1	2 1	3 1	2 2	2 2			6 4	1 1			4 1	1 1					
29	Diarrhoea, &c. (all ages)	{ M. F. }	7 4	5 2	1 1								1 1		6 2	1 1			3 1						
30	Appendicitis	{ M. F. }	5 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1		5 2	1 1			1 1	1 1					
31 (1)	Cirrhosis of liver	{ M. F. }	2 .						1 .				1 .		2 .				1 .						
31 (2)	Other diseases of liver, &c.	{ M. F. }	3 8					1 2	3 1	1 1	1 2	1 2			1 4				1 1	1 1					
32 (2)	Other digestive diseases	{ M. F. }	6 16	3 1	2 .		1 1	1 1	3 1	1 1	5 1	1 1	1 1		10 4	1 1			2 3	1 3					
33	Acute and chronic nephritis	{ M. F. }	15 21	1 .			1 1	1 4	2 2	6 3	4 8	2 2			13 8	1 1			5 1	4 4					
34	Other diseases of genito-urinary system	{ M. F. }	18 6					1 1	1 1	1 2	8 .		8 2	1 1	18 5				1 8	1 1					
35	Puerperal sepsis	{ M. F. }	7 .				2 .	3 .							2 .										
36	Other puerperal causes	{ M. F. }	7 .				1 3	3 .							3 .										
37	Diseases of skin and locomotor system { M. F. }		8 1	1 .			2 .	1 .	1 .	1 .	2 .				2 5				2 2						
38	Congenital debility, premature birth, malformation, &c. { M. F. }		30 22												14 9										
39	Old age	{ M. F. }	28 33								1 4	4 6	23 23	4 6	41 71					1 1					
40	Suicide	{ M. F. }	4 2				1 3	2 .							3 1										
42	Other violence (41)	{ M. F. }	38 15	4 1	1 2	1 1	5 1	1 2	4 4	1 2	4 .	4 .	4 4		25 11	1 1			5 3	2 4					
43	Causes ill-defined or unknown	{ M. F. }	19 11				1 .	1 .	2 .	5 1	6 9	2 1	2 1		18 20	1 1			1 1	1 1					

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos.	CAUSES OF DEATH.	ROXBURGH COUNTY.													SELKIRK COUNTY.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . .	615	31	25	8	6	18	21	22	55	82	169	153	25	285	19	7	5	1	10	8	12	23	39	66	79	16
	Males . .	293	18	14	4	1	10	13	13	27	47	74	67	5	137	15	4	4	.	6	5	4	7	24	30	30	8
	Females . .	322	13	11	4	5	8	8	9	28	35	95	86	20	148	4	3	1	1	4	3	8	16	15	36	49	8
1	Typhoid fever (including Para-typhoid)
4	Measles	3	2	3	1	2	.	.	1	1
5	Scarlet fever
6	Whooping-cough	4	2	1	.	1	1	1
7	Diphtheria
8	Influenza	12	1	1	3	2	3	1	2	4	1	.	.	.	1	.	1	1	.	.	1	1
14 (1)	Cerebro-spinal fever	2	.	.	1	1
14 (2)	Other epidemic diseases (2, 3, 9)*	2	1	.	.	.	1	1
10	Tuberculosis of respiratory system	9	1	3	3	.	1	1	.	.	4	3	.	2	1	.	.	.
11	Other tuberculous diseases	1	.	.	1	.	.	.	1	1	.	.	1	.	6	.	2	2	1
14 (3)	Other infectious and parasitic diseases (12, 13)	1	1	1	2	.	.	1	.	1
15	Cancer, malignant disease	32	1	4	8	12	7	.	14	1	1	7	4	1	1
18	Diabetes mellitus	2	1	.	1	.	.	1	1	1	3	1	.	.	2	2	2	.
20	Other general diseases, chronic poisonings (16, 17, 19)	10	1	1	1	.	.	.	2	1	3	3	2	.	2	1	.	.	3	.	1	.	.
22	Cerebral hæmorrhage, &c.	37	1	.	1	3	8	8	16	4	15	1	1	4	2	9	1
23	Other diseases of nervous system and sense organs (21)	11	1	2	.	.	.	1	2	2	3	23	19	.	24	.	1	.	.	.	1	1	.	5	13	1	.
(a)		12	2	.	.	1	.	.	1	2	1	4	1	.	3	(c)
			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. }	62 57	2 1	1 .	4 5	13 3	22 18	20 26	24 33
25	Other circulatory diseases	{ M. F. }	13 8	5 1	2 5	.
26	Bronchitis	{ M. F. }	5 18	.	.	1	4 7	1 6	2 .
27	Pneumonia (all forms)	{ M. F. }	10 10	1	.	1	.	1 1	.	1 1	1 1	1 2	1 2	2 1
28	Other respiratory diseases	{ M. F. }	4 5	1 .	.	1 .	1 1	1 1	.	1 .
32 (1)	Gastric and duodenal ulcer	{ M. F. }	3	1	.	.	2 .	.	.	3 .	1 .
29	Diarrhea, &c. (all ages)	{ M. F. }	3 4	2 2	1	.	.	1 1	.	.
30	Appendicitis	{ M. F. }	3 2	.	1	.	1	1 .	.	.	1 .	1 .	.	1 .
31 (1)	Cirrhosis of liver	{ M. F. }	2 1	1	1 .	1 .	.
31 (2)	Other diseases of liver, &c.	{ M. F. }	1 6	1	.	1 3	1 .	1 .
32 (2)	Other digestive diseases	{ M. F. }	3 8	1 1	1 .	1 1	2 4	1 .	1 .
33	Acute and chronic nephritis	{ M. F. }	7 10	2 .	3 1	4 8	3 .	1 .
34	Other diseases of genito-urinary system	{ M. F. }	2 1	1 .	1 .	1 .	.
35	Puerperal sepsis	{ M. F. }	1	1
36	Other puerperal causes	{ M. F. }	5	3	1 .	1
37	Diseases of skin and locomotor system	{ M. F. }	2	1 .	.	1 .	.
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	13 6	12 6	1
39	Old age	{ M. F. }	11 7	1 .	10 3	10 12
40	Suicide	{ M. F. }	4 1	.	.	.	2	.	1	2	.	.	3 1	1 .
42	Other violence (41)	{ M. F. }	12 11	.	3 2	1	3 1	3 1	.	.	.	1 2	1 .	1 .
43	Causes ill-defined or unknown	{ M. F. }	7 2	3 .	1 2	1 .	1 .

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	35 34	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other circulatory diseases	{ M. F. }	3 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	{ M. F. }	11 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia (all forms)	{ M. F. }	26 21	11 4	4 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	5 5	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	4 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhoea, &c. (all ages)	{ M. F. }	3 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. }	1 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	6 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	4 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
36	Other puerperal causes	{ M. F. }	5 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
37	Diseases of skin and locomotor system	{ M. F. }	3 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	21 9	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	4 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Other violence (41)	{ M. F. }	13 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
48	Causes ill-defined or unknown	{ M. F. }	4 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos.	CAUSES OF DEATH, Short List.	STIRLING COUNTY (excluding large Burghs).														SUTHERLAND COUNTY.													
		All Ages.		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
		1,846	180	81	13	6	15	58	71	81	108	166	281	236	56	288	17	4	1	2	8	15	10	13	36	66	74	42	
1	Typhoid fever (including typhoid)	1	1	
4	Measles	9	2	7	
5	Scarlet fever	2	.	2	1	1	.	1	
6	Whooping-cough	4	1	3	
7	Diphtheria	6	.	4	2	2	
8	Influenza	15	1	.	.	1	5	1	5	2	1	1	2	4	10	.	1	.	1	1	5	1	3		
14(1)	Cerebro-spinal fever	3	1	.	.	2	
14(2)	Other epidemic diseases (2, 3, 9)*	1	2	.	4	1	1	.	.	1	.	1	
10	Tuberculosis of respiratory system	23	.	1	.	7	6	4	7	3	2	1	1	11	5	1	1	7	1	1	1	.	.	.	
11	Other tuberculous diseases	14	4	3	.	1	1	1	1	1	1	.	.	2	1	.	1	
14(3)	Other infectious and parasitic diseases (12, 13)	2	.	.	1	1	
15	Cancer, malignant disease	74	1	1	.	.	2	3	8	5	16	30	17	.	17	1	1	1	4	7	4	.	
18	Diabetes mellitus	6	.	.	.	1	.	.	.	3	5	2	1	1	2	
20	Other general diseases, chronic poisonings (16, 17, 19)	15	1	.	1	.	3	1	4	1	2	4	1	.	1	1	1	1	1	1	1	.	
22	Cerebral hæmorrhage, &c.	58	2	5	9	23	17	2	12	
23	Other diseases of nervous system and sense organs (21)	17	2	2	1	4	3	4	2	1	2	1	1	.	3	1	1	.	.	2	1	.	
(a)		25	4	6	.	1	1	1	2	4	2	1	1	.	3	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 90 101	8 1	1 4	2 2	7 8	20 25	29 23	24 33	4 3
25	Other circulatory diseases	{ M. F. } 21 14	1 . .	2 . .	2 3	7 6	9 4	1
26	Bronchitis	{ M. F. } 36 27	4 5	1	1	2 1	4 2	14 6	10 10	3
27	Pneumonia (all forms)	{ M. F. } 58 54	21 17	8 9	2 . .	1 2	2 1	5 3	3 4	7 4	5 2	4 65	2 3	2
28	Other respiratory diseases	{ M. F. } 10 6	1	1 1	. . .	2 . .	3 . .	1 2	2 1	2
29	Gastric and duodenal ulcer	{ M. F. } 9 2	1	2 . .	3 . .	1 . .	2 . .	2
29	Diarrhoea, &c. (all ages)	{ M. F. } 14 11	6 4	3 4	1	1 2	2 . .	3 . .	1
30	Appendicitis	{ M. F. } 9 3	1 2	3 1	. . .	2 . .	2 . .	1
31 (1)	Cirrhosis of liver	{ M. F. } 1	1
31 (2)	Other diseases of liver, &c.	{ M. F. } 1 4	2 . .	2
32 (2)	Other digestive diseases	{ M. F. } 10 5	4 1	1	1 1	1 1	1 . .	2 2	1 1	. .
33	Acute and chronic nephritis	{ M. F. } 6 12	. . .	1	3 1	1 3	2 3	2 1	3 1	1 1	. .
34	Other diseases of genito-urinary system	{ M. F. } 12 7	3	1 1	6 3	5
35	Puerperal sepsis	{ M. F. } . . 5	3 . .	2
36	Other puerperal causes	{ M. F. } 14	2 . .	7 . .	5
37	Diseases of skin and locomotor system	{ M. F. } 6 1	1 . .	1	1	1 1	1 1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 40 48	38 48	2
39	Old age	{ M. F. } 25 57	1 3	11 1	16 24	7 21
40	Suicide	{ M. F. } 6 2	1 . .	2 1	3 1	1
42	Other violence (41)	{ M. F. } 30 19	3 19	2 2	1 2	2 1	3 2	8 . .	6 3	6 1	1 . .	2 1	1 2	2
43	Causes ill-defined or unknown	{ M. F. } 6 7	1 . .	1	2 2	1 1	1 3	1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1932.

International Nos.	CAUSES OF DEATH.	WEST LoTHIAN COUNTY.													WIGTOWN COUNTY.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . .	903	121	46	23	14	33	50	60	92	132	180	115	37	439	48	16	6	3	21	21	26	30	36	103	110	19
	Males . .	476	68	21	17	6	16	22	26	38	78	103	62	19	210	31	10	3	1	6	15	12	13	23	50	40	6
	Females . .	427	53	25	6	8	17	28	34	54	54	77	53	18	229	17	6	3	2	15	6	14	17	13	53	70	13
1	Typhoid fever (including typhoid)																										
	Para-M. {F.																										
4	Measles	12	3	8	1										4	1	2	1		1							
	M. {F.	12	4	7	1										3	2											
5	Scarlet fever	1		1											1		1										
	M. {F.														1												
6	Whooping-cough	4	1	3											1												
	M. {F.	5	3	2																							
7	Diphtheria	5		1	3	1									1		1										
	M. {F.																										
8	Influenza	13		1			3		2					1	7	2			1			1			2	1	1
	M. {F.	17			1		1	1						1	4										3		
14(1)	Cerebro-spinal fever	2	2	1																							
	M. {F.	1																									
14(2)	Other epidemic diseases (2, 3, 9) *	1							1						1				1								
	M. {F.	1																									
10	Tuberculosis of respiratory system	22			1		4	4	3	4	4	2			10		1		1	2	4	1				1	
	M. {F.	21			2		3	9	3	2					6				2	1	1	1					
11	Other tuberculous diseases	10	1	2	3	1	1	1	1		1				5	1	2	2	1	2	1						
	M. {F.	5		2											9												
14(3)	Other infectious and parasitic diseases (12, 13)	5			2		1		1	1	1																
	M. {F.	1																									
15	Cancer, malignant disease	39						3	2	2	12	16	6	1	16						2	1		3	6	2	1
	M. {F.	54								11	12	13	7	1	17							3	1		6	6	
18	Diabetes mellitus	1			1				1	2	4	4			3						1						
	M. {F.	12																									
20	Other general diseases, chronic poisonings (16, 17, 19)	12	1	1			2	2	1	2	3	3	1		6	1			1		1	1			1	1	
	M. {F.	13											2		7							2			2		
22	Cerebral hæmorrhage, &c.	49							1	2	10	18	17	3	19							1		3	8	6	1
	M. {F.	44							2	9	7	14	11	1	35							2		15	15	12	2
23	Other diseases of nervous system and sense organs (21)	15	3	1	1	2	1	2	1	2	3	2	1		8	1	1	1		1	2	2		1	1	1	
	M. {F.	15	2					1	1	2	1	3	1		8							2		1	1	1	
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
24	Heart disease	{ M. 60 F. 62	1 1	1	3 3	2 2 4	6 9	16 13	20 18	10 9	2 2	1 2	8 20
25	Other circulatory diseases	{ M. 12 F. 4	4 1	1 1	2 3	
26	Bronchitis	{ M. 34 F. 16	1	2 1 1	5 1	7 2	10 4	7 5	2 2	6 7
27	Pneumonia (all forms)	{ M. 34 F. 28	1 1	1 1	2 2	4 1	2 .	1 1	3 2	8 3	1 1	1	1 1
28	Other respiratory diseases	{ M. 7 F. 6	2	1 2	2 3	3 1	1 2	
32 (1)	Gastric and duodenal ulcer	{ M. 6 F. 2	1	2	2 1	1 1	
29	Diarrhoea, &c. (all ages)	{ M. 9 F. 8	1 1	1	2	1 1	
30	Appendicitis	{ M. 1 F.	1	
31 (1)	Cirrhosis of liver, &c.	{ M. 1 F. 2	1 1	
31 (2)	Other diseases of liver, &c.	{ M. 3 F.	1	
32 (2)	Other digestive diseases	{ M. 4 F. 6	1 1 1	2 6	1 1	1 1	1	1 1	
33	Acute and chronic nephritis	{ M. 18 F. 22	1 3	1 1	3 1	2 6	5 4	6 3	1 3	1 1	3 1	
34	Other diseases of genito-urinary system	{ M. 8 F. 2	1 1	3 1	2 1	1	
35	Puerperal sepsis	{ M. .5 F.	2	
36	Other puerperal causes	{ M. 7 F.	5	
37	Diseases of skin and locomotor system	{ M. 3 F. 1	1 1	1	
38	Congenital debility, premature birth, malformation, &c.	{ M. 35 F. 28	
39	Old age	{ M. 14 F. 14	1 6	7 7	2 6	
40	Suicide	{ M. 3 F.	1	
42	Other violence (41)	{ M. 29 F. 6	1 3	2	5 3	2 2	4 1	3 2	3 1	1	4 1	1 1	
43	Causes ill-defined or unknown	{ M. 7 F. 4	1 1	1 1	2 1	2 1	1	1 2	

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

International Nos. Short List.		CAUSES OF DEATH.		ZETLAND COUNTY.												
				All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
		All Causes—Both Sexes		359	6	4	3	5	16	10	10	21	45	82	93	64
		Males		143	4	2	1	4	6	3	2	13	19	39	37	13
		Females		216	2	2	2	1	10	7	8	8	26	43	56	51
1		Typhoid fever (including Paratyphoid)	{ M. F.	1	1
4		Measles	{ M. F.
5		Scarlet fever	{ M. F.
6		Whooping-cough	{ M. F.	1	1
7		Diphtheria	{ M. F.
8		Influenza	{ M. F.	3 5	2 1	.	2	1	.
14 (1)		Cerebro-spinal fever	{ M. F.
14 (2)		Other epidemic diseases (2, 3, 9) * . . .	{ M. F.	1	1	.	.
10		Tuberculosis of respiratory system . . .	{ M. F.	6 10	.	.	.	1	2 3	5	1 2	1	1	.	.	.
11		Other tuberculous diseases	{ M. F.	6 5	1	.	1	1	1 2	1	.	1	1	1	.	.
14 (3)		Other infectious and parasitic diseases (12, 13)	{ M. F.	2	.	.	.	1	1
15		Cancer, malignant disease	{ M. F.	10 24	1	.	1	2 6	4 9	2 4	1
18		Diabetes mellitus	{ M. F.	1	1	.
20		Other general diseases, chronic poisonings (16, 17, 19)	{ M. F.	3 5	.	.	1	.	1	.	.	1	1	2	.	1
22		Cerebral haemorrhage, &c.	{ M. F.	21 20	1	2 4	9 7	8 5	1 4
23		Other diseases of nervous system and sense organs (21)	{ M. F.	3 4	.	.	1	2	1	.	.
(a)			(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	25 36																						
25	Other circulatory diseases	{ M. F. }	6 7																						
26	Bronchitis	{ M. F. }	8 9																						
27	Pneumonia (all forms)	{ M. F. }	4 5																						
28	Other respiratory diseases	{ M. F. }	1 1																						
32 (1)	Gastric and duodenal ulcer	{ M. F. }	3																						
29	Diarrhoea, &c. (all ages)	{ M. F. }	1																						
30	Appendicitis	{ M. F. }	1																						
31 (1)	Cirrhosis of liver	{ M. F. }																							
31 (2)	Other diseases of liver, &c.	{ M. F. }	1																						
32 (2)	Other digestive diseases	{ M. F. }	6 4																						
33	Acute and chronic nephritis	{ M. F. }	7 5																						
34	Other diseases of genito-urinary system	{ M. F. }	3 1																						
35	Puerperal sepsis	{ M. F. }																							
36	Other puerperal causes	{ M. F. }	1																						
37	Diseases of skin and locomotor system	{ M. F. }	2 1																						
38	Congenital debility, premature birth, mal-formation, &c.	{ M. F. }	3 2																						
39	Old age	{ M. F. }	17 48																						
40	Suicide	{ M. F. }																							
42	Other violence (41)	{ M. F. }	9 8																						
43	Causes ill-defined or unknown	{ M. F. }	2 6																						

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

International Nos. Short List.		SCOTLAND.	ABERDEEN COUNTY.					Marginal Index Numbers
			Aberdeen County.	Aberdeen B. (including por- tion in Kin- cardine Co.).	Ballater B.	Ellon B.	Fraserburgh B.	
	Population (Estimated) - - -	4,883,000	303,424	169,265	1,218	1,323	9,966	1
	Total Births Registered (including Illegitimate)	91,019	6,073	3,111	22	31	219	2
	" " Corrected for Transfers	91,000	6,004	3,188	21	33	221	3
	" " " Male - -	46,579	3,079	1,625	11	16	118	4
	" " " Female -	44,421	2,925	1,563	10	17	103	5
	" " " Illegitimate	6,456	693	254	2	4	28	6
	" Marriages Registered - -	33,178	2,248	1,467	6	37	81	7
	" Deaths Registered - -	66,045	4,108	2,539	11	18	117	8
	" " Corrected for Transfers	66,045	3,972	2,292	19	20	128	9
	" " " Male - -	32,743	1,872	1,078	10	10	62	10
	" " " Female -	33,302	2,100	1,214	9	10	66	11
	CAUSES OF DEATH.							
1	Typhoid fever (including Paratyphoid)	32	2	-	-	-	-	12
4	Measles - - - - -	892	35	24	1	-	-	13
5	Scarlet fever - - - - -	250	2	1	-	-	-	14
6	Whooping-cough - - - - -	459	43	36	-	1	-	15
7	Diphtheria - - - - -	368	14	6	-	-	-	16
8	Influenza - - - - -	1,724	41	17	-	-	10	17
14 (1)	Cerebro-spinal fever - - - - -	229	6	4	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	281	14	10	-	-	-	19
10	Tuberculosis of respiratory system - -	2,991	145	79	1	-	8	20
11	Other tuberculous diseases - - -	1,132	74	45	-	1	1	21
14 (3)	Other infectious and parasitic dis. (12, 13)	284	24	16	-	-	-	22
15	Cancer, malignant disease - - -	7,458	466	276	1	2	11	23
18	Diabetes mellitus - - - - -	666	34	20	-	-	2	24
20	Other general dis., chronic poisonings (16, 17, 19)	1,540	87	36	-	-	6	25
22	Cerebral hæmorrhage, &c. - - -	7,210	565	348	-	1	20	26
23	Other dis. of nerv. syst. and sense org. (21)	1,813	98	59	1	-	4	27
24	Heart disease - - - - -	9,622	659	363	6	3	21	28
25	Other circulatory diseases - - -	1,484	131	87	3	1	2	29
26	Bronchitis - - - - -	3,419	162	106	-	1	3	30
27	Pneumonia (all forms) - - - -	5,430	246	149	-	1	9	31
28	Other respiratory diseases - - -	967	63	43	-	1	-	32
32 (1)	Gastric and duodenal ulcer - - -	608	36	19	-	-	1	33
29	Diarrhoea, &c. (all ages) - - -	1,168	45	26	-	1	5	34
30	Appendicitis - - - - -	509	34	21	-	-	1	35
31 (1)	Cirrhosis of liver - - - - -	160	9	7	-	-	-	36
31 (2)	Other diseases of liver, &c. - - -	382	25	16	-	-	-	37
32 (2)	Other digestive diseases - - -	992	81	42	-	1	3	38
33	Acute and chronic nephritis - - -	1,804	114	63	1	5	1	39
34	Other dis. of genito-urinary system -	882	61	23	2	-	1	40
35	Puerperal sepsis - - - - -	243	21	15	-	-	-	41
36	Other puerperal causes - - - -	333	16	9	-	-	1	42
37	Diseases of skin and locomotor system -	413	27	15	-	-	3	43
38	Congen. debil., prem. birth, malform., &c.	3,460	232	131	2	-	9	44
39	Old age - - - - -	2,934	147	60	-	-	2	45
40	Suicide - - - - -	500	47	33	-	-	1	46
42	Other violence (41) - - - - -	2,311	134	72	1	-	3	47
43	Causes ill-defined or unknown - -	1,095	32	15	-	1	-	48
	ALL CAUSES - - -	66,045	3,972	2,292	19	20	128	49
	AGES AT DEATH.							
	Under 1 - - - - -	7,840	477	296	2	1	21	50
	1-4 - - - - -	3,386	139	98	1	1	2	51
	5-9 - - - - -	1,108	50	26	-	-	1	52
	10-14 - - - - -	719	37	19	-	1	2	53
	15-24 - - - - -	2,501	116	58	-	-	6	54
	25-34 - - - - -	2,950	183	117	1	-	9	55
	35-44 - - - - -	3,715	181	124	-	-	6	56
	45-54 - - - - -	5,714	322	214	-	2	9	57
	55-64 - - - - -	9,600	544	333	1	3	22	58
	65-74 - - - - -	13,814	814	471	5	2	20	59
	75-84 - - - - -	11,539	846	431	8	6	25	60
	85 and over - - - - -	3,159	263	105	1	4	5	61
	Not stated - - - - -	-	-	-	-	-	-	62
	ALL AGES - - -	66,045	3,972	2,292	19	20	128	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	ABERDEEN COUNTY—(continued).								ANGUS COUNTY.				
	Huntly B.	Inverurie B.	Kintore B.	Old Meldrum B.	Peterhead B.	Rosehearty B.	Turriff B.	Landward.	Angus County.	Arbroath B.	Brechin B.	Carnoustie B.	Dundee B.
1	3,910	4,566	774	991	12,845	1,130	2,367	107,641	271,674	17,866	6,919	4,821	176,833
2	69	86	15	14	322	31	39	2,164	4,762	271	86	48	3,411
3	68	98	17	17	325	33	40	2,221	4,716	275	82	50	3,276
4	32	52	7	9	164	19	25	1,128	2,342	149	37	24	1,592
5	36	46	10	8	161	14	15	1,093	2,374	126	45	26	1,684
6	5	4	-	3	36	4	6	356	361	19	10	2	226
7	35	28	5	8	68	5	35	506	1,825	108	53	16	1,289
8	55	33	11	9	147	10	23	1,237	3,838	278	142	66	2,544
9	59	42	17	10	167	12	28	1,328	3,733	274	134	83	2,444
10	25	22	7	3	77	6	12	636	1,770	136	66	35	1,162
11	34	20	10	7	90	6	16	692	1,963	138	68	48	1,282
12	-	-	-	-	-	-	-	2	-	-	-	-	-
13	2	-	-	-	-	-	1	8	52	1	-	-	48
14	-	-	-	-	1	-	-	1	3	-	-	-	3
15	-	-	-	-	-	-	-	7	13	-	-	-	10
16	-	-	-	-	5	-	-	3	20	-	-	-	17
17	-	-	-	1	1	-	-	15	46	2	1	2	24
18	-	-	-	-	1	-	-	1	7	2	-	-	5
19	-	-	-	-	-	-	1	5	18	1	-	-	13
20	2	1	1	-	8	-	-	50	141	7	7	2	107
21	2	-	1	-	8	1	-	19	41	1	1	-	31
22	-	-	-	-	-	-	-	9	25	-	-	-	14
23	11	2	2	1	22	2	2	152	482	49	18	14	297
24	-	-	-	-	-	-	-	12	35	3	6	-	19
25	1	-	1	-	8	-	-	36	80	8	3	3	53
26	9	11	2	1	15	4	1	176	447	41	17	16	286
27	2	-	-	-	6	-	-	31	96	12	2	-	51
28	7	10	3	3	29	-	8	231	701	58	38	10	444
29	-	-	1	1	1	-	1	38	104	4	3	3	80
30	2	2	-	-	6	3	2	43	160	7	7	2	118
31	4	1	-	1	10	1	2	75	281	18	2	5	225
32	-	1	-	-	2	-	1	20	61	2	1	1	47
33	-	-	-	-	-	-	-	16	26	3	-	1	16
34	-	-	-	-	2	-	1	11	47	1	-	-	41
35	-	1	-	-	1	-	-	10	45	5	3	3	29
36	-	-	-	-	2	-	-	-	6	-	-	-	3
37	-	1	-	-	1	-	1	7	16	-	1	-	11
38	3	2	2	1	3	-	-	25	59	5	-	1	33
39	3	2	-	1	3	-	1	39	88	2	10	-	51
40	1	2	-	-	-	1	-	31	40	7	-	1	24
41	-	-	-	-	1	-	1	4	10	-	1	-	7
42	-	-	-	-	-	-	-	6	12	1	-	-	8
43	-	-	-	-	1	-	1	7	15	2	2	-	7
44	3	3	-	-	13	-	2	85	166	14	4	3	107
45	1	1	2	-	10	-	1	71	200	8	2	13	97
46	1	-	-	-	4	-	-	12	43	2	2	1	28
47	4	2	2	-	1	-	1	57	109	5	3	2	74
48	1	-	-	-	2	-	-	13	38	3	-	-	16
49	59	42	17	10	167	12	28	1,328	3,733	274	134	83	2,444
50	8	4	-	-	24	-	3	145	320	20	4	4	236
51	2	-	1	-	10	-	1	32	157	7	-	1	131
52	-	-	-	-	5	-	1	18	50	2	2	1	37
53	-	1	-	-	5	-	-	11	37	3	1	-	23
54	1	-	-	-	2	-	-	53	116	3	7	-	77
55	3	3	3	-	5	-	1	48	139	7	4	2	102
56	-	4	-	1	6	1	-	44	193	15	3	6	145
57	-	3	-	-	18	2	1	89	310	22	6	4	198
58	8	6	4	2	21	4	3	161	606	53	16	13	404
59	14	8	4	-	27	2	7	283	885	75	44	24	569
60	17	9	3	6	33	3	8	319	703	51	31	23	415
61	6	4	2	1	11	-	3	125	217	16	16	5	107
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	59	42	17	10	167	12	28	1,328	3,733	274	134	83	2,444

International Nos. Short List.		ANGUS COUNTY—(continued).					ARGYLL COUNTY.		Marginal Index Numbers.
		Forfar B.	Kirriemuir B.	Monifieth B.	Montrose B.	Landward.	Argyll County.	Campbeltown B.	
	Population (Estimated) - - -	9,762	3,316	3,006	10,334	38,817	61,093	6,394	1
	Total Births Registered (including Illegitimate)	140	53	23	146	584	803	133	2
	„ „ Corrected for Transfers	145	54	35	143	656	859	131	3
	„ „ „ Male - -	73	30	17	68	352	438	77	4
	„ „ „ Female - -	72	24	18	75	304	421	54	5
	„ „ „ Illegitimate	12	4	4	13	71	107	25	6
	„ Marriages Registered - -	75	39	18	63	164	295	44	7
	„ Deaths Registered - -	127	46	39	156	440	947	99	8
	„ „ Corrected for Transfers	137	56	41	152	412	982	103	9
	„ „ „ Male - -	67	24	19	54	207	505	49	10
	„ „ „ Female - -	70	32	22	98	205	477	54	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	12
4	Measles - - - - -	1	-	-	1	1	6	4	13
5	Scarlet fever - - - - -	-	-	-	-	-	4	-	14
6	Whooping-cough - - - - -	2	-	-	-	1	4	1	15
7	Diphtheria - - - - -	1	-	-	-	2	-	-	16
8	Influenza - - - - -	3	-	6	-	8	20	1	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	-	-	-	1	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	1	-	-	3	5	-	19
10	Tuberculosis of respiratory system -	4	-	2	2	10	36	2	20
11	Other tuberculous diseases - - - -	1	-	-	-	7	19	3	21
14 (3)	Other infectious and parasitic dis. (12, 13)	1	2	-	1	7	4	-	22
15	Cancer, malignant disease - - - -	24	14	5	19	42	116	12	23
18	Diabetes mellitus - - - - -	1	-	1	1	4	18	1	24
20	Other general dis., chronic poisonings (16, 17, 19)	1	-	-	3	9	33	4	25
22	Cerebral hæmorrhage, &c. - - - -	16	7	9	14	41	110	8	26
23	Oth. dis. of nerv. syst. and sense org. (21)	2	-	2	5	22	25	6	27
24	Heart disease - - - - -	28	12	2	28	81	176	19	28
25	Other circulatory diseases - - - -	5	-	-	5	4	25	1	29
26	Bronchitis - - - - -	2	-	3	8	13	43	5	30
27	Pneumonia (all forms) - - - - -	4	2	-	4	21	31	7	31
28	Other respiratory diseases - - - -	1	-	1	3	5	18	-	32
32 (1)	Gastric and duodenal ulcer - - - -	1	-	1	1	3	8	-	33
29	Diarrhoea, &c. (all ages) - - - -	-	1	-	-	4	8	1	34
30	Appendicitis - - - - -	-	-	-	1	4	6	1	35
31 (1)	Cirrhosis of liver - - - - -	1	-	-	-	2	6	1	36
31 (2)	Other diseases of liver, &c. - - - -	2	1	-	1	-	5	-	37
32 (2)	Other digestive diseases - - - - -	2	1	3	1	13	21	-	38
33	Acute and chronic nephritis - - - -	2	3	3	4	13	31	5	39
34	Other dis. of genito-urinary system -	3	-	-	4	1	17	2	40
35	Puerperal sepsis - - - - -	-	-	-	-	2	1	-	41
36	Other puerperal causes - - - - -	-	-	-	1	2	2	1	42
37	Diseases of skin and locomotor system	2	1	-	-	1	3	1	43
38	Congen. debil., prem. birth, malform., &c.	5	2	2	9	20	31	4	44
39	Old age - - - - -	16	6	1	24	33	78	2	45
40	Suicide - - - - -	2	-	-	1	7	8	3	46
42	Other violence (41) - - - - -	3	1	-	4	17	31	4	47
43	Causes ill-defined or unknown - - -	1	2	-	7	9	32	4	48
	ALL CAUSES - - - - -	137	56	41	152	412	982	103	49
	AGES AT DEATH.								
	Under 1 - - - - -	9	3	2	10	32	52	9	50
	1-4 - - - - -	4	-	2	2	10	19	9	51
	5-9 - - - - -	4	-	-	-	4	9	1	52
	10-14 - - - - -	1	1	-	2	6	6	1	53
	15-24 - - - - -	1	1	1	1	25	30	8	54
	25-34 - - - - -	6	1	1	2	14	32	2	55
	35-44 - - - - -	3	1	-	7	13	44	8	56
	45-54 - - - - -	16	3	7	14	40	71	7	57
	55-64 - - - - -	24	9	6	17	64	130	10	58
	65-74 - - - - -	34	12	10	39	78	234	25	59
	75-84 - - - - -	30	16	9	38	90	267	18	60
	85 and over - - - - -	5	9	3	20	36	88	5	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - - - -	137	56	41	152	412	982	103	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	ARGYLL COUNTY—(continued).						AYR COUNTY.						
	Dunoon B.	Inveraray B.	Lochgilphhead B.	Oban B.	Tobermory B.	Landward.	Ayr County.	Ardrossan B.	Ayr B.	Cumnock and Holmhead B.	Darvel B.	Galston B.	Girvan B.
1	7,534	478	1,021	5,821	779	39,066	284,993	6,954	36,770	3,727	3,250	4,723	5,125
2	75	4	26	94	9	462	5,495	121	845	80	34	83	115
3	84	5	28	91	10	510	5,522	128	720	83	46	87	109
4	46	1	11	48	6	249	2,821	73	339	38	29	50	52
5	38	4	17	43	4	261	2,701	55	381	45	17	37	57
6	8	-	5	5	1	63	383	6	41	7	2	4	7
7	47	2	-	63	-	139	1,751	49	253	22	23	43	31
8	143	9	15	103	15	563	3,557	69	637	39	32	54	58
9	144	10	22	76	20	607	3,692	87	490	44	44	62	61
10	70	3	12	40	8	323	1,776	40	237	22	18	29	30
11	74	7	10	36	12	284	1,916	47	253	22	26	33	31
12	-	-	-	-	-	-	1	-	1	-	-	-	-
13	1	-	-	-	-	1	29	-	3	-	2	-	-
14	-	-	-	1	-	3	9	-	1	-	-	-	-
15	3	-	-	-	-	-	19	-	6	-	-	-	1
16	-	-	-	-	-	-	27	-	4	-	-	-	-
17	1	-	-	1	-	17	165	9	23	1	-	5	-
18	-	-	-	-	-	1	9	-	2	-	-	-	-
19	-	-	-	1	-	4	7	-	1	-	-	-	-
20	4	1	3	1	1	24	113	6	22	2	-	-	1
21	1	-	1	4	-	10	57	-	3	-	-	-	2
22	1	-	-	1	-	2	11	1	3	-	-	-	1
23	19	1	3	8	1	72	419	6	55	4	1	4	6
24	6	-	-	1	1	9	52	1	7	-	2	-	1
25	3	-	1	-	1	24	92	1	6	-	-	-	2
26	18	2	3	7	3	69	395	12	41	9	11	10	5
27	4	-	-	2	-	13	126	4	14	2	-	3	1
28	31	2	1	14	4	105	522	9	79	7	6	11	15
29	3	-	1	1	1	18	86	3	9	1	-	1	-
30	4	-	-	2	-	32	188	6	28	2	-	5	-
31	3	1	-	4	-	16	238	7	38	5	-	5	2
32	2	-	3	1	1	11	70	4	2	-	3	2	1
33	1	-	2	1	-	4	36	-	7	-	-	-	-
34	-	-	-	-	-	7	52	3	10	-	-	1	3
35	-	-	1	1	-	3	31	-	6	-	3	-	1
36	2	-	-	2	-	1	10	-	2	-	-	-	1
37	-	-	-	-	-	5	31	-	4	-	1	-	2
38	5	-	-	2	-	14	54	1	3	2	3	-	2
39	4	-	1	3	-	18	94	4	11	1	1	2	3
40	2	-	1	1	-	11	40	-	6	1	-	-	2
41	-	-	-	-	-	1	11	-	3	-	-	-	-
42	-	-	-	-	-	1	22	1	3	1	-	1	-
43	-	-	1	-	-	1	31	1	4	-	1	1	1
44	5	-	-	2	1	19	231	2	32	5	3	3	2
45	14	1	-	10	5	46	196	4	28	-	6	3	5
46	-	-	-	-	-	5	23	-	4	1	-	-	-
47	1	1	-	1	-	24	142	2	14	-	1	3	1
48	6	1	-	4	1	16	53	-	5	-	-	2	-
49	144	10	22	76	20	607	3,692	87	490	44	44	62	61
50	7	1	-	2	1	32	408	5	59	9	3	6	7
51	4	-	-	-	-	6	161	3	21	-	2	1	2
52	-	-	1	1	1	5	57	1	6	-	-	1	1
53	-	-	-	-	-	5	35	1	2	-	1	2	1
54	3	-	1	5	-	13	140	4	15	3	-	5	1
55	2	-	2	-	-	26	137	4	21	1	1	1	3
56	3	2	2	3	1	25	206	7	35	1	-	3	1
57	14	1	-	7	-	42	350	12	51	2	3	8	3
58	17	1	3	15	1	83	555	11	80	9	13	8	7
59	43	2	7	13	8	136	795	17	95	13	8	20	16
60	41	1	5	27	6	169	679	19	87	5	9	5	12
61	10	2	1	3	2	65	169	3	18	1	4	2	7
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	144	10	22	76	20	607	3,692	87	490	44	44	62	61

International Nos. Short List.		AYR COUNTY—(continued).							Marginal Index Numbers.
		Irvine B.	Kilmarnock B.	Kilwinning B.	Largs B.	Maybole B.	Newmilns and Greenholm B.	Prestwick B.	
	Population (Estimated) - - -	12,493	38,420	5,349	5,104	4,379	3,942	8,217	1
	Total Births Registered (including Illegitimate)	250	813	130	52	98	56	96	2
	„ „ Corrected for Transfers	264	748	129	60	102	64	102	3
	„ „ „ Male - -	140	393	61	35	48	30	58	4
	„ „ „ Female - -	124	355	68	25	54	34	44	5
	„ „ „ Illegitimate	12	62	8	3	11	-	4	6
	„ Marriages Registered - -	59	277	34	20	34	26	27	7
	„ Deaths Registered - -	151	534	52	77	41	40	104	8
	„ „ Corrected for Transfers	177	478	61	89	49	52	128	9
	„ „ „ Male - -	101	233	36	45	26	26	50	10
	„ „ „ Female - -	76	245	25	44	23	26	78	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	12
4	Measles - - - - -	2	3	-	2	-	-	1	13
5	Scarlet fever - - - - -	2	2	-	1	-	-	-	14
6	Whooping-cough - - - - -	-	1	-	-	-	-	1	15
7	Diphtheria - - - - -	1	3	-	-	-	-	2	16
8	Influenza - - - - -	5	21	2	2	8	1	7	17
14 (1)	Cerebro spinal fever - - - - -	1	2	-	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	1	-	-	-	-	-	-	19
10	Tuberculosis of respiratory system - -	8	14	4	3	1	2	2	20
11	Other tuberculous diseases - -	4	4	3	-	-	1	2	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	3	-	1	-	-	-	22
15	Cancer, malignant disease - - -	19	64	7	14	6	7	19	23
18	Diabetes mellitus - - - - -	1	6	2	2	1	-	1	24
20	Other general dis., chronic poisonings (16, 17, 19)	5	16	4	2	2	4	2	25
22	Cerebral hæmorrhage, &c. - - -	20	60	5	6	6	5	16	26
23	Oth. dis. of nerv. syst. and sense org. (21)	3	18	-	2	2	4	1	27
24	Heart disease - - - - -	27	50	7	19	3	10	15	28
25	Other circulatory diseases - - -	-	12	2	4	-	2	6	29
26	Bronchitis - - - - -	4	32	3	3	7	2	12	30
27	Pneumonia (all forms) - - - -	17	35	3	5	4	2	6	31
28	Other respiratory diseases - - -	2	10	3	2	-	1	3	32
32 (1)	Gastric and duodenal ulcer - - -	2	4	1	1	1	-	2	33
29	Diarrhoea, &c. (all ages) - - -	4	6	1	-	-	-	1	34
30	Appendicitis - - - - -	1	2	-	2	-	-	2	35
31 (1)	Cirrhosis of liver - - - - -	-	1	1	-	-	-	1	36
31 (2)	Other diseases of liver, &c. - - -	-	4	-	-	-	1	2	37
32 (2)	Other digestive diseases - - - -	3	4	-	1	1	-	4	38
33	Acute and chronic nephritis - - -	2	12	1	1	1	1	7	39
34	Other dis. of genito-urinary system -	2	2	1	1	-	2	4	40
35	Puerperal sepsis - - - - -	1	-	-	-	-	-	-	41
36	Other puerperal causes - - - -	-	-	-	-	-	-	-	42
37	Diseases of skin and locomotor system	3	3	2	-	1	-	2	43
38	Congen. debil., prem. birth, malform. &c.	14	37	3	1	2	2	1	44
39	Old age - - - - -	14	15	3	8	2	3	2	45
40	Suicide - - - - -	-	2	-	2	-	2	3	46
42	Other violence (41) - - - - -	5	22	2	2	-	-	-	47
43	Causes ill-defined or unknown - -	4	8	1	2	1	-	1	48
	ALL CAUSES - - -	177	478	61	89	49	52	128	49
	AGES AT DEATH.								
	Under 1 - - - - -	24	63	5	3	4	4	5	50
	1-4 - - - - -	10	26	3	4	2	1	5	51
	5-9 - - - - -	3	6	2	-	1	-	-	52
	10-14 - - - - -	3	3	3	-	-	-	1	53
	15-24 - - - - -	9	21	5	2	-	2	2	54
	25-34 - - - - -	9	11	1	-	-	-	8	55
	35-44 - - - - -	12	27	5	5	3	4	5	56
	45-54 - - - - -	10	48	7	7	8	6	16	57
	55-64 - - - - -	27	68	7	16	7	10	22	58
	65-74 - - - - -	38	99	15	27	14	11	29	59
	75-84 - - - - -	25	92	5	18	9	12	30	60
	85 and over - - - - -	7	14	3	7	1	2	5	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - -	177	478	61	89	49	52	128	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	AYR COUNTY—(continued).				BANFF COUNTY.									
	Saltcoats B.	Stewarton B.	Troon B.	Landward.	Banff County.	Aberchirder B.	Banff B.	Buckie B.	Charlestown of Aberlour B.	Cullen B.	Dufftown B.	Findochty B.	Keith B.	Macduff B.
1	9,907	2,815	8,213	125,605	55,389	878	3,491	8,813	1,175	1,762	1,432	1,733	4,479	3,376
2	156	47	83	2,436	1,053	26	71	183	8	24	24	31	77	61
3	162	50	91	2,577	1,079	25	58	181	11	23	26	32	82	65
4	83	33	52	1,307	537	11	27	89	5	12	12	15	36	30
5	79	17	39	1,270	542	14	31	92	6	11	14	17	46	35
6	9	1	6	200	139	8	6	15	1	—	2	3	8	11
7	71	25	40	717	292	6	31	44	8	6	11	6	43	16
8	114	29	97	1,429	651	10	86	110	7	21	35	13	48	38
9	142	35	118	1,575	683	9	45	119	8	23	36	15	50	56
10	60	14	50	759	309	3	11	58	2	11	12	7	20	22
11	82	21	68	816	374	6	34	61	6	12	24	8	30	34
12	—	—	—	—	2	1	—	—	—	—	—	—	—	—
13	—	—	—	16	4	—	—	1	—	—	—	—	—	1
14	—	—	—	3	1	—	—	1	—	—	—	—	—	—
15	—	—	1	9	2	—	—	—	1	—	—	—	—	—
16	2	—	1	14	2	—	—	6	—	—	—	—	—	2
17	13	1	6	61	13	—	—	3	—	—	—	—	—	—
18	—	1	—	3	4	—	—	—	—	—	—	—	—	—
19	—	—	2	3	1	—	—	—	—	—	—	—	—	3
20	3	2	2	41	28	1	2	3	—	—	—	1	2	—
21	2	1	1	34	10	—	—	1	—	—	—	—	—	—
22	—	—	—	2	3	—	—	—	—	—	—	—	—	—
23	19	—	16	172	84	1	4	15	1	6	4	3	3	6
24	5	—	3	20	3	—	—	2	—	—	—	—	—	—
25	1	—	4	43	23	—	2	5	1	3	1	—	1	1
26	10	6	11	162	86	1	8	13	1	1	5	2	5	5
27	5	2	3	62	18	—	2	1	—	—	4	—	1	1
28	15	10	32	207	114	1	5	16	—	3	9	2	18	10
29	9	—	2	35	16	—	2	3	—	1	—	—	3	1
30	5	2	2	75	44	—	5	10	—	—	3	2	2	2
31	6	1	5	97	43	1	6	5	2	3	3	1	2	4
32	4	—	4	29	3	—	—	1	—	—	—	—	—	1
33	2	—	2	14	9	—	1	—	—	—	1	1	1	—
34	1	—	—	22	5	—	1	1	—	—	—	—	—	1
35	1	—	—	13	5	—	—	—	—	—	—	—	—	—
36	—	1	—	3	1	—	—	—	—	—	1	—	—	—
37	2	—	1	14	1	—	—	1	—	—	—	—	—	—
38	2	—	1	27	5	—	—	—	1	1	—	—	5	—
39	4	1	5	37	20	2	—	4	—	1	—	—	1	2
40	3	—	1	15	15	—	1	1	—	1	4	1	—	1
41	—	—	—	7	2	—	—	—	—	—	—	—	—	1
42	1	—	1	14	4	—	—	—	—	—	—	1	—	1
43	—	1	3	8	6	—	—	2	1	—	—	—	—	1
44	5	1	2	116	40	—	1	10	—	3	—	—	3	3
45	10	4	1	88	26	1	—	5	—	—	1	—	2	8
46	1	—	—	8	5	—	—	—	—	—	—	—	—	—
47	8	—	4	78	19	—	1	5	—	—	—	—	1	1
48	3	1	2	23	16	—	2	1	—	—	—	—	—	—
49	142	35	118	1,575	683	9	45	119	8	23	36	15	50	56
50	14	2	4	191	80	—	5	22	1	3	—	2	5	6
51	2	1	7	71	32	1	—	10	—	—	1	—	1	3
52	—	1	1	34	11	—	—	2	—	—	—	—	—	2
53	2	1	1	14	12	—	1	1	1	—	—	—	—	—
54	5	3	2	61	23	1	—	4	—	2	1	2	2	—
55	3	—	4	70	29	—	—	2	1	—	—	1	1	7
56	9	—	7	82	31	—	3	4	—	1	3	1	2	2
57	16	1	15	137	39	—	3	4	—	1	2	1	2	3
58	21	7	15	227	90	2	7	17	1	4	4	2	8	3
59	31	4	33	325	119	2	10	21	—	3	13	3	6	7
60	29	14	18	290	171	2	11	25	2	9	8	3	15	21
61	10	1	11	73	46	1	5	4	2	—	4	—	8	3
62	—	—	—	—	—	—	—	—	—	—	—	—	—	—
63	142	35	118	1,575	683	9	45	119	8	23	36	15	50	56

International Nos. Short List.		BANFF COUNTY— (continued).			BERWICK COUNTY.				Marginal Index Numbers.
		Portknockie B.	Portsoy B.	Landward.	Berwick County.	Coldstream B.	Duns B.	Eyemouth B.	
	Population (Estimated) - - -	1,634	1,734	24,882	26,689	1,248	1,832	2,272	1
	Total Births Registered (including Illegitimate)	31	34	488	308	9	16	27	2
	„ „ Corrected for Transfers	34	36	506	342	11	19	32	3
	„ „ „ Male - -	17	21	262	178	5	7	17	4
	„ „ „ Female - -	17	15	244	164	6	12	15	5
	„ „ „ Illegitimate	1	13	71	18	-	1	-	6
	„ Marriages Registered - -	4	20	97	135	5	11	20	7
	„ Deaths Registered - - -	21	21	241	279	15	23	21	8
	„ „ Corrected for Transfers	26	20	276	330	15	26	22	9
	„ „ „ Male - -	13	10	140	161	4	11	13	10
	„ „ „ Female - -	13	10	136	169	11	15	9	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	1	-	-	-	-	12
4	Measles - - - - -	-	-	2	-	-	-	-	13
5	Scarlet fever - - - - -	-	-	-	-	-	-	-	14
6	Whooping-cough - - - - -	-	-	1	1	-	-	-	15
7	Diphtheria - - - - -	-	-	2	-	-	-	-	16
8	Influenza - - - - -	1	-	4	10	-	1	-	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	1	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	-	1	2	-	-	-	19
10	Tuberculosis of respiratory system - -	2	3	14	12	-	-	2	20
11	Other tuberculous diseases - - - - -	1	1	4	3	-	-	1	21
14 (3)	Other infectious and parasitic dis. (12, 13)	1	-	-	1	-	-	-	22
15	Cancer, malignant disease - - - - -	2	1	38	47	4	3	-	23
18	Diabetes mellitus - - - - -	-	-	1	2	-	-	1	24
20	Other general dis., chronic poisonings (16, 17, 19)	1	1	7	13	1	1	2	25
22	Cerebral hæmorrhage, &c. - - - - -	4	5	36	46	3	2	2	26
23	Oth. dis. of nerv. syst. and sense org. (21)	2	-	7	8	1	1	2	27
24	Heart disease - - - - -	3	3	44	66	1	5	1	28
25	Other circulatory diseases - - - - -	-	1	5	10	-	-	2	29
26	Bronchitis - - - - -	1	1	18	16	1	-	-	30
27	Pneumonia (all forms) - - - - -	3	-	13	12	2	2	1	31
28	Other respiratory diseases - - - - -	-	-	1	5	1	-	-	32
32 (1)	Gastric and duodenal ulcer - - - - -	-	-	5	2	-	-	-	33
29	Diarrhoea, &c. (all ages) - - - - -	-	-	2	3	-	1	-	34
30	Appendicitis - - - - -	1	-	1	1	-	-	-	35
31 (1)	Cirrhosis of liver - - - - -	-	-	-	-	-	-	-	36
31 (2)	Other diseases of liver, &c. - - - - -	-	-	-	1	-	-	-	37
32 (2)	Other digestive diseases - - - - -	-	-	3	1	-	-	-	38
33	Acute and chronic nephritis - - - - -	-	1	7	11	-	2	1	39
34	Other dis. of genito-urinary system - -	-	-	4	7	-	1	1	40
35	Puerperal sepsis - - - - -	-	-	1	-	-	-	-	41
36	Other puerperal causes - - - - -	-	-	2	1	-	-	-	42
37	Diseases of skin and locomotor system -	-	-	2	-	-	-	-	43
38	Congen. debil., prem. birth, malform. &c.	1	2	17	16	-	3	1	44
39	Old age - - - - -	1	-	8	16	-	1	3	45
40	Suicide - - - - -	-	-	4	2	-	-	-	46
42	Other violence (41) - - - - -	-	-	11	11	1	2	-	47
43	Causes Ill-defined or Unknown - - -	2	1	9	4	-	1	2	48
	ALL CAUSES - - -	26	20	276	330	15	26	22	49
	AGES AT DEATH.								
	Under 1 - - - - -	2	2	32	20	-	4	2	50
	1-4 - - - - -	5	-	11	6	-	2	1	51
	5-9 - - - - -	2	-	5	-	-	-	-	52
	10-14 - - - - -	-	2	7	2	-	-	-	53
	15-24 - - - - -	-	1	10	6	-	-	1	54
	25-34 - - - - -	1	2	14	7	-	-	2	55
	35-44 - - - - -	1	-	14	16	-	1	-	56
	45-54 - - - - -	2	1	21	23	1	1	2	57
	55-64 - - - - -	2	3	37	62	3	3	6	58
	65-74 - - - - -	4	3	44	80	4	7	1	59
	75-84 - - - - -	6	5	64	87	6	7	3	60
	85 and over - - - - -	1	1	17	21	1	1	4	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - -	26	20	276	330	15	26	22	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	BERWICK COUNTY— (continued).		BUTE COUNTY.				CAITHNESS COUNTY.				CLACKMANNAN COUNTY.		
	Lauder B.	Landward.	Bute County.	Millport B.	Rothsay B.	Landward.	Caithness County.	Thurso B.	Wick B.	Landward.	Clackmannan County.	Alloa B.	Alva B.
1	626	20,711	16,319	1,531	8,025	6,763	25,606	3,040	7,391	15,175	32,155	13,297	3,850
2	5	251	209	19	118	72	471	53	181	237	517	233	53
3	6	274	220	19	123	78	467	53	173	241	536	238	58
4	4	145	117	8	60	49	223	25	79	119	276	125	28
5	2	129	103	11	63	29	244	28	94	122	260	113	30
6	1	16	16	-	9	7	57	4	21	32	31	17	2
7	1	98	77	5	52	20	127	28	56	43	159	53	29
8	4	216	267	30	144	93	384	40	114	230	354	150	42
9	9	258	266	18	133	115	394	41	120	233	404	174	52
10	3	130	119	7	62	50	185	17	54	114	185	87	17
11	6	128	147	11	71	65	209	24	66	119	219	87	35
12	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	1	-	1	-	-	-	-	-	7	6	-
14	-	-	1	-	1	-	-	-	-	-	1	1	-
15	-	1	-	-	-	-	1	-	-	1	1	1	-
16	-	-	-	-	-	-	-	-	-	-	4	3	-
17	-	9	4	-	4	-	4	-	2	2	5	2	-
18	-	-	-	-	-	-	-	-	-	-	-	-	-
19	-	2	2	-	1	1	-	-	-	-	2	-	1
20	2	8	10	-	5	5	9	2	2	5	21	13	2
21	-	2	3	-	2	1	10	1	4	5	5	2	1
22	-	1	1	-	1	-	1	-	-	1	-	-	-
23	3	37	31	2	11	18	46	2	18	26	37	9	3
24	-	1	3	-	2	1	4	-	1	3	5	4	-
25	-	9	10	2	6	2	11	2	4	5	12	5	1
26	-	39	37	2	16	19	45	6	16	23	52	19	10
27	-	4	6	-	5	1	17	3	6	8	11	5	1
28	2	57	65	5	31	29	61	9	15	37	69	29	12
29	-	8	9	1	1	7	10	-	2	8	10	5	-
30	-	15	13	-	7	6	26	2	4	20	18	10	2
31	1	6	16	1	8	7	11	2	3	6	24	17	2
32	-	4	1	-	1	-	9	1	3	5	2	1	1
33	-	2	1	1	-	-	3	-	1	2	4	3	1
34	-	2	3	-	2	1	5	1	3	1	6	1	-
35	-	1	5	-	3	2	3	1	1	1	4	3	-
36	-	-	-	-	-	-	1	-	-	1	-	-	-
37	-	1	-	-	-	-	6	-	4	2	3	1	-
38	-	1	3	-	2	1	5	1	1	3	6	4	1
39	1	7	8	1	4	3	13	3	2	8	12	6	-
40	-	5	6	-	4	2	8	-	2	6	5	1	1
41	-	-	-	-	-	-	1	-	-	1	3	2	1
42	-	1	1	-	-	1	3	-	-	3	-	-	-
43	-	-	-	-	-	-	5	1	3	1	2	1	-
44	-	12	5	-	5	-	19	1	7	11	16	6	-
45	-	12	7	-	3	4	28	3	8	17	37	6	11
46	-	2	-	-	-	-	4	-	2	2	2	1	1
47	-	8	2	-	2	-	15	-	4	11	12	5	-
48	-	1	12	3	5	4	10	-	2	8	6	2	-
49	9	258	266	18	133	115	394	41	120	233	404	174	52
50	-	14	11	-	9	2	31	2	13	16	37	20	1
51	-	3	3	-	2	1	9	3	4	2	16	11	3
52	-	-	1	-	1	-	1	-	-	1	8	6	-
53	-	2	1	-	1	-	1	-	-	1	4	3	-
54	-	5	4	-	1	3	6	1	2	3	20	14	2
55	-	5	9	1	5	3	16	2	5	9	20	11	5
56	-	15	13	-	7	6	18	4	5	9	22	12	2
57	1	18	17	1	12	4	17	2	5	10	31	12	5
58	2	48	34	5	14	15	39	3	13	23	40	11	3
59	2	66	71	5	38	23	93	9	35	49	88	33	12
60	3	68	81	4	36	41	118	14	31	73	87	28	14
61	1	14	21	2	7	12	45	1	7	37	31	13	5
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	9	258	266	18	133	115	394	41	120	233	404	174	52

International Nos. Short List.				CLACKMANNAN COUNTY—(contd).			DUMBARTON COUNTY.				Marginal Index Numbers.
				Dollar B.	Tillicoultry B.	Landward.	Dumbarton County.	Clydebank B.	Cove and Kil- creggan B.	Dumbarton B.	
	Population (Estimated) - - -			1,476	2,997	10,535	149,173	48,046	874	21,861	1
	Total	Births	Registered (including Illegitimate)	16	43	172	2,540	875	6	429	2
	"	"	Corrected for Transfers	19	45	176	2,741	967	9	443	3
	"	"	Male - -	12	18	93	1,429	507	6	211	4
	"	"	Female - -	7	27	83	1,312	460	3	232	5
	"	"	Illegitimate	3	1	8	123	33	-	29	6
	"	Marriages Registered - -		4	15	58	797	282	4	85	7
	"	Deaths Registered - -		12	41	109	1,549	302	9	307	8
	"	"	Corrected for Transfers	16	45	117	1,835	498	13	300	9
	"	"	Male - -	4	16	61	934	262	6	148	10
	"	"	Female - -	12	29	56	901	236	7	152	11
	CAUSES OF DEATH.										
1	Typhoid fever (including Paratyphoid)			-	-	-	-	-	-	-	12
4	Measles - - - - -			-	-	1	18	7	-	1	13
5	Scarlet fever - - - - -			-	-	-	19	4	-	2	14
6	Whooping-cough - - - - -			-	-	-	6	2	-	-	15
7	Diphtheria - - - - -			-	-	1	12	1	-	2	16
8	Influenza - - - - -			-	1	2	42	8	-	5	17
14 (1)	Cerebro-spinal fever - - - - -			-	-	-	3	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *			-	1	-	12	2	-	1	19
10	Tuberculosis of respiratory system			1	-	5	85	35	1	15	20
11	Other tuberculous diseases - - -			-	-	2	31	13	-	5	21
14 (3)	Other infectious and parasitic dis. (12, 13)			-	-	-	7	-	-	4	22
15	Cancer, malignant disease - - -			1	7	17	219	65	3	43	23
18	Diabetes mellitus - - - - -			-	1	-	16	2	-	4	24
20	Other general dis., chronic poisonings (16, 17, 19)			2	-	4	47	14	-	3	25
22	Cerebral hæmorrhage, &c. - - -			4	8	11	214	55	1	35	26
23	Oth. dis. of nerv. syst. and sense org. (21)			1	1	3	56	16	-	10	27
24	Heart disease - - - - -			-	9	19	247	52	3	38	28
25	Other circulatory diseases - - -			1	3	1	35	10	-	10	29
26	Bronchitis - - - - -			-	1	5	98	30	-	25	30
27	Pneumonia (all forms) - - - - -			-	2	3	130	45	2	19	31
28	Other respiratory diseases - - -			-	-	-	21	9	1	1	32
32 (1)	Gastric and duodenal ulcer - - -			-	-	-	23	7	1	7	33
29	Diarrhoea &c. (all ages) - - - -			1	1	3	35	5	-	6	34
30	Appendicitis - - - - -			-	-	1	11	3	-	-	35
31 (1)	Cirrhosis of liver - - - - -			-	-	-	3	3	-	-	36
31 (2)	Other diseases of liver, &c. - - -			-	-	2	12	1	-	3	37
32 (2)	Other digestive diseases - - - -			-	1	-	31	11	-	5	38
33	Acute and chronic nephritis - - -			-	2	4	50	19	1	7	39
34	Other dis. of genito-urinary system			-	-	3	27	6	-	2	40
35	Puerperal sepsis - - - - -			-	-	-	11	5	-	1	41
36	Other puerperal causes - - - - -			-	-	-	11	3	-	2	42
37	Diseases of skin and locomotor system			-	-	1	8	3	-	1	43
38	Congen. debil., prem. birth, malform. &c.			-	1	9	113	35	-	23	44
39	Old age - - - - -			3	5	12	78	6	-	10	45
40	Suicide - - - - -			-	-	-	9	2	-	1	46
42	Other violence (41) - - - - -			1	1	5	68	13	-	5	47
43	Causes ill-defined or unknown - -			1	-	3	27	6	-	4	48
	ALL CAUSES - - -			16	45	117	1,835	498	13	300	49
	AGES AT DEATH.										
	Under 1 - - - - -			-	1	15	225	74	-	38	50
	1-4 - - - - -			-	1	1	85	29	-	15	51
	5-9 - - - - -			-	-	2	35	9	-	4	52
	10-14 - - - - -			-	-	1	17	3	-	2	53
	15-24 - - - - -			1	-	3	68	27	-	12	54
	25-34 - - - - -			-	1	3	87	27	-	13	55
	35-44 - - - - -			2	1	5	120	42	1	22	56
	45-54 - - - - -			-	6	8	151	48	1	24	57
	55-64 - - - - -			2	6	18	293	90	2	49	58
	65-74 - - - - -			4	9	30	390	92	4	62	59
	75-84 - - - - -			4	17	24	296	53	4	46	60
	85 and over - - - - -			3	3	7	68	4	1	13	61
	Not stated - - - - -			-	-	-	-	-	-	-	62
	ALL AGES - - -			16	45	117	1,835	498	13	300	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	DUMBARTON COUNTY— (continued).				DUMFRIES COUNTY.								
	Helensburgh B.	Kirkintilloch B.	Milngavie B.	Landward.	Dumfries County.	Annan B.	Dumfries B.	Langholm B.	Lochmaben B.	Lockerbie B.	Moffat B.	Sanquhar B.	Landward.
1	8,762	12,011	5,234	52,385	81,524	4,015	23,099	2,431	1,026	2,610	2,035	1,765	44,543
2	104	246	55	825	1,481	98	460	21	22	42	40	27	771
3	113	253	64	892	1,457	94	418	21	23	44	25	28	804
4	52	136	35	482	753	51	211	10	10	24	10	14	423
5	61	117	29	410	704	43	207	11	13	20	15	14	381
6	4	12	2	43	170	11	45	—	1	2	2	1	108
7	36	75	31	284	543	19	202	14	5	17	12	12	262
8	95	145	47	644	1,236	49	374	41	19	34	34	23	662
9	109	163	70	682	1,176	57	301	40	25	39	36	27	651
10	52	85	28	353	561	39	154	17	11	15	14	11	309
11	57	78	42	329	615	27	147	23	14	24	22	16	342
12	—	—	—	—	—	—	—	—	—	—	—	—	—
13	—	4	—	6	5	1	—	—	—	—	—	1	3
14	—	3	1	9	—	—	—	—	—	—	—	—	—
15	—	2	—	2	5	—	3	—	—	—	—	—	2
16	—	2	1	6	4	—	—	—	—	—	—	—	4
17	4	6	1	18	23	—	8	—	1	1	—	1	12
18	—	—	—	3	—	—	—	—	—	—	—	—	—
19	—	—	—	9	3	—	1	—	—	—	—	—	2
20	4	6	5	19	56	2	20	1	—	2	1	—	30
21	—	2	3	8	18	—	10	—	—	—	1	—	7
22	—	—	—	3	2	—	—	—	—	—	—	—	2
23	11	15	7	75	146	6	38	5	3	6	3	5	80
24	—	—	1	9	11	—	4	1	1	1	1	—	3
25	4	3	4	19	28	2	4	—	—	—	1	—	21
26	21	14	12	76	177	11	45	8	4	7	6	2	94
27	4	11	—	15	36	1	9	1	—	1	—	1	23
28	23	15	8	108	230	10	42	10	6	12	8	7	135
29	1	—	—	14	32	1	9	2	—	1	3	—	16
30	3	6	4	30	48	3	13	4	3	—	—	3	22
31	3	15	1	45	63	5	18	—	1	1	2	—	36
32	—	1	—	9	8	—	1	—	—	—	1	—	6
33	1	1	1	5	8	—	7	—	—	—	—	—	1
34	3	8	—	13	18	—	8	—	—	1	—	—	9
35	1	—	—	7	14	—	4	1	1	—	1	—	7
36	—	—	—	—	2	—	1	—	—	1	—	—	—
37	—	1	2	5	5	—	3	1	—	—	—	—	1
38	2	3	1	9	9	1	1	—	—	—	—	—	7
39	2	5	1	15	37	6	7	—	—	1	1	1	21
40	1	2	1	15	12	1	3	—	—	—	—	2	6
41	—	—	—	5	—	—	—	—	—	—	—	—	—
42	1	1	—	4	1	—	—	—	—	1	—	—	—
43	1	—	1	2	3	—	1	—	—	—	—	—	2
44	3	10	3	39	48	2	13	—	1	1	1	—	30
45	5	11	5	41	56	3	11	6	2	1	5	1	27
46	1	1	1	3	2	1	—	—	—	—	—	—	1
47	6	10	2	32	44	—	9	—	2	1	1	2	29
48	4	5	4	4	22	1	8	—	—	—	—	1	12
49	109	163	70	682	1,176	57	301	40	25	39	36	27	651
50	5	26	4	78	89	3	27	—	1	3	—	—	55
51	2	12	1	26	40	3	19	—	—	—	—	2	16
52	1	7	4	10	13	—	3	—	—	—	1	1	8
53	2	2	—	8	4	—	1	—	1	—	—	—	2
54	3	5	2	19	39	3	7	—	—	1	3	1	24
55	5	8	8	26	43	3	14	1	1	2	1	1	20
56	5	10	1	39	61	2	20	—	—	1	1	—	37
57	5	10	—	63	104	7	26	5	—	3	2	5	56
58	14	17	14	107	168	7	41	4	6	4	5	3	98
59	28	35	13	156	289	8	72	11	7	14	10	5	162
60	31	25	17	120	249	16	57	15	6	9	10	9	127
61	8	6	6	30	77	5	14	4	3	2	3	—	46
62	—	—	—	—	—	—	—	—	—	—	—	—	—
63	109	163	70	682	1,176	57	301	40	25	39	36	27	651

International Nos. Short List.		EAST LoTHIAN COUNTY.							Marginal Index Numbers.
		East Lothian County.	Cockenzie and Port Seton B.	Dunbar B.	East Linton B.	Haddington B.	North Ber- wick B.	Prestonpans B.	
	Population (Estimated) - - -	46,836	2,584	3,705	901	4,398	3,241	2,497	1
	Total Births Registered (including Illegitimate)	780	36	75	7	72	20	56	2
	„ „ Corrected for Transfers	864	45	80	7	76	19	67	3
	„ „ „ Male - -	464	21	43	4	37	13	35	4
	„ „ „ Female - -	400	24	37	3	39	6	32	5
	„ „ „ Illegitimate	56	-	2	1	5	-	3	6
	„ Marriages Registered - -	279	19	26	4	19	19	25	7
	„ Deaths Registered - - -	537	21	58	16	97	34	15	8
	„ „ Corrected for Transfers	556	25	54	16	64	40	30	9
	„ „ „ Male - -	257	11	26	7	30	12	13	10
	„ „ „ Female - -	299	14	28	9	34	28	17	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	12
4	Measles - - - - -	9	-	-	-	-	-	3	13
5	Scarlet fever - - - - -	1	-	-	-	-	-	-	14
6	Whooping cough - - - - -	2	-	-	-	-	-	-	15
7	Diphtheria - - - - -	5	-	-	-	-	-	1	16
8	Influenza - - - - -	18	-	2	-	1	2	1	17
14 (1)	Cerebro-spinal fever - - - -	3	-	-	-	-	-	1	18
14 (2)	Other epidemic diseases (2, 3, 9) *	7	-	1	-	2	-	-	19
10	Tuberculosis of respiratory system -	31	2	1	2	3	1	1	20
11	Other tuberculous diseases - - -	11	1	1	1	2	-	1	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	-	-	-	-	-	-	22
15	Cancer, malignant disease - - -	64	4	5	2	10	7	2	23
18	Diabetes mellitus - - - - -	12	2	2	1	1	-	1	24
20	Other general dis., chronic poisonings (16, 17, 19)	15	1	-	-	2	-	-	25
22	Cerebral hæmorrhage, &c. - - -	75	3	8	3	6	8	3	26
23	Oth. dis. of nerv. syst. and sense org. (21)	20	-	3	-	2	-	-	27
24	Heart disease - - - - -	91	8	12	5	10	6	6	28
25	Other circulatory diseases - - -	14	-	2	-	1	2	1	29
26	Bronchitis - - - - -	18	-	1	1	2	1	2	30
27	Pneumonia (all forms) - - - -	17	-	1	-	5	1	-	31
28	Other respiratory diseases - - -	9	-	2	-	2	1	-	32
32 (1)	Gastric and duodenal ulcer - - -	3	-	-	1	1	-	-	33
29	Diarrhoea, &c. (all ages) - - -	4	-	1	-	1	-	-	34
30	Appendicitis - - - - -	3	-	1	-	-	-	-	35
31 (1)	Cirrhosis of liver - - - - -	1	-	-	-	-	-	-	36
31 (2)	Other diseases of liver, &c. - - -	2	-	1	-	-	-	-	37
32 (2)	Other digestive diseases - - - -	7	1	-	-	-	-	1	38
33	Acute and chronic nephritis - - -	10	-	3	-	-	2	-	39
34	Other dis. of genito-urinary system -	7	-	-	-	1	2	-	40
35	Puerperal sepsis - - - - -	-	-	-	-	-	-	-	41
36	Other puerperal causes - - - -	2	-	-	-	-	-	1	42
37	Diseases of skin and locomotor system	3	-	-	-	1	-	1	43
38	Congen. debil., prem. birth, malform., &c.	36	2	4	-	4	2	-	44
39	Old age - - - - -	18	-	3	-	4	3	-	45
40	Suicide - - - - -	3	-	-	-	-	1	-	46
42	Other violence (41) - - - - -	24	1	-	-	2	-	1	47
43	Causes ill-defined or unknown - -	11	-	-	-	1	1	3	48
	ALL CAUSES - - -	556	25	54	16	64	40	30	49
	AGES AT DEATH.								
	Under 1 - - - - -	66	2	7	-	7	1	3	50
	1-4 - - - - -	17	-	-	-	2	2	3	51
	5-9 - - - - -	8	1	-	-	-	-	1	52
	10-14 - - - - -	8	1	-	-	1	-	-	53
	15-24 - - - - -	21	1	-	-	2	1	2	54
	25-34 - - - - -	29	1	2	-	6	1	-	55
	35-44 - - - - -	26	-	1	1	-	2	1	56
	45-54 - - - - -	54	3	5	1	6	7	7	57
	55-64 - - - - -	79	5	5	3	14	5	5	58
	65-74 - - - - -	117	5	17	3	15	5	4	59
	75-84 - - - - -	105	6	13	6	8	12	4	60
	85 and over - - - - -	26	-	4	2	3	4	-	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - -	556	25	54	16	64	40	30	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	EAST LOTHIAN Co.—(contd.).		FIFE COUNTY.											
	Tranent B.	Landward.	Fife County.	Auchtermuchty B.	Buckhaven and Methil B.	Burntisland B.	Cowdenbeath B.	Crail B.	Culross B.	Cupar B.	Dunfermline B.	Elie and Earlsferry B.	Falkland B.	Inverkeithing B.
1	4,652	24,858	278,656	1,224	17,813	5,433	12,841	1,054	505	4,749	35,694	984	777	3,254
2	96	418	4,725	16	355	52	232	9	7	80	655	3	8	42
3	106	464	4,816	18	367	66	254	8	8	81	550	4	12	49
4	62	249	2,504	8	195	33	127	—	4	47	298	3	6	30
5	44	215	2,312	10	172	33	127	8	4	34	252	1	6	19
6	6	39	320	2	19	8	18	1	—	7	35	—	2	4
7	46	121	1,814	5	118	21	90	8	13	34	314	6	5	8
8	28	268	3,089	17	150	61	99	25	3	46	472	22	13	25
9	36	291	3,346	19	190	72	150	29	3	49	392	25	14	40
10	18	140	1,654	6	106	31	82	14	2	20	205	7	5	22
11	18	151	1,692	13	84	41	68	15	1	29	187	18	9	18
12	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	—	6	44	—	6	—	1	—	—	1	2	—	—	1
14	—	1	9	—	—	1	—	—	—	—	1	—	—	1
15	1	1	38	—	1	1	2	—	—	—	3	—	—	—
16	—	4	13	—	1	—	2	—	—	—	1	—	—	—
17	2	10	75	2	6	—	3	—	1	—	2	—	1	—
18	1	1	13	—	—	—	1	—	—	—	2	—	—	—
19	—	4	14	—	1	—	—	—	—	—	2	—	—	—
20	4	17	119	1	10	3	4	3	—	1	14	1	—	2
21	2	3	47	—	—	1	5	1	—	—	3	1	—	—
22	—	—	17	—	1	1	1	1	—	1	—	—	—	—
23	2	32	410	2	21	8	17	4	1	3	55	5	2	5
24	2	3	33	—	1	1	3	—	—	—	2	—	1	1
25	1	11	86	1	6	1	4	—	—	1	11	—	1	1
26	6	38	403	5	14	12	16	3	—	10	43	1	2	3
27	1	14	87	—	10	—	7	—	—	2	11	2	—	—
28	3	41	521	3	12	16	24	6	—	11	71	4	2	5
29	—	8	87	—	6	3	1	8	—	—	7	1	—	—
30	2	9	143	1	11	3	4	—	—	2	19	2	—	5
31	—	10	171	—	11	2	8	—	—	4	25	—	1	1
32	1	3	40	—	3	1	1	1	—	—	4	—	—	1
33	—	1	42	1	—	—	—	—	—	—	4	—	—	—
34	—	2	42	1	4	1	1	—	—	1	—	1	—	1
35	—	2	25	—	—	—	2	—	—	—	6	—	—	—
36	—	1	10	—	—	—	1	—	—	—	—	—	—	—
37	—	1	32	—	1	—	1	1	—	1	4	1	—	—
38	1	4	56	—	3	—	2	—	1	1	11	1	—	—
39	—	5	95	1	9	3	1	1	—	1	14	1	1	1
40	—	4	58	—	6	1	1	—	—	1	11	—	—	1
41	—	—	12	—	—	—	—	—	—	—	1	—	—	—
42	—	1	14	—	1	—	2	—	—	—	—	—	—	—
43	—	1	35	—	2	—	2	—	—	—	4	1	—	1
44	3	21	192	—	16	5	11	—	—	1	14	—	2	4
45	—	8	150	—	11	3	12	—	—	1	19	—	—	2
46	1	1	30	—	1	1	1	—	—	—	5	—	—	1
47	2	18	131	—	13	2	5	—	—	4	15	—	1	1
48	1	5	52	1	2	2	4	—	—	1	6	3	—	2
49	36	291	3,346	19	190	72	150	29	3	49	392	25	14	40
50	8	38	362	1	37	7	20	—	—	3	27	—	3	4
51	1	9	150	1	8	1	10	—	1	1	14	1	—	1
52	1	5	57	—	8	1	4	—	—	—	5	—	—	2
53	2	4	38	1	1	—	1	1	—	—	6	—	—	1
54	1	14	114	—	9	1	9	—	—	1	11	—	1	—
55	5	14	148	3	13	3	7	1	—	3	19	—	—	3
56	1	20	185	—	12	4	2	2	—	1	17	2	—	4
57	2	23	275	1	14	9	14	3	—	5	30	1	—	6
58	5	37	474	—	19	10	24	2	1	4	65	6	2	5
59	8	60	747	7	38	17	31	8	—	9	103	8	5	7
60	1	55	625	4	27	16	24	5	1	17	83	6	2	5
61	1	12	171	1	4	3	4	7	—	5	12	1	1	2
62	—	—	—	—	—	—	—	—	—	—	—	—	—	—
63	36	291	3,346	19	190	72	150	29	3	49	392	25	14	40

International Nos. Short List.		FIFE COUNTY—(continued).						Marginal Index Numbers.
		Kilrenny and Anstruther B.	Kinghorn B.	Kirkcaldy B.	Ladybank and Monkston B.	Leslie B.	Leven B.	
	Population (Estimated) - - -	3,269	1,913	44,170	1,164	2,498	7,457	1
	Total Births Registered (including Illegitimate)	35	29	818	16	34	112	2
	„ „ Corrected for Transfers	43	33	743	17	40	112	3
	„ „ „ Male - -	28	16	370	10	28	62	4
	„ „ „ Female - -	15	17	373	7	12	50	5
	„ „ „ Illegitimate	1	1	53	-	1	5	6
	„ Marriages Registered - -	15	7	328	6	12	54	7
	„ Deaths Registered - -	43	24	550	12	31	78	8
	„ „ Corrected for Transfers	49	28	576	16	34	92	9
	„ „ „ Male - -	22	15	279	8	11	44	10
	„ „ „ Female - -	27	13	297	8	23	48	11
	CAUSES OF DEATH.							
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	12
4	Measles - - - - -	-	-	6	-	1	2	13
5	Scarlet fever - - - -	-	-	2	-	-	-	14
6	Whooping-cough - - -	-	-	11	-	-	-	15
7	Diphtheria - - - - -	-	-	1	-	-	-	16
8	Influenza - - - - -	1	2	19	-	2	6	17
14 (1)	Cerebro-spinal fever - -	-	-	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	-	4	-	1	-	19
10	Tuberculosis of respiratory system	2	2	14	1	1	2	20
11	Other tuberculous diseases -	1	1	7	1	-	3	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	-	1	-	-	1	22
15	Cancer, malignant disease - -	8	2	71	2	6	16	23
18	Diabetes mellitus - - - -	1	-	7	-	-	2	24
20	Other general dis., chronic poisonings (16, 17, 19)	2	-	11	-	-	2	25
22	Cerebral hæmorrhage, &c. - -	10	5	81	5	4	10	26
23	Oth. dis. of nerv. syst. and sense org. (21)	1	1	10	-	-	2	27
24	Heart disease - - - - -	9	4	87	-	5	14	28
25	Other circulatory diseases - -	3	-	18	-	1	4	29
26	Bronchitis - - - - -	3	2	23	-	1	3	30
27	Pneumonia (all forms) - - -	1	1	25	-	2	2	31
28	Other respiratory diseases - -	1	-	5	-	-	3	32
32 (1)	Gastric and duodenal ulcer - -	-	1	9	1	-	3	33
29	Diarrhœa, &c. (all ages) - - -	1	-	6	1	1	-	34
30	Appendicitis - - - - -	-	-	3	1	-	1	35
31 (1)	Cirrhosis of liver - - - - -	1	-	1	-	-	-	36
31 (2)	Other diseases of liver, &c. - -	-	1	4	-	-	1	37
32 (2)	Other digestive diseases - - -	-	-	8	1	-	1	38
33	Acute and chronic nephritis - -	-	2	21	-	-	3	39
34	Other dis. of genito-urinary system	-	1	13	-	-	1	40
35	Puerperal sepsis - - - - -	-	-	4	-	-	-	41
36	Other puerperal causes - - -	-	-	4	-	-	-	42
37	Diseases of skin and locomotor system	-	-	8	-	1	1	43
38	Congen. debil., prem. birth, malform. &c.	1	1	32	1	3	2	44
39	Old age - - - - -	1	-	32	2	2	1	45
40	Suicide - - - - -	1	1	7	-	1	-	46
42	Other violence (41) - - - -	-	1	15	-	2	4	47
43	Causes ill-defined or unknown -	1	-	6	-	-	2	48
	ALL CAUSES - - -	49	28	576	16	34	92	49
	AGES AT DEATH.							
	Under 1 - - - - -	3	1	53	2	4	5	50
	1-4 - - - - -	-	2	21	1	1	2	51
	5-9 - - - - -	1	-	11	1	-	-	52
	10-14 - - - - -	1	-	9	-	-	-	53
	15-24 - - - - -	-	1	17	1	1	3	54
	25-34 - - - - -	2	2	26	-	1	1	55
	35-44 - - - - -	3	1	26	1	1	7	56
	45-54 - - - - -	1	5	53	1	4	15	57
	55-64 - - - - -	5	2	97	2	4	13	58
	65-74 - - - - -	13	8	131	3	6	20	59
	75-84 - - - - -	12	3	105	3	7	19	60
	85 and over - - - - -	8	3	27	1	5	7	61
	Not stated - - - - -	-	-	-	-	-	-	62
	ALL AGES - - -	49	28	576	16	34	92	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	FIFE COUNTY—(continued).								INVERNESS COUNTY.				
	Lochgelly B.	Markinch B.	Newburgh B.	Newport B.	Pittenweem B.	St. Andrews B.	Tayport B.	Landward.	Inverness County.	Fort-William B.	Inverness B.	Kingussie B.	Landward.
1	9,373	2,086	2,183	3,302	1,655	8,551	3,250	103,457	81,646	2,360	22,808	1,025	55,453
2	162	34	32	18	19	92	37	1,828	1,336	40	473	19	804
3	175	40	38	21	20	93	43	1,981	1,365	43	415	21	886
4	89	26	23	11	7	43	31	1,009	705	20	213	9	463
5	86	14	15	10	13	50	12	972	660	23	202	12	423
6	6	-	1	1	2	7	2	144	129	1	40	-	88
7	83	19	12	16	4	37	18	581	475	26	295	9	145
8	64	19	35	40	15	97	32	1,116	1,297	35	455	21	786
9	93	23	38	46	18	110	40	1,200	1,220	35	341	18	826
10	47	10	15	21	9	46	20	607	632	21	170	7	434
11	46	13	23	25	9	64	20	593	588	14	171	11	392
12	-	-	-	-	-	-	-	-	4	-	-	-	4
13	-	-	-	-	-	-	-	24	1	-	-	-	1
14	-	-	-	-	-	1	-	3	3	-	1	-	2
15	-	-	-	-	-	-	-	20	5	-	2	-	3
16	2	-	-	-	-	1	-	5	1	-	-	-	1
17	1	3	1	-	-	3	-	22	42	2	10	-	30
18	1	-	-	-	-	-	-	9	1	-	-	-	1
19	-	-	-	-	-	-	-	6	1	-	-	-	1
20	6	2	-	-	2	5	3	40	62	3	13	3	43
21	4	-	-	-	-	1	-	18	17	-	5	-	12
22	2	-	-	-	-	-	-	8	5	-	3	-	2
23	8	2	1	8	2	17	4	140	152	5	50	4	93
24	2	-	-	-	-	-	-	12	19	1	8	-	10
25	2	-	1	1	-	5	1	35	21	1	5	-	15
26	6	2	12	13	2	15	8	121	109	1	42	1	65
27	-	1	-	1	-	3	2	34	40	1	9	1	29
28	16	7	11	8	4	23	8	171	170	7	49	3	111
29	5	-	1	4	-	2	-	22	21	1	6	-	14
30	4	-	2	-	2	3	1	52	51	3	20	1	27
31	4	-	1	-	1	2	1	79	43	1	14	-	28
32	3	-	-	-	-	2	2	13	18	1	1	1	15
33	1	-	1	2	-	3	-	16	27	2	9	-	16
34	6	-	-	1	-	-	-	17	8	-	2	-	6
35	1	-	-	-	1	3	-	6	4	-	3	-	1
36	-	-	-	-	-	-	-	7	5	1	2	-	2
37	1	-	-	-	-	2	1	13	8	-	4	-	4
38	1	-	1	1	-	1	1	22	30	1	8	-	21
39	1	-	-	-	-	3	1	31	38	1	13	-	24
40	-	-	-	2	1	3	2	14	16	-	4	-	12
41	-	-	-	-	-	1	-	6	1	-	1	-	-
42	1	-	-	-	-	-	-	6	9	-	5	-	4
43	-	-	-	-	-	-	1	14	6	-	-	-	6
44	3	2	1	-	-	2	1	90	45	-	14	1	30
45	5	2	-	3	1	2	-	51	127	-	16	3	108
46	1	1	1	-	-	-	-	8	5	-	1	-	4
47	6	1	4	-	1	7	2	47	59	3	18	-	38
48	-	-	-	2	1	-	1	18	46	-	3	-	43
49	93	23	38	46	18	110	40	1,200	1,220	35	341	18	826
50	8	3	1	1	1	3	4	171	80	1	27	2	50
51	7	1	-	-	-	1	-	76	23	-	10	-	13
52	1	1	-	-	-	1	-	21	14	-	2	-	12
53	1	-	-	-	-	2	1	13	13	1	5	-	7
54	6	1	2	-	2	2	2	44	49	2	7	-	40
55	6	1	-	-	1	8	2	46	39	3	11	2	23
56	7	1	2	1	3	6	2	80	68	5	15	-	48
57	12	4	2	2	2	8	1	82	94	5	34	4	51
58	17	6	7	5	3	14	8	153	147	5	45	1	96
59	11	1	8	16	1	25	10	261	262	5	86	3	168
60	15	3	9	16	4	30	7	202	296	7	67	5	217
61	2	1	7	5	1	10	3	51	135	1	32	1	101
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	93	23	38	46	18	110	40	1,200	1,220	35	341	18	826

International Nos. Short List.		KINCARDINE COUNTY.							Marginal Index Numbers.
		Kincardine County (incl. portion in Aberdeen B.)	Aberdeen B. (Kinc. Co. portion).	Banchory B.	Inverberrie B.	Laurencekirk B.	Stonehaven B.	Landward.	
	Population (Estimated) - - -	40,112	12,572	1,677	1,036	1,365	4,165	19,297	1
	Total Births Registered (including Illegitimate)	721	250	22	11	15	62	361	2
	„ „ Corrected for Transfers	759	278	25	12	14	59	371	3
	„ „ „ Male - -	386	127	12	2	9	31	205	4
	„ „ „ Female - -	373	151	13	10	5	28	166	5
	„ „ „ Illegitimate	70	9	1	-	1	7	52	6
	„ Marriages Registered - -	189	33	17	14	6	34	85	7
	„ Deaths Registered - - -	420	102	27	6	30	63	192	8
	„ „ Corrected for Transfers	509	150	27	11	33	50	238	9
	„ „ „ Male - -	255	76	10	7	15	29	118	10
	„ „ „ Female - -	254	74	17	4	18	21	120	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	12
4	Measles - - - - -	1	1	-	-	-	-	-	13
5	Scarlet fever - - - - -	1	1	-	-	-	-	-	14
6	Whooping-cough - - - - -	2	1	-	-	-	1	-	15
7	Diphtheria - - - - -	1	-	-	-	-	-	1	16
8	Influenza - - - - -	8	3	-	-	-	1	4	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	-	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	2	2	-	-	-	-	-	19
10	Tuberculosis of respiratory system - -	17	5	1	-	-	2	9	20
11	Other tuberculous diseases - - - - -	13	4	-	1	-	-	8	21
14 (3)	Other infectious and parasitic dis. (12, 13)	1	1	-	-	-	-	-	22
15	Cancer, malignant disease - - - - -	68	18	3	-	8	7	32	23
18	Diabetes mellitus - - - - -	1	-	-	-	-	-	1	24
20	Other general dis., chronic poisonings (16, 17, 19)	13	1	-	-	1	1	10	25
22	Cerebral hæmorrhage, &c. - - - - -	69	23	1	2	6	9	28	26
23	Oth. dis. of nerv. syst. and sense org. (21)	10	5	1	-	-	1	3	27
24	Heart disease - - - - -	90	25	7	1	8	8	41	28
25	Other circulatory diseases - - - - -	20	4	-	-	2	2	12	29
26	Bronchitis - - - - -	22	6	1	2	1	1	11	30
27	Pneumonia (all forms) - - - - -	24	7	-	2	-	4	11	31
23	Other respiratory diseases - - - - -	11	5	1	-	1	-	4	32
32 (1)	Gastric and duodenal ulcer - - - - -	5	-	-	-	-	1	4	33
29	Diarrhœa, &c. (all ages) - - - - -	6	1	-	-	-	1	4	34
30	Appendicitis - - - - -	2	-	-	-	1	-	1	35
31 (1)	Cirrhosis of liver - - - - -	1	-	1	-	-	-	-	36
31 (2)	Other diseases of liver, &c. - - - - -	3	1	-	-	-	-	2	37
32 (2)	Other digestive diseases - - - - -	7	1	-	-	1	-	5	38
33	Acute and chronic nephritis - - - - -	15	5	1	1	-	2	6	39
34	Other dis. of genito-urinary system - -	4	-	-	-	-	1	3	40
35	Puerperal sepsis - - - - -	-	-	-	-	-	-	-	41
36	Other puerperal causes - - - - -	2	-	-	1	-	-	1	42
37	Diseases of skin and locomotor system	4	-	-	1	1	-	2	43
38	Congen. debil., prem. birth, malform., &c.	35	16	3	-	1	2	13	44
39	Old age - - - - -	18	1	6	-	1	1	9	45
40	Suicide - - - - -	8	4	-	-	-	1	3	46
42	Other violence (41) - - - - -	18	9	-	-	-	4	5	47
43	Causes ill-defined or unknown - - -	7	-	1	-	1	-	5	48
	ALL CAUSES - - -	509	150	27	11	33	50	238	49
	AGES AT DEATH.								
	Under 1 - - - - -	53	27	3	-	-	2	21	50
	1-4 - - - - -	20	9	-	1	1	2	7	51
	5-9 - - - - -	5	1	-	1	-	-	3	52
	10-14 - - - - -	5	2	-	-	1	1	1	53
	15-24 - - - - -	16	4	-	-	1	2	9	54
	25-34 - - - - -	20	7	2	-	-	1	10	55
	35-44 - - - - -	19	5	2	-	1	1	10	56
	45-54 - - - - -	42	16	1	2	1	5	17	57
	55-64 - - - - -	73	24	2	1	4	8	34	58
	65-74 - - - - -	100	29	5	-	9	7	50	59
	75-84 - - - - -	117	22	7	5	11	19	53	60
	85 and over - - - - -	39	4	5	1	4	2	23	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - -	509	150	27	11	33	50	238	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	KINROSS COUNTY.			KIRKCUDBRIGHT COUNTY.							LANARK COUNTY.		
	Kinross County.	Kinross B.	Landward.	Kirkcud- bright County.	Castle- Douglas B.	Dalbeattie B.	Gatehouse B.	Kirkcudbright B.	New Galloway B.	Landward.	Lanark County.*	Airdrie B.	Biggar B.
1	7,269	2,521	4,748	30,321	3,003	3,057	886	2,326	322	20,727	1,606,715	26,327	1,312
2	101	36	65	511	45	60	12	35	4	355	33,858	765	16
3	115	41	74	540	46	62	12	37	4	379	33,325	574	21
4	52	16	36	294	31	34	6	19	1	203	17,145	307	12
5	63	25	38	246	15	28	6	18	3	176	16,180	267	9
6	10	3	7	68	6	7	1	3	-	51	1,954	28	-
7	42	15	27	190	19	28	2	16	-	125	12,263	169	5
8	139	27	112	404	55	33	17	27	5	267	22,960	304	13
9	109	34	75	448	35	43	18	32	7	313	22,490	342	17
10	49	16	33	214	12	24	9	17	2	150	11,580	174	8
11	60	18	42	234	23	19	9	15	5	163	10,910	168	9
12	-	-	-	-	-	-	-	-	-	-	11	-	-
13	2	1	1	4	-	-	-	1	-	3	358	10	-
14	-	-	-	1	-	-	-	-	-	1	139	-	-
15	-	-	-	2	-	-	-	-	-	2	189	-	-
16	-	-	-	1	-	-	-	-	-	1	184	-	-
17	3	-	3	6	1	-	-	1	-	4	648	18	1
18	-	-	-	4	1	1	-	-	-	2	111	1	-
19	-	-	-	3	1	-	-	-	-	2	107	3	-
20	-	-	-	17	1	4	1	-	1	10	1,238	20	1
21	2	1	1	4	-	-	-	1	-	3	430	5	-
22	-	-	-	1	-	-	-	1	-	-	105	-	1
23	15	6	9	69	5	5	4	9	1	45	2,225	26	4
24	1	1	-	3	1	-	-	-	-	2	222	5	-
25	1	-	1	9	2	-	1	1	1	4	467	4	2
26	13	3	10	72	10	9	4	6	-	43	2,037	41	2
27	3	-	3	12	1	1	-	-	-	10	563	10	-
28	19	4	15	65	4	3	3	4	3	48	2,707	56	3
29	5	2	3	12	-	3	1	2	-	6	334	3	-
30	6	3	3	11	-	1	1	1	-	8	1,387	16	1
31	5	2	3	24	-	6	1	-	-	17	2,697	22	1
32	8	4	4	7	1	2	-	-	-	4	305	2	1
33	-	-	-	7	1	-	-	1	-	5	179	1	-
34	2	-	2	3	-	-	-	-	-	3	625	5	-
35	-	-	-	2	-	-	-	-	-	2	169	2	-
36	-	-	-	1	-	-	-	-	1	-	66	2	-
37	-	-	-	3	-	1	-	-	-	2	118	3	-
38	-	-	-	6	-	-	-	-	-	4	309	2	-
39	8	4	4	12	-	-	1	2	-	9	590	12	-
40	3	-	3	7	1	-	-	1	-	5	256	4	-
41	-	-	-	2	-	1	-	-	-	1	110	3	-
42	1	-	1	5	1	-	-	-	-	4	130	-	-
43	2	1	1	6	-	1	-	-	-	5	132	1	-
44	3	1	2	18	-	3	1	-	-	14	1,257	23	-
45	6	-	6	24	2	-	-	-	-	22	701	17	-
46	-	-	-	2	-	1	-	-	-	1	159	1	-
47	1	1	-	19	2	-	-	-	-	17	774	13	-
48	-	-	-	4	-	-	-	-	-	4	451	11	-
49	109	34	75	448	35	43	18	32	7	313	22,490	342	17
50	6	1	5	30	-	4	1	-	-	25	3,532	43	-
51	3	2	1	14	3	-	-	1	-	10	1,563	22	1
52	2	1	1	7	-	2	-	1	1	3	465	6	-
53	-	-	-	4	-	3	-	-	-	1	312	6	-
54	1	-	1	11	1	-	1	2	-	7	1,025	11	-
55	4	2	2	13	1	1	-	1	-	10	1,153	22	-
56	3	-	3	16	1	3	-	1	-	11	1,431	17	1
57	9	6	3	26	1	2	-	3	-	20	2,114	30	2
58	12	1	11	68	6	2	3	5	-	52	3,377	57	4
59	28	8	20	116	8	12	3	4	4	85	4,126	70	4
60	30	12	18	118	13	12	6	11	2	74	2,851	52	3
61	11	1	10	25	1	2	4	3	-	15	541	6	2
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	109	34	75	448	35	43	18	32	7	313	22,490	342	17

* Including portion of Renfrew Burgh in Lanark County.

International Nos. Short List.		LANARK COUNTY—(continued).							Marginal Index Numbers.
		Coatbridge B.	Glasgow B.	Hamilton B.	Lanark B.	Motherwell & Wishaw B.	Rutherglen B.	Landward.	
	Population (Estimated) - - -	43,544	1,104,689	38,332	6,147	65,523	25,722	295,105	1
	Total Births Registered (including Illegitimate)	849	23,493	939	84	1,370	306	6,036	2
	„ „ Corrected for Transfers	1,046	22,732	880	95	1,366	391	6,220	3
	„ „ „ Male - -	547	11,662	455	50	742	206	3,164	4
	„ „ „ Female - -	499	11,070	425	45	624	185	3,056	5
	„ „ „ Illegitimate	47	1,331	62	5	77	15	389	6
	„ Marriages Registered - -	229	9,203	252	75	396	207	1,727	7
	„ Deaths Registered - - -	559	17,263	430	97	702	231	3,360	8
	„ „ Corrected for Transfers	623	16,070	525	108	819	349	3,636	9
	„ „ „ Male - -	357	8,250	269	49	451	171	1,850	10
	„ „ „ Female - -	266	7,820	256	59	368	178	1,786	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	9	-	-	-	-	2	12
4	Measles - - - - -	20	189	12	1	34	6	86	13
5	Scarlet fever - - - - -	7	99	2	-	3	2	26	14
6	Whooping-cough - - - - -	3	128	4	-	23	3	28	15
7	Diphtheria - - - - -	4	120	10	1	2	4	43	16
8	Influenza - - - - -	17	454	15	1	9	10	123	17
14 (1)	Cerebro-spinal fever - - - - -	3	84	2	-	4	-	17	18
14 (2)	Other epidemic diseases (2, 3, 9) *	4	85	1	-	3	1	10	19
10	Tuberculosis of respiratory system - -	25	965	23	6	27	14	157	20
11	Other tuberculous diseases - - - - -	13	301	18	-	10	8	75	21
14 (3)	Other infectious and parasitic dis. (12, 13)	1	86	4	1	-	2	10	22
15	Cancer, malignant disease - - - - -	47	1,603	47	19	85	49	345	23
18	Diabetes mellitus - - - - -	5	158	7	-	4	4	39	24
20	Other general dis., chronic poisonings (16, 17, 19) - - - - -	7	320	19	3	15	8	89	25
22	Cerebral hæmorrhage, &c. - - - - -	41	1,424	42	10	82	34	361	26
23	Oth. dis. of nerv. syst. and sense org. (21)	20	388	14	3	26	9	93	27
24	Heart disease - - - - -	69	1,937	62	13	106	42	419	28
25	Other circulatory diseases - - - - -	17	225	5	5	14	12	53	29
26	Bronchitis - - - - -	35	1,031	19	9	52	19	204	30
27	Pneumonia (all forms) - - - - -	93	2,096	58	4	76	37	310	31
28	Other respiratory diseases - - - - -	7	212	11	1	12	2	57	32
32 (1)	Gastric and duodenal ulcer - - - - -	3	132	1	2	7	1	32	33
29	Diarrhœa, &c. (all ages) - - - - -	18	495	14	-	21	2	70	34
30	Appendicitis - - - - -	9	107	2	1	7	2	39	35
31 (1)	Cirrhosis of liver - - - - -	-	50	2	1	5	1	5	36
31 (2)	Other diseases of liver, &c. - - - - -	4	73	4	-	3	1	30	37
32 (2)	Other digestive diseases - - - - -	8	214	11	1	13	2	58	38
33	Acute and chronic nephritis - - - - -	20	411	9	5	18	13	102	39
34	Other dis. of genito-urinary system - -	8	191	6	-	9	2	36	40
35	Puerperal sepsis - - - - -	-	82	-	-	7	-	18	41
36	Other puerperal causes - - - - -	5	97	1	-	5	1	21	42
37	Diseases of skin and locomotor system	1	84	6	1	7	1	31	43
38	Congen. debil., prem. birth, malform., &c.	52	811	36	8	50	12	265	44
39	Old age - - - - -	19	448	21	11	25	20	140	45
40	Suicide - - - - -	2	123	6	1	4	2	20	46
42	Other violence (41) - - - - -	25	501	22	-	38	14	161	47
43	Causes ill-defined or unknown - - - -	11	337	9	-	13	9	61	48
	ALL CAUSES - - -	623	16,070	525	108	819	349	3,636	49
	AGES AT DEATH.								
	Under 1 - - - - -	125	2,549	86	10	129	26	564	50
	1-4 - - - - -	70	1,048	50	1	73	25	273	51
	5-9 - - - - -	17	301	21	2	18	7	93	52
	10-14 - - - - -	12	212	16	1	12	1	52	53
	15-24 - - - - -	30	734	18	1	42	15	174	54
	25-34 - - - - -	23	868	24	4	36	18	158	55
	35-44 - - - - -	36	1,043	31	5	46	17	235	56
	45-54 - - - - -	47	1,552	43	10	75	41	314	57
	55-64 - - - - -	75	2,492	73	15	116	56	489	58
	65-74 - - - - -	120	2,885	89	30	157	72	699	59
	75-84 - - - - -	62	2,019	57	19	100	61	477	60
	85 and over - - - - -	6	367	17	10	15	10	108	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - -	623	16,070	525	108	819	349	3,636	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	MIDLOTHIAN COUNTY.								MORAY COUNTY.			
	Midlothian County.	Bonnyrigg and Lasswade B.	Dalkeith B.	Edinburgh B.	Loanhead B.	Musselburgh B.	Penicuik B.	Landward.	Moray County.	Burghead B.	Elgin B.	Forres B.
1	536,123	4,671	7,619	447,800	4,017	17,265	2,767	51,984	41,058	1,326	8,833	4,234
2	9,051	71	109	7,617	73	223	49	909	782	33	160	70
3	8,630	81	138	6,960	89	293	59	1,010	776	36	152	74
4	4,391	39	74	3,537	45	159	32	505	378	17	80	37
5	4,239	42	64	3,423	44	134	27	505	398	19	72	37
6	579	3	14	466	5	15	3	73	118	7	21	9
7	4,443	3	51	3,932	26	117	26	288	214	1	98	24
8	7,763	46	86	6,830	34	176	37	554	522	15	167	58
9	7,165	54	100	6,032	38	231	47	663	536	16	141	62
10	3,458	25	53	2,893	26	110	22	329	251	9	61	29
11	3,707	29	47	3,139	12	121	25	334	285	7	80	33
12	3	-	-	3	-	-	-	-	1	-	-	-
13	107	-	1	88	-	2	1	15	1	-	1	-
14	10	-	-	8	-	1	-	1	-	-	-	-
15	62	1	3	52	-	1	-	5	4	3	-	-
16	34	-	-	29	-	3	-	2	2	-	-	-
17	196	6	1	154	1	10	-	24	10	-	-	-
18	30	-	1	26	-	1	-	2	-	-	-	-
19	29	-	-	25	-	-	1	3	6	-	-	1
20	362	1	2	313	1	17	2	26	23	1	8	4
21	121	1	4	100	-	4	-	12	4	-	1	-
22	24	-	-	23	-	-	-	1	1	-	-	-
23	981	7	7	849	1	39	7	71	65	4	23	6
24	60	1	1	49	-	2	-	7	6	-	3	-
25	164	-	4	146	-	5	-	9	7	-	4	-
26	786	4	9	663	5	22	7	76	55	2	14	6
27	184	-	3	161	-	5	-	15	19	-	6	2
28	1,126	5	10	957	7	27	6	114	101	3	20	14
29	190	-	6	157	3	7	1	16	13	-	3	4
30	374	1	10	319	2	14	-	28	25	-	6	7
31	506	1	5	438	9	12	4	37	23	2	8	1
32	125	1	-	101	2	4	3	14	18	-	3	2
33	71	-	1	60	-	2	-	8	6	-	1	-
34	70	1	-	64	-	-	-	5	8	-	1	1
35	49	-	-	43	-	3	-	3	9	-	3	-
36	9	-	1	8	-	-	-	-	2	-	1	-
37	36	2	-	30	-	2	-	2	3	-	1	-
38	104	3	-	82	-	4	2	13	7	-	1	-
39	196	2	2	173	1	6	2	10	11	-	6	-
40	97	1	2	79	-	6	1	8	10	-	4	1
41	19	-	1	15	-	-	-	3	-	-	-	-
42	23	-	1	22	-	-	-	-	1	-	-	-
43	55	-	2	49	-	-	-	4	3	-	1	-
44	320	5	5	233	3	12	2	60	34	1	6	6
45	257	8	7	211	2	5	6	18	31	-	9	4
46	77	-	1	67	-	3	-	6	2	-	-	1
47	260	2	7	212	1	3	2	33	19	-	4	2
48	48	1	3	23	-	9	-	12	6	-	3	-
49	7,165	54	100	6,032	38	231	47	663	536	16	141	62
50	646	8	7	507	5	20	6	93	54	5	10	7
51	305	2	6	248	-	10	1	38	12	-	2	-
52	104	-	2	88	1	5	-	8	5	-	1	1
53	65	-	1	51	-	4	-	9	1	-	1	-
54	235	1	2	204	-	7	2	19	21	1	4	-
55	320	3	6	263	2	11	1	34	16	-	6	2
56	416	3	2	352	4	12	2	41	25	-	7	2
57	660	3	10	558	2	28	5	54	39	-	13	6
58	1,144	5	16	991	6	33	7	86	68	2	22	6
59	1,619	14	23	1,378	7	47	10	140	117	4	31	14
60	1,293	12	18	1,084	8	42	12	117	136	3	33	18
61	358	3	7	308	3	12	1	24	42	1	11	6
62	-	-	-	-	-	-	-	-	-	-	-	-
63	7,165	54	100	6,032	38	231	47	663	536	16	141	62

International Nos. Short List.		MORAY COUNTY— (continued).				NAIRN COUNTY.			Marginal Index Numbers.
		Grantown-on-Spey B.	Lossiemouth B.	Rothies B.	Landward.	Nairn County.	Nairn B.	Landward.	
	Population (Estimated) - - -	1,470	3,963	1,291	19,941	8,234	4,198	4,036	1
	Total Births Registered (including Illegitimate)	23	78	24	394	162	80	82	2
	" " Corrected for Transfers	25	77	29	383	163	80	83	3
	" " " Male - -	10	40	15	179	87	51	36	4
	" " " Female - -	15	37	14	204	76	29	47	5
	" " " Illegitimate	7	8	8	58	14	6	8	6
	" Marriages Registered - -	3	22	4	62	49	34	15	7
	" Deaths Registered - -	19	41	16	206	134	67	67	8
	" " Corrected for Transfers	18	47	21	231	126	69	57	9
	" " " Male - -	7	25	6	114	52	27	25	10
	" " " Female - -	11	22	15	117	74	42	32	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	1	-	-	-	12
4	Measles - - - - -	-	-	-	-	-	-	-	13
5	Scarlet fever - - - - -	-	-	-	-	-	-	-	14
6	Whooping-cough - - - - -	-	1	-	-	-	-	-	15
7	Diphtheria - - - - -	-	1	-	1	-	-	-	16
8	Influenza - - - - -	-	1	1	8	-	-	-	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	-	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	1	-	4	1	1	-	19
10	Tuberculosis of respiratory system - -	-	1	-	9	3	2	1	20
11	Other tuberculous diseases - - - - -	-	1	-	2	-	-	-	21
14 (3)	Other infectious and parasitic dis. (12, 13)	1	-	-	-	1	-	1	22
15	Cancer, malignant disease - - - - -	2	2	1	27	19	12	7	23
18	Diabetes mellitus - - - - -	-	-	1	2	-	-	-	24
20	Other general dis., chronic poisonings (16, 17, 19)	-	1	-	2	4	2	2	25
22	Cerebral hæmorrhage, &c. - - - - -	2	10	1	20	21	11	10	26
23	Oth. dis. of nerv. syst. and sense org. (21)	2	1	1	7	9	3	6	27
24	Heart disease - - - - -	4	7	7	46	24	12	12	28
25	Other circulatory diseases - - - - -	-	1	-	5	6	4	2	29
26	Bronchitis - - - - -	1	2	1	8	1	1	-	30
27	Pneumonia (all forms) - - - - -	2	2	2	6	5	4	1	31
28	Other respiratory diseases - - - - -	-	3	1	9	3	2	1	32
32 (1)	Gastric and duodenal ulcer - - - - -	1	-	-	4	-	-	-	33
29	Diarrhœa, &c. (all ages) - - - - -	-	2	-	4	-	-	-	34
30	Appendicitis - - - - -	1	1	2	2	3	2	1	35
31 (1)	Cirrhosis of liver - - - - -	-	-	-	1	-	-	-	36
31 (2)	Other diseases of liver, &c. - - - - -	-	-	-	2	1	-	1	37
32 (2)	Other digestive diseases - - - - -	-	-	-	6	1	-	1	38
33	Acute and chronic nephritis - - - - -	-	-	-	5	3	1	2	39
34	Other dis. of genito-urinary system - -	-	3	-	2	4	2	2	40
35	Puerperal sepsis - - - - -	-	-	-	-	-	-	-	41
36	Other puerperal causes - - - - -	-	-	-	1	-	-	-	42
37	Diseases of skin and locomotor system -	-	1	-	1	1	-	1	43
38	Congen. debil., prem. birth, malform., &c.	2	2	1	16	3	3	-	44
39	Old age - - - - -	-	3	-	15	6	3	3	45
40	Suicide - - - - -	-	-	-	1	2	2	-	46
42	Other violence (41) - - - - -	-	-	2	11	5	2	3	47
43	Causes ill-defined or unknown - - - -	-	-	-	3	-	-	-	48
	ALL CAUSES - - - - -	18	47	21	231	126	69	57	49
	AGES AT DEATH.								
	Under 1 - - - - -	2	5	2	23	8	5	3	50
	1-4 - - - - -	-	4	-	6	3	2	1	51
	5-9 - - - - -	-	1	1	1	1	1	-	52
	10-14 - - - - -	-	-	-	-	-	-	-	53
	15-24 - - - - -	1	2	3	10	1	1	-	54
	25-34 - - - - -	2	-	-	6	3	3	-	55
	35-44 - - - - -	1	3	-	12	6	3	3	56
	45-54 - - - - -	2	2	1	15	10	6	4	57
	55-64 - - - - -	-	8	2	28	24	9	15	58
	65-74 - - - - -	5	8	5	50	21	10	11	59
	75-84 - - - - -	3	12	7	60	37	22	15	60
	85 and over - - - - -	2	2	-	20	12	7	5	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - - - -	18	47	21	231	126	69	57	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	ORKNEY COUNTY.				PEEBLES COUNTY.				PERTH COUNTY.				
	Orkney County.	Kirkwall B.	Stromness B.	Landward.	Peebles County.	Innerleithen B.	Peebles B.	Landward.	Perth County.	Aberfeldy B.	Abernethy B.	Alyth B.	Auchterarder B.
1	22,106	3,550	1,571	16,985	14,644	2,356	5,760	6,528	120,044	1,538	588	1,666	2,253
2	298	51	15	232	185	18	101	66	1,691	22	4	55	33
3	300	46	14	240	190	28	72	90	1,724	26	5	39	40
4	147	26	8	113	89	15	30	44	924	15	3	20	24
5	153	20	6	127	101	13	42	46	800	11	2	19	16
6	21	3	3	15	10	2	1	7	151	-	-	3	2
7	111	33	6	72	70	17	33	20	711	8	3	10	7
8	311	70	21	220	168	23	70	75	1,636	21	12	34	42
9	316	52	18	246	192	28	79	85	1,695	21	15	39	39
10	147	24	12	111	92	15	37	40	789	8	4	14	23
11	169	28	6	135	100	13	42	45	906	13	11	25	16
12	-	-	-	-	-	-	-	-	1	-	-	-	-
13	-	-	-	-	1	-	-	1	7	-	1	-	-
14	1	1	-	-	-	-	-	-	4	-	-	-	-
15	1	-	-	1	-	-	-	-	7	-	-	-	-
16	-	-	-	-	-	-	-	-	6	-	-	-	-
17	8	1	1	6	8	1	3	4	32	-	-	-	1
18	-	-	-	-	-	-	-	-	-	-	-	-	-
19	1	-	-	1	-	-	-	-	6	-	-	-	-
20	9	2	-	7	4	-	4	-	39	-	1	-	-
21	3	-	-	3	1	-	1	-	17	-	-	-	1
22	4	-	-	4	1	-	-	1	8	-	-	-	-
23	36	6	1	29	18	3	4	11	224	4	2	3	7
24	5	1	-	4	1	-	1	-	15	-	-	-	-
25	8	-	-	8	10	2	2	6	46	1	1	1	1
26	39	9	4	26	37	9	18	10	228	3	1	5	9
27	10	1	-	9	4	-	-	4	64	1	-	3	1
28	57	11	5	41	34	1	22	11	284	2	6	6	6
29	9	6	2	1	10	1	2	7	67	1	1	2	1
30	19	3	-	16	2	-	2	-	68	1	-	5	1
31	13	1	-	12	7	1	-	6	89	2	-	1	-
32	3	-	-	3	4	-	2	2	27	2	1	-	2
33	3	-	1	2	-	-	-	-	20	-	-	2	1
34	-	-	-	-	1	-	1	-	13	-	-	-	-
35	1	-	-	1	3	2	-	1	11	-	-	-	-
36	-	-	-	-	-	-	-	-	6	-	-	-	1
37	2	-	-	2	2	-	2	-	9	-	-	-	-
38	3	-	-	3	1	-	-	1	32	-	1	1	-
39	9	1	-	8	8	3	2	3	49	-	-	2	-
40	6	1	-	5	2	-	1	1	39	-	-	1	1
41	-	-	-	-	-	-	-	-	5	-	-	-	-
42	3	-	-	3	1	1	-	-	5	-	-	-	-
43	-	-	-	-	1	1	-	-	4	-	-	-	-
44	7	1	-	6	6	-	3	3	66	3	-	3	1
45	36	4	2	30	10	-	6	4	101	1	-	3	1
46	2	-	-	2	-	-	-	-	12	-	-	-	1
47	4	1	1	2	11	1	3	7	53	-	-	1	1
48	14	2	1	11	4	2	-	2	31	-	-	-	2
49	316	52	18	246	192	28	79	85	1,695	21	15	39	39
50	14	1	-	13	9	-	3	6	116	4	-	3	1
51	4	-	-	4	3	-	-	3	36	-	1	1	-
52	5	-	-	5	3	1	2	-	23	-	-	1	-
53	4	1	-	3	-	-	-	-	8	-	-	-	-
54	6	-	-	6	7	1	3	3	44	-	-	1	1
55	7	-	1	6	4	1	2	1	58	1	1	-	1
56	6	1	-	5	7	-	3	4	78	-	1	-	1
57	13	4	-	9	16	3	6	7	132	3	-	2	2
58	48	11	1	36	24	5	8	11	241	2	3	2	3
59	82	15	5	62	45	8	18	19	402	4	3	8	13
60	89	14	8	67	58	7	27	24	402	4	4	12	13
61	38	5	3	30	16	2	7	7	155	3	2	9	4
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	316	52	18	246	192	28	79	85	1,695	21	15	39	39

International Nos. Short List.		PERTH COUNTY—(continued).								Marginal Index Numbers.
		Blairgowrie and Ratray B.	Callander B.	Coupar-Angus B.	Crieff B.	Doune B.	Dunblane B.	Perth B.	Landward.	
	Population (Estimated) - - -	4,684	1,536	1,914	5,223	840	2,719	35,051	62,032	1
	Total Births Registered (including Illegitimate)	59	17	19	56	12	24	665	725	2
	„ „ Corrected for Transfers	69	18	22	70	12	26	528	869	3
	„ „ „ Male - -	37	11	13	46	8	14	282	451	4
	„ „ „ Female - -	32	7	9	24	4	12	246	418	5
	„ „ „ Illegitimate	3	1	5	5	1	2	34	95	6
	„ Marriages Registered - -	29	10	14	30	7	22	305	266	7
	„ Deaths Registered - - -	73	15	21	69	8	43	632	666	8
	„ „ Corrected for Transfers	85	23	34	74	11	48	504	802	9
	„ „ „ Male - -	35	10	15	28	6	22	235	389	10
	„ „ „ Female - -	50	13	19	46	5	26	269	413	11
	CAUSES OF DEATH.									
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	1	12
4	Measles - - - - -	-	-	-	-	-	-	2	4	13
5	Scarlet Fever - - - - -	-	-	-	-	-	-	1	3	14
6	Whooping-cough - - - - -	-	-	3	-	-	-	2	2	15
7	Diphtheria - - - - -	-	-	-	-	-	-	4	2	16
8	Influenza - - - - -	2	1	-	1	-	3	9	15	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	-	-	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	-	-	1	-	-	2	3	19
10	Tuberculosis of respiratory system - - - - -	-	-	3	2	-	-	13	20	20
11	Other tuberculous diseases - - - - -	-	1	1	1	-	1	8	4	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	-	-	2	-	-	4	2	22
15	Cancer, malignant disease - - - - -	12	2	6	11	1	5	63	108	23
18	Diabetes mellitus - - - - -	-	-	1	4	-	-	5	5	24
20	Other general dis., chronic poisonings (16, 17, 19)	2	1	-	3	1	2	19	14	25
22	Cerebral hæmorrhage, &c. - - - - -	8	2	6	11	6	7	65	105	26
23	Oth. dis. of nerv. syst. and sense org. (21)	4	-	-	3	-	2	18	32	27
24	Heart disease - - - - -	14	3	1	11	1	10	76	148	28
25	Other circulatory diseases - - - - -	2	2	1	1	-	3	22	31	29
26	Bronchitis - - - - -	4	2	-	3	1	2	21	28	30
27	Pneumonia (all forms) - - - - -	5	-	2	2	-	3	33	41	31
28	Other respiratory diseases - - - - -	1	-	1	3	-	1	8	8	32
32 (1)	Gastric and duodenal ulcer - - - - -	1	-	-	-	-	1	3	12	33
29	Diarrhœa, &c. (all ages) - - - - -	-	-	-	-	-	-	10	3	34
30	Appendicitis - - - - -	1	2	-	-	-	-	1	7	35
31 (1)	Cirrhosis of liver - - - - -	-	1	-	1	-	-	2	1	36
31 (2)	Other diseases of liver, &c. - - - - -	-	-	-	2	-	-	4	3	37
32 (2)	Other digestive diseases - - - - -	5	-	2	-	-	1	10	12	38
33	Acute and chronic nephritis - - - - -	2	2	-	2	-	2	11	28	39
34	Other dis. of genito-urinary system - - - - -	6	1	1	-	-	1	7	21	40
35	Puerperal sepsis - - - - -	1	1	-	1	-	-	2	-	41
36	Other puerperal causes - - - - -	-	-	1	-	-	-	1	3	42
37	Diseases of skin and locomotor system - - - - -	-	-	-	-	-	-	1	3	43
38	Congen. debil., prem. birth, malform., &c.	3	-	1	1	-	1	23	30	44
39	Old age - - - - -	8	2	3	2	-	1	26	54	45
40	Suicide - - - - -	2	-	-	-	-	-	5	4	46
42	Other violence (41) - - - - -	1	-	-	5	1	-	11	33	47
43	Causes ill-defined or unknown - - - - -	1	-	1	1	-	2	12	12	48
	ALL CAUSES - - -	85	23	34	74	11	48	504	802	49
	AGES AT DEATH.									
	Under 1 - - - - -	4	-	2	2	-	2	42	56	50
	1-4 - - - - -	-	-	3	-	-	-	13	18	51
	5-9 - - - - -	-	1	-	-	-	-	9	12	52
	10-14 - - - - -	-	-	-	-	-	-	2	6	53
	15-24 - - - - -	-	1	1	2	-	2	13	23	54
	25-34 - - - - -	1	1	2	5	-	-	17	29	55
	35-44 - - - - -	3	2	2	5	2	2	32	28	56
	45-54 - - - - -	8	2	2	8	-	3	41	61	57
	55-64 - - - - -	10	1	5	6	2	6	86	115	58
	65-74 - - - - -	20	8	7	23	3	14	114	185	59
	75-84 - - - - -	25	6	8	17	4	14	99	196	60
	85 and over - - - - -	14	1	2	6	-	5	36	73	61
	Not stated - - - - -	-	-	-	-	-	-	-	-	62
	ALL AGES - - -	85	23	34	74	11	48	504	802	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Numbers.	RENFREW COUNTY.									ROSS AND CROMARTY COUNTY.				
	Renfrew County.	Barhead B.	Gourock B.	Greenock B.	Johnstone B.	Paisley B.	Port-Glasgow B.	Renfrew B.*	Landward.	Ross and Cromarty County.	Cromarty B.	Dingwall B.	Fortrose B.	Invergordon B.
1	293,160	12,495	8,656	79,387	13,222	87,900	19,728	15,229	56,557	62,580	827	2,584	846	1,414
2	5,339	230	118	1,686	284	1,661	491	251	618	897	9	44	8	12
3	5,503	242	116	1,703	308	1,650	508	273	703	924	8	40	7	11
4	2,787	109	63	877	166	824	265	140	343	477	5	21	4	8
5	2,716	133	53	826	142	826	243	133	360	447	3	19	3	3
6	266	6	5	97	12	71	34	10	31	70	-	3	2	-
7	1,571	72	34	421	80	562	130	68	204	234	1	32	5	7
8	3,817	101	94	1,200	136	1,300	218	114	655	858	11	47	16	19
9	3,933	139	120	1,162	216	1,214	280	167	636	928	13	49	12	22
10	2,031	73	58	603	101	632	149	76	340	465	7	24	6	11
11	1,902	66	62	559	115	582	131	91	296	463	6	25	6	11
12	3	1	-	1	-	-	-	-	1	2	-	-	-	-
13	124	1	3	72	3	32	12	-	1	1	-	-	-	-
14	26	-	1	10	2	5	4	1	3	5	-	-	-	-
15	21	-	-	5	-	12	1	1	2	3	-	-	-	-
16	17	-	-	4	3	6	2	-	2	-	-	-	-	-
17	115	10	4	30	8	28	3	6	26	29	-	-	-	1
18	24	2	-	5	1	9	-	2	5	2	-	-	-	1
19	14	1	1	4	-	3	1	-	4	2	-	-	-	-
20	168	3	4	53	8	53	19	6	22	51	-	4	-	1
21	79	6	-	29	7	21	6	2	8	13	1	1	-	1
22	19	1	-	9	-	3	1	1	4	1	-	-	-	-
23	390	19	13	106	17	122	22	11	80	107	3	7	2	-
24	44	-	2	7	6	8	5	2	14	8	1	-	1	-
25	103	2	4	24	10	41	6	2	14	14	-	-	-	1
26	420	21	15	114	21	114	24	19	92	100	-	9	2	3
27	105	4	5	40	5	29	6	6	10	34	1	1	-	2
28	529	10	17	106	25	208	34	22	107	113	5	5	2	3
29	80	1	-	19	-	26	3	5	26	17	-	3	1	-
30	199	9	7	69	17	56	14	9	19	47	-	2	2	-
31	351	10	6	126	10	118	34	22	25	48	-	1	-	1
32	43	1	1	8	4	20	2	2	5	16	-	-	-	1
33	35	1	3	13	4	7	1	2	4	10	-	-	-	-
34	76	1	2	42	4	19	4	-	4	8	-	1	-	-
35	37	-	2	9	3	15	1	-	7	7	-	-	-	-
36	7	-	-	4	-	1	-	-	2	2	-	-	-	-
37	24	1	1	3	2	6	4	1	6	5	-	-	-	-
38	71	1	-	26	7	18	5	2	12	14	1	1	-	-
39	125	2	2	29	5	53	7	4	23	21	1	1	-	-
40	56	2	2	13	2	16	3	3	15	23	-	4	-	2
41	18	3	-	3	-	5	3	1	3	2	-	-	-	-
42	23	-	2	9	1	5	2	3	1	3	-	1	-	-
43	25	-	1	3	3	9	4	-	5	7	-	-	-	-
44	213	11	6	72	14	67	22	7	14	23	-	-	-	-
45	137	9	4	35	8	28	13	13	27	112	-	3	2	4
46	20	1	1	6	1	8	-	-	3	4	-	-	-	-
47	132	3	5	33	9	34	12	8	28	36	-	4	-	1
48	60	2	6	21	6	9	-	4	12	38	-	1	-	-
49	3,933	139	120	1,162	216	1,214	280	167	636	928	13	49	12	22
50	537	21	12	206	31	173	42	20	32	44	-	1	-	-
51	312	5	5	150	17	80	30	8	17	18	-	1	-	-
52	95	6	2	37	6	26	8	1	9	5	-	-	-	1
53	49	2	1	16	1	17	3	1	8	4	-	-	-	-
54	163	5	4	42	10	56	18	12	16	32	-	1	-	1
55	168	3	4	56	5	55	18	6	21	41	1	2	-	1
56	217	14	9	72	13	46	20	12	31	38	1	4	-	-
57	333	11	11	95	21	91	21	21	62	54	1	4	1	-
58	532	17	19	131	31	161	38	16	119	89	-	4	2	4
59	835	31	33	215	45	269	43	33	166	239	5	18	3	5
60	552	23	15	107	28	193	31	33	123	247	4	11	1	8
61	140	1	5	35	8	47	8	4	32	117	1	3	5	2
62	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	3,933	139	120	1,162	216	1,214	280	167	636	928	13	49	12	22

* Including portion in Lanark County.

International Nos. Short List.	ROSS AND CROMARTY COUNTY—(contd).						ROXBURGH COUNTY.			Marginal Index Numbers.			
	Stornoway B.	Tain B.	Landward.	Roxburgh County.	Hawick B.	Jedburgh B.							
	Population (Estimated) - - -						3,873	1,436	51,600	46,083	17,276	3,139	1
	Total Births Registered (including Illegitimate)	58	12	754	649	262	75	2					
	" Corrected for Transfers	59	16	783	679	241	79	3					
	" " Male - -	35	9	395	336	122	35	4					
	" " Female - -	24	7	388	343	119	44	5					
	" " Illegitimate	2	2	61	63	22	7	6					
	Marriages Registered - -	18	18	153	276	98	38	7					
	Deaths Registered - -	48	24	693	567	219	26	8					
	" Corrected for Transfers	48	29	755	615	237	34	9					
	" " Male - -	18	9	390	293	113	19	10					
	" " Female - -	30	20	365	322	124	15	11					
	CAUSES OF DEATH.												
1	Typhoid fever (including Paratyphoid)	-	-	2	-	-	-	12					
4	Measles - - - - -	-	-	1	9	6	-	13					
5	Scarlet fever - - - - -	2	-	3	-	-	-	14					
6	Whooping-cough - - - - -	-	1	2	6	1	-	15					
7	Diphtheria - - - - -	-	-	-	-	-	-	16					
8	Influenza - - - - -	-	-	28	20	5	1	17					
14 (1)	Cerebro-spinal fever - - - - -	-	-	1	2	1	-	18					
14 (2)	Other epidemic diseases (2, 3, 9) *	-	1	1	3	-	-	19					
10	Tuberculosis of respiratory system - -	-	-	46	16	12	2	20					
11	Other tuberculous diseases - - - - -	-	-	10	4	4	-	21					
14 (3)	Other infectious and parasitic dis. (12, 13)	1	-	-	2	-	1	22					
15	Cancer, malignant disease - - - - -	3	4	88	76	30	3	23					
18	Diabetes mellitus - - - - -	-	-	6	5	-	-	24					
20	Other general dis., chronic poisonings (16, 17, 19)	2	-	11	21	6	2	25					
22	Cerebral hæmorrhage, &c. - - - - -	7	3	76	99	39	4	26					
23	Oth. dis. of nerv. syst. and sense org. (21)	2	1	27	23	7	2	27					
24	Heart disease - - - - -	4	4	90	119	49	9	28					
25	Other circulatory diseases - - - - -	-	1	12	21	10	1	29					
26	Bronchitis - - - - -	4	1	38	23	9	1	30					
27	Pneumonia (all forms) - - - - -	4	2	40	20	8	-	31					
28	Other respiratory diseases - - - - -	1	-	14	9	3	-	32					
32 (1)	Gastric and duodenal ulcer - - - - -	-	-	10	3	1	-	33					
29	Diarrhœa, &c. (all ages) - - - - -	1	-	6	7	5	-	34					
30	Appendicitis - - - - -	-	-	7	5	3	-	35					
31 (1)	Cirrhosis of liver - - - - -	-	-	2	3	2	-	36					
31 (2)	Other diseases of liver, &c. - - - - -	1	-	4	6	4	-	37					
32 (2)	Other digestive diseases - - - - -	1	1	10	11	5	-	38					
33	Acute and chronic nephritis - - - - -	1	1	17	17	5	1	39					
34	Other dis. of genito-urinary system - -	4	1	12	3	1	-	40					
35	Puerperal sepsis - - - - -	1	-	1	1	-	-	41					
36	Other puerperal causes - - - - -	-	-	2	5	2	1	42					
37	Diseases of skin and locomotor system	2	-	5	2	1	-	43					
38	Congen. debil., prem. birth, malform., &c.	2	2	19	19	9	1	44					
39	Old age - - - - -	3	5	95	18	-	-	45					
40	Suicide - - - - -	-	-	4	5	1	-	46					
42	Other violence (41) - - - - -	1	1	29	23	6	3	47					
43	Causes ill-defined or unknown - - - -	1	-	36	9	2	2	48					
	ALL CAUSES - - - - -	48	29	755	615	237	34	49					
	AGES AT DEATH.												
	Under 1 - - - - -	4	3	36	31	17	2	50					
	1-4 - - - - -	4	1	12	25	11	2	51					
	5-9 - - - - -	-	-	4	8	4	-	52					
	10-14 - - - - -	-	-	4	6	1	-	53					
	15-24 - - - - -	1	-	29	18	5	2	54					
	25-34 - - - - -	2	-	35	21	12	2	55					
	35-44 - - - - -	4	-	29	22	12	1	56					
	45-54 - - - - -	3	3	42	55	18	3	57					
	55-64 - - - - -	5	1	73	82	37	3	58					
	65-74 - - - - -	9	6	193	169	58	13	59					
	75-84 - - - - -	9	10	204	153	53	6	60					
	85 and over - - - - -	7	5	94	25	9	-	61					
	Not stated - - - - -	-	-	-	-	-	-	62					
	ALL AGES - - - - -	48	29	755	615	237	34	63					

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	ROXBURGH COUNTY —(continued).			SELKIRK COUNTY.				STIRLING COUNTY.					
	Kelso B.	Melrose B.	Landward.	selkirk County.	Galashiels B.	Selkirk B.	Landward.	Stirling County.	Bridge of Allan B.	Denny and Dunipace B.	Falkirk B.	Crangemouth B.	Kilsyth B.
1	3,854	2,111	19,703	22,651	13,142	5,738	3,771	168,022	2,903	5,619	36,971	12,062	7,766
2	50	11	251	298	166	85	47	3,272	37	92	794	178	149
3	50	16	293	296	169	75	52	3,313	41	102	702	231	164
4	30	8	141	149	85	38	26	1,657	10	50	365	118	92
5	20	8	152	147	84	37	26	1,656	31	52	337	113	72
6	4	2	28	22	13	6	3	199	4	4	33	9	8
7	28	10	102	115	67	36	12	1,074	16	36	280	52	47
8	70	40	212	276	163	76	37	2,171	33	65	551	99	65
9	61	30	253	285	175	73	37	2,120	44	81	471	126	88
10	34	14	113	137	84	35	18	1,030	14	42	254	56	47
11	27	16	140	148	91	38	19	1,090	30	39	217	70	41
12	-	-	-	-	-	-	-	1	-	-	-	-	-
13	-	-	3	2	1	-	1	33	-	1	12	-	1
14	-	-	-	-	-	-	-	7	-	1	-	-	1
15	1	-	4	1	-	-	1	10	-	-	-	4	1
16	-	-	-	-	-	-	-	15	-	2	2	1	-
17	3	2	9	8	4	3	1	64	2	1	17	-	4
18	-	-	1	-	-	-	-	6	-	-	3	-	1
19	1	-	2	3	1	2	-	11	-	1	-	1	1
20	1	-	1	7	5	2	-	78	2	3	17	3	4
21	-	-	-	8	7	1	-	45	-	3	14	-	2
22	-	-	1	2	-	-	2	5	1	-	2	-	-
23	9	2	32	28	19	5	4	220	7	9	43	18	8
24	-	1	4	6	5	-	1	22	-	-	5	1	1
25	-	1	12	8	2	4	2	55	1	1	14	2	3
26	12	4	40	39	21	7	11	219	5	10	41	14	7
27	5	3	6	5	4	-	1	65	2	4	17	4	-
28	8	8	45	57	34	18	5	306	3	15	69	28	13
29	2	-	8	7	6	1	-	53	1	3	7	3	3
30	2	1	10	11	8	3	-	102	2	3	23	3	3
31	-	-	12	12	6	4	2	182	4	10	47	6	9
32	-	1	5	4	2	2	-	31	-	-	10	1	-
33	1	-	1	5	4	1	-	19	1	1	4	1	-
34	-	-	2	-	-	-	-	42	-	2	10	2	-
35	-	-	2	1	1	-	-	15	1	1	1	-	-
36	1	-	-	3	1	1	1	1	-	-	-	-	-
37	2	-	-	3	2	1	-	12	-	-	5	1	2
38	-	2	4	6	3	2	1	25	-	1	6	1	-
39	2	-	9	8	8	-	-	37	2	3	12	1	2
40	1	-	1	2	1	1	-	28	1	1	3	-	-
41	-	-	1	1	1	-	-	6	1	-	1	1	-
42	-	-	2	-	-	-	-	19	-	1	5	1	1
43	-	-	1	1	1	-	-	15	1	-	7	-	-
44	-	-	9	13	10	3	-	140	-	1	30	12	7
45	5	4	9	22	8	11	3	118	5	2	16	12	3
46	2	-	2	4	4	-	-	13	1	-	4	1	-
47	2	1	11	6	5	1	-	75	1	1	16	4	7
48	1	-	4	2	1	-	1	25	-	-	8	-	4
49	61	30	253	285	175	73	37	2,120	44	81	471	126	88
50	-	1	11	19	13	4	2	291	2	13	69	19	12
51	1	1	10	7	6	-	1	134	2	4	36	7	6
52	-	-	4	5	1	1	3	28	-	1	12	2	1
53	1	-	4	1	1	-	-	21	-	-	6	2	1
54	2	1	8	10	7	1	2	81	1	2	17	3	3
55	1	-	6	8	7	1	-	100	1	6	22	2	6
56	-	-	9	12	10	1	1	129	1	3	27	6	10
57	7	4	23	23	12	11	-	174	3	13	45	11	9
58	12	5	25	39	21	12	6	269	4	11	70	13	8
59	14	8	76	66	41	16	9	434	14	15	82	30	14
60	20	8	66	79	46	21	12	375	10	12	75	23	15
61	3	2	11	16	10	5	1	84	6	1	10	8	3
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	61	30	253	285	175	73	37	2,120	44	81	471	126	88

International Nos. Short List.		STIRLING COUNTY— (continued).		SUTHERLAND COUNTY.		WEST LOTHIAN COUNTY.			Marginal Index Numbers.	
		Stirling B.	Landward.	Sutherland County.	Dornoch B.	Landward.	West Lothian County.	Arncliffe B.		Bathgate B.
	Population (Estimated) - - -	22,832	79,869	15,810	746	15,064	82,015	4,937	10,309	1
	Total Births Registered (including Illegitimate)	549	1,473	211	8	203	1,573	97	164	2
	" " Corrected for Transfers	451	1,622	223	10	213	1,680	105	171	3
	" " " Male - -	224	798	129	8	121	857	49	94	4
	" " " Female - -	227	824	94	2	92	823	56	77	5
	" " " Illegitimate	37	104	20	-	20	95	7	12	6
	" Marriages Registered - -	182	461	49	10	39	460	32	69	7
	" Deaths Registered - - -	417	941	264	8	256	778	32	78	8
	" " Corrected for Transfers	303	1,007	288	9	279	903	42	113	9
	" " " Male - -	136	481	151	2	149	476	18	68	10
	" " " Female - -	167	526	137	7	130	427	24	45	11
	CAUSES OF DEATH.									
1	Typhoid fever (including Paratyphoid)	-	1	-	-	-	-	-	-	12
4	Measles - - - - -	3	16	-	-	-	24	1	2	13
5	Scarlet fever - - - - -	-	5	-	-	-	1	-	-	14
6	Whooping-cough - - - - -	1	4	-	-	-	9	-	-	15
7	Diphtheria - - - - -	1	9	-	-	-	5	1	-	16
8	Influenza - - - - -	9	31	12	-	12	30	1	3	17
14 (1)	Cerebro-spinal fever - - - - -	-	2	-	-	-	3	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	8	1	-	1	2	-	-	19
10	Tuberculosis of respiratory system -	10	39	16	-	16	43	4	6	20
11	Other tuberculous diseases - - - -	7	19	2	-	2	15	-	1	21
14 (3)	Other infectious and parasitic dis. (12, 13)	1	1	-	-	-	6	-	-	22
15	Cancer, malignant disease - - - -	34	101	38	1	37	93	5	10	23
18	Diabetes mellitus - - - - -	1	14	3	1	2	13	-	3	24
20	Other general dis., chronic poisonings (16, 17, 19)	6	28	6	1	5	25	1	5	25
22	Cerebral hæmorrhage, &c. - - - -	33	109	27	1	26	93	4	16	26
23	Oth. dis. of nerv. syst. and sense org. (21)	6	32	6	-	6	30	2	5	27
24	Heart disease - - - - -	46	132	50	3	47	122	5	12	28
25	Other circulatory diseases - - - -	11	25	10	1	9	16	2	3	29
26	Bronchitis - - - - -	16	52	9	-	9	50	2	6	30
27	Pneumonia (all forms) - - - - -	23	83	8	-	8	62	1	8	31
28	Other respiratory diseases - - - -	5	15	4	-	4	13	-	3	32
32 (1)	Gastric and duodenal ulcer - - - -	4	8	2	-	2	8	-	3	33
29	Diarrhoea, &c. (all ages) - - - -	7	21	2	-	2	17	2	-	34
30	Appendicitis - - - - -	2	10	-	-	-	1	-	1	35
31 (1)	Cirrhosis of liver - - - - -	-	1	-	-	-	3	-	-	36
31 (2)	Other diseases of liver, &c. - - - -	2	2	1	-	1	3	2	-	37
32 (2)	Other digestive diseases - - - - -	4	13	2	-	2	10	1	1	38
33	Acute and chronic nephritis - - - -	7	10	9	-	9	40	2	5	39
34	Other dis. of genito-urinary system -	6	17	3	-	3	10	-	1	40
35	Puerperal sepsis - - - - -	-	3	-	-	-	5	-	-	41
36	Other puerperal causes - - - - -	-	11	-	-	-	7	-	1	42
37	Diseases of skin and locomotor system-	1	6	2	-	2	4	2	1	43
38	Congen. debil., prem. birth, malform., &c.	22	68	13	-	13	63	1	4	44
39	Old age - - - - -	20	60	45	-	45	28	-	7	45
40	Suicide - - - - -	1	6	-	-	-	3	1	1	46
42	Other violence (41) - - - - -	10	36	8	-	8	35	2	4	47
43	Causes ill-defined or unknown - - -	4	9	9	1	8	11	-	1	48
	ALL CAUSES - - -	303	1,007	288	9	279	903	42	113	49
	AGES AT DEATH.									
	Under 1 - - - - -	42	134	17	-	17	121	5	7	50
	1-4 - - - - -	17	62	4	-	4	46	1	4	51
	5-9 - - - - -	3	9	1	-	1	23	1	4	52
	10-14 - - - - -	-	12	2	-	2	14	1	3	53
	15-24 - - - - -	6	49	8	1	7	33	3	6	54
	25-34 - - - - -	7	56	15	-	15	50	2	6	55
	35-44 - - - - -	21	61	10	-	10	60	4	7	56
	45-54 - - - - -	21	72	13	-	13	92	2	15	57
	55-64 - - - - -	33	130	36	2	34	132	6	16	58
	65-74 - - - - -	71	208	66	4	62	180	9	21	59
	75-84 - - - - -	64	176	74	2	72	115	7	17	60
	85 and over - - - - -	18	38	42	-	42	37	1	7	61
	Not stated - - - - -	-	-	-	-	-	-	-	-	62
	ALL AGES - - -	303	1,007	288	9	279	903	42	113	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	WEST LOTHIAN COUNTY— (continued).					WIGTOWN COUNTY.						ZETLAND COUNTY.		
	Bo'ness B.	Linlithgow B.	Queensferry B.	Whithorn B.	Landward.	Wigtown County.	Newton-Stewart B.	Stranraer B.	Whithorn B.	Wigtown B.	Landward.	Zetland County.	Lerwick B.	Landward.
1	10,256	3,654	1,843	2,464	48,552	29,452	1,958	6,650	972	1,275	18,597	21,493	4,243	17,250
2	209	62	29	59	953	593	23	141	23	27	379	269	51	218
3	221	66	37	59	1,021	599	23	131	24	29	392	273	48	225
4	121	25	25	19	524	295	10	65	10	12	198	133	22	111
5	100	41	12	40	497	304	13	66	14	17	194	140	26	114
6	5	3	3	3	62	97	2	13	5	10	67	26	8	18
7	77	27	12	10	233	187	17	40	6	10	114	113	74	39
8	90	31	17	22	508	411	26	109	13	22	241	353	79	274
9	124	45	23	29	527	439	28	98	16	24	273	359	65	294
10	62	30	14	7	277	210	10	48	7	13	132	143	26	117
11	62	15	9	22	250	229	18	50	9	11	141	216	39	177
12	-	-	-	-	-	-	-	-	-	-	-	1	-	1
13	5	-	-	1	15	7	1	2	-	-	4	-	-	-
14	-	-	-	-	1	2	-	-	-	-	2	-	-	-
15	3	-	1	1	4	1	-	-	-	-	1	1	-	1
16	-	-	-	1	3	1	-	1	-	-	-	-	-	-
17	9	2	-	3	12	11	-	4	-	2	5	8	-	8
18	1	-	1	-	1	-	-	-	-	-	-	-	-	-
19	1	-	-	-	1	1	-	1	-	-	-	1	-	1
20	5	1	2	2	23	16	1	4	1	1	9	16	6	10
21	1	-	-	1	12	14	1	4	-	-	9	11	1	10
22	1	-	1	-	4	-	-	-	-	-	-	2	1	1
23	14	5	5	3	51	33	3	3	1	2	24	34	6	28
24	2	-	-	2	6	3	1	-	-	-	2	1	1	-
25	3	1	1	-	14	13	-	4	-	1	8	8	2	6
26	19	6	1	2	45	54	1	15	2	2	34	41	6	35
27	7	3	1	1	11	16	1	3	1	-	11	7	2	5
28	11	8	4	3	79	66	7	15	1	4	39	61	9	52
29	-	1	-	-	10	11	1	3	-	1	6	13	8	5
30	5	2	2	1	32	23	2	1	2	1	17	12	3	9
31	6	5	-	2	40	19	-	6	1	3	9	9	1	8
32	1	-	-	-	9	6	-	-	-	3	3	2	1	1
33	1	-	-	-	4	4	-	-	1	1	2	3	-	3
34	4	-	-	-	11	6	-	2	-	1	3	1	-	1
35	-	-	-	-	-	2	-	-	-	-	2	1	1	-
36	1	-	-	-	2	2	-	-	-	-	2	-	-	-
37	-	-	-	-	1	3	-	-	-	-	3	1	-	1
38	2	2	-	1	3	5	-	2	1	-	2	10	1	9
39	6	-	1	1	25	13	2	6	-	-	5	12	-	12
40	2	-	-	-	7	6	1	1	1	1	2	4	-	4
41	1	-	-	-	4	1	-	-	-	-	1	-	-	-
42	2	-	-	1	3	6	-	2	1	-	3	1	-	1
43	-	-	-	-	1	2	-	-	-	-	2	3	1	2
44	7	2	3	3	43	32	1	5	-	-	26	5	1	4
45	-	1	-	-	20	35	4	10	3	-	18	65	7	58
46	-	-	-	-	1	4	-	1	-	1	2	-	-	-
47	4	5	-	-	20	14	-	2	-	-	12	17	7	10
48	-	1	-	-	9	7	1	1	-	-	5	8	-	8
49	124	45	23	29	527	439	28	98	16	24	273	359	65	294
50	19	3	5	4	78	48	2	11	-	1	34	6	1	5
51	6	1	-	3	31	16	-	3	1	1	11	4	1	3
52	2	-	-	1	15	6	1	2	-	-	3	3	2	1
53	1	-	1	-	8	3	-	1	-	-	2	5	2	3
54	3	5	1	1	14	21	1	3	-	-	17	16	6	10
55	4	2	1	1	34	21	2	7	2	1	9	10	4	6
56	12	1	1	4	31	26	2	6	3	-	15	10	1	9
57	16	6	3	1	49	30	3	7	1	3	16	21	3	18
58	20	8	2	8	72	36	-	8	-	3	25	45	10	35
59	19	11	5	5	110	103	6	20	3	7	67	82	14	68
60	15	7	4	1	64	110	9	24	3	8	66	93	15	78
61	7	1	-	-	21	19	2	6	3	-	8	64	6	58
62	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	124	45	23	29	527	439	28	98	16	24	273	359	65	294

NOTES ON METEOROLOGICAL TABLES, 1932.

Up to and including the year 1930 tables giving monthly values for a large number of individual stations were printed *in extenso*. So far as possible the tables have now been reduced to summary form. More detailed information may be obtained from the Meteorological Office, Edinburgh, and from the following official publications :

The Monthly Weather Report of the Meteorological Office, price 1s. net each month.

The Weekly Weather Report of the Meteorological Office, published in an annual volume, price 15s. net.

The Book of Normals of Meteorological Elements of the British Isles, price 12s. 6d. complete, but obtainable in sections.

The observations of pressure in Table II have been reduced to mean sea-level, but not reduced for the value of gravity to Lat. 45°.

The Air Temperatures throughout are from standard thermometers exposed in the regulation "Stevenson Screen."

The averages or normals refer, so far as possible, to the standard 35-year period 1881-1915. For stations at which the available observations do not cover the entire 35-year period, averages have been adjusted by comparison with neighbouring stations.

In Table II the figures, except those for Absolute Extremes of Temperature and for Rain, are extracted from the Monthly Reports already published by the Registrar-General for Scotland and relate to the seven towns, Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Perth.

TABLE I.—DISTRICT VALUES of AIR TEMPERATURE, RAINFALL and SUNSHINE.

DISTRICT.	MONTH.	AIR TEMPERATURE.			RAINFALL.		SUNSHINE.	NORMAL VALUES 1881-1915.			
		Highest.	Lowest.	Deviation from Normal Daily Mean.	Percentage of Normal	Number of Days Deviation from Normal.	Percentage of Normal Duration.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.
		YEAR 1932.						YEARS 1881-1915.			
		°F.	°F.	°F.	%		%	°F.	Inch.		Hours
North Scotland.	Jan.	60	22	+4·6	171	+ 2	92	38·4	5·79	23	0·84
	Feb.	54	15	+3·5	20	- 7	97	38·3	4·57	21	1·89
	Mar.	57	11	+1·4	94	- 1	65	39·2	4·41	23	3·05
	Apl.	62	19	-1·9	169	+ 5	83	42·9	3·23	19	4·55
	May	70	25	-0·1	111	+ 1	85	48·1	2·80	19	5·36
	June	79	27	+0·1	37	- 8	105	52·4	2·72	16	5·17
	July	78	34	+1·2	131	+ 2	86	54·7	3·35	19	4·18
	Aug.	72	31	+1·6	88	- 5	97	54·6	4·18	21	3·69
	Sept.	69	24	-1·6	131	+ 7	80	51·8	3·78	19	3·49
	Oct.	60	24	-1·9	156	+ 7	70	46·4	5·00	22	2·50
	Nov.	56	21	0·0	129	- 4	93	41·8	5·63	23	1·22
	Dec.	59	12	+2·2	85	- 5	97	39·1	6·18	24	0·61
	Year	79	11	+0·5	109	+ 1	87	45·6	51·64	249	3·05
East Scotland.	Jan.	61	20	+5·1	112	- 1	160	37·2	2·57	17	1·37
	Feb.	58	16	+2·5	17	- 6	99	37·4	2·24	16	2·50
	Mar.	60	14	+1·1	139	- 1	78	39·2	2·48	19	3·51
	Apl.	60	22	-2·1	153	+ 6	96	43·2	1·85	16	4·94
	May	68	23	-1·1	128	+ 5	72	48·2	2·24	16	5·76
	June	79	31	-0·6	44	- 8	104	53·7	2·13	14	6·03
	July	83	38	+1·2	102	+ 3	78	56·4	2·87	17	5·09
	Aug.	82	28	+1·8	44	- 6	88	55·8	3·15	18	4·70
	Sept.	76	22	-0·7	122	+ 2	103	52·3	2·24	15	4·06
	Oct.	60	24	-1·8	209	+ 7	85	46·5	3·27	19	2·80
	Nov.	59	21	+0·1	67	- 2	100	41·1	3·11	19	1·73
	Dec.	60	19	+3·2	106	0	98	37·9	3·11	19	1·04
	Year	83	14	+0·8	104	- 2	91	45·7	31·26	205	3·63
West Scotland.	Jan.	56	17	+4·6	198	+ 6	118	39·4	4·57	20	1·17
	Feb.	57	18	+1·3	3	-13	168	39·3	3·94	18	2·10
	Mar.	57	17	+0·4	83	- 3	89	40·7	3·58	19	3·51
	Apl.	61	21	-2·3	145	+ 6	110	44·7	2·76	16	5·15
	May	73	25	-0·9	97	+ 1	86	49·7	2·91	16	6·16
	June	80	32	+1·0	52	- 7	115	55·0	2·87	15	6·32
	July	76	37	+0·5	128	+ 5	72	57·1	3·46	17	5·73
	Aug.	81	33	+1·2	57	- 1	79	56·6	4·41	18	4·99
	Sept.	73	24	-1·2	143	+ 4	93	53·5	3·66	16	4·24
	Oct.	60	22	-1·8	183	+ 8	93	47·9	4·69	19	2·68
	Nov.	58	21	-0·1	83	- 4	95	43·2	5·16	19	1·59
	Dec.	58	18	+2·6	158	+ 1	138	40·6	5·63	22	0·96
	Year	81	17	+0·4	115	+ 1	97	47·3	47·64	215	3·67

TABLE II.—SUMMARY TABLE of mean Values of Air Pressure, Air Temperature and Wind Direction at seven Principal Towns, together with extremes of temperature for Scotland as a whole and generalised figures for rain in the British Isles.*

1932.	Air Pressure at 32° F. and Mean Sea Level.		AIR TEMPERATURE.							
	Mean.	Difference from Normal.	Means of		Mean of A and B.	Difference of Mean from Normal.	Daily Range.		Absolute Extremes.	
			A Maximum.	B Minimum.			Mean = A-B.	Difference from Normal.	Highest.	Lowest.
	In.	In.	°	°	°	°	°	°	°	°
January ...	29·877	+0·009	48·4	38·1	43·2	+5·2	10·3	+1·5	61	17
February ...	30·537	+0·692	45·7	35·1	40·4	+2·0	10·6	+0·4	58	15
March ...	29·826	+0·025	46·7	36·3	41·5	+1·2	10·4	-1·2	60	11
April ...	29·649	-0·241	49·4	36·0	42·7	-1·8	13·4	-0·6	62	19
May ...	29·866	-0·082	55·8	42·9	49·3	-0·3	12·9	-2·1	73	21
June ...	30·048	+0·079	63·8	47·6	55·7	+0·5	16·2	+0·8	80	27
July ...	29·772	-0·128	64·9	52·7	58·8	+0·9	12·2	-2·1	83	34
August ...	30·041	+0·182	65·6	52·4	59·0	+1·8	13·2	-0·7	82	28
September ...	29·763	-0·185	59·5	47·2	53·3	-0·3	12·3	-1·1	76	22
October ...	29·565	-0·283	51·2	40·8	46·0	-1·3	10·4	-1·1	60	22
November ...	29·928	+0·107	46·8	37·4	42·1	-0·1	9·4	-0·3	59	21
December ...	29·833	+0·091	46·0	38·5	42·3	+3·3	7·5	-1·4	60	12
Means ...	29·892	+0·022	53·7	42·1	47·9	+0·9	11·6	-0·7	83	11

1932.	RAIN.				WIND.								
	Percentage of Normal.				No. of Observations—Total = 732.								
	Scotland.	England and Wales.	Ireland.	British Isles.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	%	%	%	%									
January ...	150	111	122	123	0	1	1	3	13	31	7	2	4
February ...	12	18	7	14	4	8	5	3	1	8	10	10	9
March ...	101	88	71	88	3	4	4	8	6	13	10	7	7
April ...	160	156	118	149	3	8	4	5	3	12	10	12	3
May...	108	221	134	174	10	15	8	7	4	6	3	5	4
June ...	49	59	60	57	3	10	11	9	5	9	7	4	2
July...	121	144	138	137	2	5	4	6	8	22	7	5	3
August ...	54	56	62	57	2	6	6	8	6	18	8	2	6
September ...	137	144	109	135	2	3	3	1	3	25	11	8	4
October ...	169	153	105	148	4	5	1	4	5	15	11	10	7
November ...	86	69	58	71	0	5	4	4	5	18	8	7	9
December ...	112	47	138	81	2	3	6	4	12	17	7	5	6
Year ...	106	102	94	101	35	73	57	62	71	194	99	77	64

* In this Table the figures, except those for Absolute Extremes of Temperature and for Rain, are extracted from the Monthly Reports for 1932 already published by the Registrar-General for Scotland and refer only to some of the Principal Towns of Scotland. Those for the Absolute Extremes of Temperature refer to Scotland as a whole, as represented by the Abstract of Meteorological Observations for 1932 in the present Report. The generalized figures for Rain are based on a large number of observations and are extracted from the Monthly Weather Report of the Meteorological Office.

TABLE III.—NUMBER OF HOURS BRIGHT SUNSHINE.

1932.	NUMBER OF HOURS.												YEAR.
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total. Hours.
NORTH SCOTLAND—													
Baltasound ...	23	53	77	128	184	177	146	106	92	71	23	12	1092
Lerwick ...	27	60	72	131	185	202	123	90	96	73	30	19	1108
Deerness ...	60	59	70	141	181	197	(143)	122	(109)	63	38	16	(1199)
Kirkwall ...	55	54	53	139	177	177	143	133	109	66	40	15	1161
Stornoway ...	20	68	75	140	174	166	143	132	93	56	46	32	1145
Fortrose ...	76	69	76	128	142	175	121	139	74	69	64	40	1173
Fort Augustus ...	11	39	45	72	93	154	73	104	62	33	19	6	711
Dalwhinnie ...	34	71	83	115	143	188	104	150	73	42	39	21	1063
Fort-William ...	6	87	74	103	169	202	106	131	74	43	33	15	1043
Inverness ...	63	73	75	116	127	164	133	147	81	57	50	35	1121
Onich ...	18	101	97	108	185	158	91	143	82	54	39	50	1126
EAST SCOTLAND—													
Nairn ...	82	64	69	110	132	169	125	141	84	65	69	44	1154
Forres	113	142	88	62	71	40	...
Gordon Castle ...	84	64	52	115	134	178	111	141	83	64	59	33	1118
Banff ...	77	57	66	129	130	168	116	138	95	70	59	29	1134
Aberdeen (K.C.) ...	72	59	72	148	135	175	125	141	137	81	56	40	1241
Craibstone ...	74	57	63	130	106	133	125	145	134	84	64	46	1161
Stonehaven ...	86	67	87	150	113	147	121	126	113	76	64	41	1191
Arbroath ...	79	89	116	180	148	211	139	165	147	104	56	32	1466
Carnoustie ...	73	85	113	171	143	225	145	157	151	99	50	30	1442
Dundee (College Gardens) ...	83	99	109	159	146	212	133	140	128	91	57	33	1390
Montrose ...	84	86	99	163	123	174	128	156	138	92	57	41	1341
Perth ...	59	83	100	136	132	198	148	146	130	79	48	25	1284
Inchkeith ...	81	89	99	167	143	236	161	134	146	95	57	35	1443
Leuchars ...	76	89	110	170	131	219	160	160	149	95	59	36	1454
St. Andrews ...	71	80	109	167	120	214	155	152	146	90	58	35	1397
Dunfermline	121	109	102	83	49	29	...
Edinburgh ...	79	80	96	142	122	219	136	123	131	85	60	34	1307
Boghall ...	73	79	90	149	118	225	145	123	118	83	55	30	1288
Balerno ...	61	70	(85)	121	128	226	143	112	109	78	55	26	(1214)
Dunbar ...	94	64	91	173	123	204	146	135	132	77	63	33	1335
North Berwick ...	54	72	89	157	116	206	149	132	127	66	52	25	1245
Marchmont ...	66	72	94	164	113	186	130	122	137	71	41	33	1229
WEST SCOTLAND—													
Tiree ...	25	113	134	188	262	252	149	164	114	91	55	55	1602
Oban ...	26	101	99	143	205	206	105	130	75	56	40	34	1220
Rothsay ...	36	92	101	156	174	208	104	112	110	75	40	33	1241
Kilmarnock ...	36	80	72	154	163	201	104	119	110	83	58	30	1210
Cardross ...	41	92	79	153	165	193	102	98	85	55	43	29	1135
Helensburgh ...	41	96	95	167	173	197	108	111	91	70	45	30	1224
Stirling ...	36	73	89	149	128	179	97	116	103	69	35	19	1093
Paisley ...	36	64	68	152	149	189	123	99	119	80	24	13	1116
Renfrew ...	38	66	78	148	144	191	112	93	109	84	28	18	1109
Thorntonhall ...	39	66	68	131	127	185	108	96	102	72	53	18	1065
Auchincruive ...	45	84	77	163	174	202	108	122	112	73	57	37	1254
Troon ...	42	89	75	165	187	209	109	124	116	75	55	31	1277
Prestwick ...	(40)	89	71	159	173	210	107	123	109	85	49	24	(1239)
Ayr ...	(40)	84	74	165	169	205	106	122	107	62	53	29	(1216)
Turnberry ...	43	78	78	153	171	230	106	105	102	66	46	35	1213
Dumfries ...	45	88	85	155	131	198	132	101	110	85	49	41	1220
Eskdalemuir ...	43	107	79	151	130	188	107	89	100	88	40	36	1158
Ruthwell ...	41	84	81	154	114	180	103	89	93	84	38	36	1097

Values printed in brackets are estimated.

TABLE IV.—MONTHLY and ANNUAL AMOUNTS of RAINFALL and
Number of RAIN DAYS at Selected Stations.

1932.	AMOUNTS.													Number of Days of Rain exceeding ·01 inch
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.	YEAR.
NORTH SCOTLAND—	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
Baltasound ...	4·63	1·13	3·26	4·00	1·79	1·45	4·31	3·43	6·21	4·61	3·84	3·62	42·28	312
Lerwick ...	5·46	1·15	3·35	4·16	1·48	1·50	3·33	3·71	5·10	3·38	3·20	2·59	38·41	224
Deerness ...	4·51	0·66	3·19	3·41	1·14	1·00	...	2·97	...	4·57	4·53	2·73
Kirkwall ...	4·95	0·59	3·36	3·08	1·26	0·63	2·78	2·90	4·30	3·92	4·24	3·02	35·03	243
Skallary ...	6·80	0·39	3·16	3·89	1·13	1·86	4·33	3·78	4·72	6·75	4·74	4·37	45·92	234
Stornoway ...	10·45	0·59	2·95	3·87	1·50	1·56	2·81	4·58	4·76	5·38	4·59	3·84	46·88	259
Wick ...	3·41	0·54	2·05	2·97	1·40	0·65	3·00	2·72	3·82	4·94	2·93	2·01	30·44	226
Achnashellach ...	16·97	0·90	4·05	7·65	2·57	1·92	6·87	6·02	12·90	7·64	10·96	8·74	87·19	247
Fortrose ...	3·58	0·39	3·51	3·15	2·55	0·22	2·06	1·26	2·90	3·96	3·13	2·25	28·96	199
Strathpeffer ...	5·44	0·44	2·37	5·26	2·60	0·44	2·71	2·28	3·14	5·25	4·16
Dalwhinnie ...	9·96	0·00	2·43	4·63	2·89	0·97	4·07	1·52	3·80	8·49	5·87	8·75	53·38	198
Fort Augustus ...	9·87	0·31	2·39	3·66	3·45	0·35	4·48	3·00	3·42	6·39	6·57	5·61	49·50	208
Fort-William ...	17·69	0·13	3·74	5·78	2·95	0·87	8·35	4·61	7·86	11·25	13·16	12·55	88·94	233
Inverness ...	4·29	0·55	2·39	3·29	3·09	0·22	2·87	1·09	3·41	4·87	3·49	2·28	31·84	203
Onich ..	14·47	0·18	4·32	5·03	3·80	1·57	9·85	5·69	8·94	10·00	12·18	10·27	86·30	227
EAST SCOTLAND—														
Nairn ...	2·76	0·44	2·41	3·13	2·62	0·10	2·57	2·01	2·22	4·59	2·77	1·86	27·48	204
Forres	3·05	2·33	3·19	5·29	2·75	1·24
Gordon Castle ...	1·66	0·61	2·74	2·97	2·07	0·29	2·61	1·52	3·34	6·54	3·09	1·68	29·12	209
Banff ...	1·85	0·24	1·94	2·31	1·23	0·41	2·57	1·57	3·14	6·22	2·17	1·19	24·84	212
Aberdeen ...	1·94	0·32	4·10	2·98	2·83	0·70	3·84	2·10	3·52	6·66	1·52	1·49	32·00	210
Balmoral ...	4·16	0·41	2·42	4·07	4·40	0·88	3·24	0·91	2·62	8·22	2·22	3·49	37·04	266
Braemar... ..	5·30	0·18	2·04	3·73	3·76	1·17	3·78	0·82	2·65	8·17	2·55	5·61	39·76	221
Craibstone ...	1·93	0·35	3·96	4·04	2·63	1·20	2·97	3·52	3·06	7·31	1·51	1·42	33·90	212
Logie Coldstone	3·15	3·81	0·63	2·99	0·99	3·58	7·76	1·79	1·67
Balmakewan ...	1·84	0·16	2·98	3·21	3·18	1·00	3·69	1·00	2·01	6·57	1·47	2·32	29·43	187
Stonehaven ...	1·69	0·20	3·55	3·20	3·02	0·23	3·43	1·04	2·61	7·88	1·18	1·95	29·98	189
Arbroath ...	1·44	0·16	2·69	1·99	2·50	1·13	3·93	0·50	2·50	6·58	1·17	2·20	26·79	158
Carnoustie ..	1·58	0·19	2·64	1·93	2·69	1·20	3·33	0·61	1·95	5·86	1·20	2·36	25·54	195
Dundee (College Gardens) ...	1·88	0·10	2·57	2·31	3·00	1·06	3·42	0·93	1·62	6·69	1·38	3·25	28·21	177
Kettins ...	3·05	0·16	2·44	3·49	2·45	0·93	3·74	0·85	1·76	6·27	1·64	4·31	31·09	184
Montrose ...	1·21	0·18	3·23	1·69	3·07	0·91	3·01	0·43	1·75	6·37	1·00	1·98	24·83	170
Crieff ...	5·86	0·16	2·85	3·37	3·16	1·15	4·38	1·64	2·05	5·87	2·43	8·06	40·98	212
Perth ...	2·70	0·16	2·53	2·83	2·74	1·07	2·54	0·99	1·79	5·97	1·20	4·44	28·96	192
Cupar ...	2·31	0·07	2·34	2·53	3·03	1·30	3·52	0·55	1·61	6·21	1·64	4·44	29·55	181
Inchkeith ...	1·97	0·10	2·48	1·19	2·52	1·10	2·10	0·46	2·00	5·39	1·15	2·53	22·99	159
Kirkcaldy ...	2·28	0·11	2·75	2·03	2·69	1·61	2·66	0·56	2·59	5·28	1·87	5·10	29·53	193
Leuchars ...	1·63	0·07	2·23	2·30	2·67	1·13	3·20	0·36	1·58	6·21	1·35	3·03	25·76	174
St. Andrews ...	1·78	0·20	2·61	2·56	2·94	1·29	2·65	0·45	1·53	6·80	1·52	3·52	27·85	181
Dunfermline	2·47	0·69	2·86	5·75	1·62	5·07
Linlithgow ...	3·79	0·06	2·43	3·22	3·01	1·03	2·39	0·43	2·94	4·83	2·36	6·88	33·37	...
Edinburgh (Blackford Hill)	2·99	0·18	2·64	2·07	2·83	1·00	1·90	0·37	2·48	5·82	1·56	4·80	28·64	190
Boghall ...	4·31	0·30	3·02	3·60	3·54	1·32	2·68	0·69	3·15	6·62	2·33	6·02	37·58	205
Balerno ...	5·13	0·24	2·67	3·89	3·92	1·36	2·04	0·86	3·23	6·86	2·67	7·59	40·46	205
Dunbar ...	1·36	0·28	2·37	1·28	1·96	1·11	2·34	0·50	2·13	5·19	1·42	1·55	21·49	177
North Berwick ...	1·40	0·33	2·73	1·07	2·18	1·03	2·12	0·28	1·84	5·25	1·40	2·32	21·95	156
Marchmont ...	2·13	0·67	3·17	2·29	2·32	1·42	2·40	0·75	3·54	6·05	1·19	1·81	27·74	203
West Linton ...	6·23	0·25	3·20	3·89	3·61	1·20	2·90	1·17	4·10	6·31	2·97	6·50	42·33	187
Kelso (Broom- lands) ...	2·13	0·30	2·47	2·29	1·93	1·07	2·48	1·02	3·86	4·70	1·02	1·70	24·97	200
Wolfelee ...	4·85	0·69	2·98	2·65	2·73	1·79	3·65	1·45	4·47	5·86	1·89	5·47	38·48	161

TABLE IV.—MONTHLY and ANNUAL AMOUNTS of RAINFALL and Number of RAIN DAYS at Selected Stations—*continued*.

1932.	AMOUNTS.													Number of Days of Rain exceeding .01 inch.
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.	YEAR.
WEST SCOTLAND—														
Ardtornish ...	14.99	0.14	5.49	6.45	3.01	3.28	6.33	5.49	6.52	11.29	7.97	9.15	80.11	198
Tiree ...	5.65	0.26	2.65	3.41	1.20	1.90	4.34	3.48	3.64	5.13	5.01	4.40	41.07	236
Glenbranter ...	18.74	0.03	4.36	8.80	3.36	3.14	7.60	5.57	7.29	10.06	10.00	15.42	94.37	219
Oban ...	9.55	0.06	3.10	3.71	2.67	1.08	4.41	3.29	5.10	9.40	7.01	7.04	56.42	211
Rothsay ...	10.07	0.22	3.10	5.04	2.97	1.83	4.48	4.47	4.96	9.10	5.14	7.27	58.65	236
Kilmarnock ...	6.95	0.05	2.79	3.29	2.84	1.42	4.44	2.17	4.75	6.00	3.81	7.22	45.73	194
Cardross...	9.22	0.02	2.62	4.05	2.89	1.67	2.64	2.43	4.42	6.88	4.93	8.73	50.50	212
Helensburgh ...	8.52	0.02	2.47	4.27	3.15	1.24	3.27	2.73	4.43	7.15	5.74	9.16	52.15	208
Stirling ...	5.92	0.03	1.99	4.13	3.41	1.50	2.41	1.28	2.98	5.65	2.82	7.99	40.11	180
Greenock ...	10.42	0.00	2.42	5.82	2.76	1.76	3.09	3.26	5.77	7.45	7.25	12.21	62.21	206
Paisley ...	7.02	0.01	1.82	3.91	2.98	1.25	2.37	1.48	3.92	6.52	4.00	8.60	43.88	204
Renfrew ...	6.39	0.03	2.04	3.68	2.99	1.14	3.07	1.09	3.93	5.88	3.66	8.10	42.00	207
Dungavel ...	9.56	0.02	2.36	4.02	2.48	1.97	4.29	2.12	8.06	7.36	5.09	9.53	56.86	217
Glasgow (Univ.)	6.07	0.04	1.87	3.24	3.08	0.87	3.32	1.55	3.36	5.64	2.95	6.68	38.67	206
Thorntonhall ...	8.32	0.02	1.67	3.37	2.65	1.19	3.80	1.10	5.16	6.42	3.95	9.97	47.62	220
Auchincruive ...	4.63	0.04	2.50	2.94	2.61	1.57	3.87	1.61	5.14	5.27	3.46	6.92	40.56	205
Colmonell ...	5.19	0.08	2.88	3.61	2.83	1.95	4.98	1.58	5.57	7.27	4.11	7.74	47.79	203
Troon ...	4.70	0.01	2.27	2.64	2.87	1.31	2.81	1.83	4.66	4.69	3.10	6.24	37.13	194
Prestwick ...	3.96	0.01	2.40	3.08	3.09	1.36	3.35	1.34	4.01	4.55	3.07	6.45	36.67	197
Ayr ...	5.09	0.00	2.26	3.08	2.61	1.55	2.97	1.46	4.47	4.68	3.11	6.94	38.22	170
Turnberry ...	4.92	0.03	2.50	2.73	2.49	1.73	4.50	1.64	3.58	5.19	3.58	7.24	40.13	170
Dumfries ...	5.24	0.07	2.96	2.54	2.59	1.93	3.12	1.86	4.05	6.02	2.65	7.19	40.22	186
Eskdalemuir ...	12.17	0.18	4.19	5.30	3.39	1.38	8.29	2.11	6.20	9.18	5.55	13.37	71.31	217
Ruthwell ...	4.88	0.05	2.88	2.46	2.68	1.83	3.34	1.21	3.40	5.97	2.23	5.92	36.85	180

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By J. Skinner & Co., Ltd., Thistle Street, Edinburgh.



